

**Automatic  
Hand Dryers**



SHOWN: 20200 TRI-UMPH™  
HIGH-SPEED HAND DRYER



# **AUTOMATIC HAND DRYERS**

## **STANDARD FEATURES**

- Energy Efficient
- Powerful – Thorough and fast drying
- Classic Styling – Looks great in every washroom
- Sanitary – All are no-touch operation
- Cost Efficient – No paper towels, less trash disposal
- More ADA-Compliant Models
- Multiple Models and Finishes – More choices
- Easy Installation – Installs quickly with standard tools
- Durable – Backed by a warranty, up to 10 years
- BAA Compliant – All comply with the Buy American Act (BAA)

## **FINISH/COLOR OPTIONS**

White is standard if no color is indicated. (Printing limitations prohibit true color representation.) Refer to our webpage for more color options.



20201—White



**Decibel Level**  
**Min:** 65 dB-A @ 2M  
**Max:** 69.8 dB-A @ 2M  
**Dry Time:** Under 12 seconds

**20200 TRI-Umph™ HIGH-SPEED HAND DRYER**


Satin look cover: ABS plastic with silver ions. Ergonomic—no need to bend over or bend knees. Air blows down and back from vents on one side. No water splash-back. Ultra hygienic—over 99% of airborne bacteria is eliminated with the removable Super Filter System. 5-year warranty.

**Overall Dimensions:**  
 12<sup>1</sup>/<sub>16</sub>" x 22<sup>1</sup>/<sub>16</sub>" x 7<sup>3</sup>/<sub>4</sub>"  
 (322 x 560 x 196 mm)

**MODEL OPTIONS:**  
 20201 White finish



Also in White



- Ultra hygienic — Over 99% of airborne bacteria and particles as small as 0.3 microns are eliminated with the removable Super Filter System:
  - » First Layer: HEPA filter
  - » Second Layer: Carbon filter
  - » Third Layer: Anti-microbial filter
- Anti-microbial silver ion treatment added to the ABS cover provides an additional layer of germ protection

**OPTIONAL CERAMIC BACKPLATE FOR THE TRI-Umph™ HAND DRYER**

**A0247-TRBS WALL PROTECTOR BACKSPLASH PLATE WITH FRAME**

- Large absorbing/evaporating ceramic plate covers the wall directly behind the opening of the unit
- Plate matches the ceramic plate on hand dryer
- Installation can be retroactive



**Decibel Level**  
 66 dB-A @ 2M  
**Dry Time:** Under 15 seconds

**20199 ROVAL RECESSED HIGH-SPEED HAND DRYER**

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty.

**Overall Dimensions:**  
 11" x 15<sup>1</sup>/<sub>2</sub>" x 5<sup>29</sup>/<sub>32</sub>"  
 (279 x 394 x 145 mm)

**Wall Opening:**  
 10<sup>1</sup>/<sub>2</sub>" x 14<sup>5</sup>/<sub>16</sub>" x 3<sup>1</sup>/<sub>4</sub>"  
 (267 x 371 x 83 mm)



**Decibel Level**  
**Min:** 65 dB-A @ 2M  
**Max:** 78 dB-A @ 2M  
**Dry Time:** Approx. 12 seconds



**0197 TURBO-Dri™ HAND DRYER**

Quick drying, <12 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish. Optional voltages available.

**Overall Dimensions:**  
 8<sup>1</sup>/<sub>16</sub>" x 11<sup>19</sup>/<sub>64</sub>" x 7<sup>5</sup>/<sub>64</sub>"  
 (205 x 287 x 180 mm)

**Finish/Color Options:**

-92 -93



Bright Satin  
 Stainless Steel





**Decibel Level**

**Min:** 68.9 dB-A @ 2M

**Max:** 74.3 dB-A @ 2M

**Dry Time:** Under 15 seconds




**0199-93 ASI TURBO-ADA**

Quick drying, <15 seconds, and automatic operation using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed and temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Optional voltages available.

**Overall Dimensions:**

10<sup>5</sup>/<sub>8</sub>" x 8<sup>15</sup>/<sub>32</sub>" x 4"  
 (270 x 215 x 102 mm)



**Decibel Level**

66 dB-A @ 2M

**Dry Time:** Under 15 seconds

**0198-93 TURBO-Dri Jr.**

Powerful, quick drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Heavy-duty, one-piece-formed unit in white or satin stainless steel finish with 5-year warranty. Optional voltages available.

**Overall Dimensions:**

9<sup>25</sup>/<sub>32</sub>" x 6<sup>5</sup>/<sub>8</sub>" x 5<sup>13</sup>/<sub>32</sub>"  
 (248.3 x 168.2 x 137.5 mm)





**Decibel Level**  
**Min:** 68.9 dB-A @ 2M  
**Max:** 74.3 dB-A @ 2M  
**Dry Time:** Under 15 seconds



**0134 TURBO-TUFF**

Quick drying, <15 seconds, and operates automatically using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. ADA compliant. Optional voltages available.

**Overall Dimensions:**  
 12<sup>19/32</sup>" x 15<sup>3/4</sup>" x 4<sup>1/16</sup>"  
 (320 x 400 x 103 mm)

**Wall Opening:**  
 12<sup>5/16</sup>" x 15<sup>3/16</sup>" x 3<sup>7/8</sup>"  
 (313 x 386 x 98 mm)



**Decibel Level**  
**Min:** 68.9 dB-A @ 2M  
**Max:** 74.3 dB-A @ 2M  
**Dry Time:** Under 15 seconds



**64672 RECESSED COMBO THREE-IN-ONE**

This three-in-one paper towel dispenser with waste receptacle and high-speed automatic hand dryer provides quick drying, <15 seconds. Dispenses 500 standard multi-fold or 400 standard C-fold paper towels and shall have a waste capacity of 6.8 gal (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. Optional voltages available.

**Overall Dimensions:**  
 15<sup>3/8</sup>" x 55<sup>3/8</sup>" x 7<sup>1/2</sup>"  
 (391 x 1407 x 191 mm)

**Wall Opening:**  
 14<sup>3/32</sup>" x 54<sup>3/8</sup>" x 7<sup>1/4</sup>"  
 (358 x 1381 x 184 mm)





**Decibel Level**

70.3 dB-A @ 2M

**Dry Time:** Under 30 seconds



**0165 PROFILE™ COMPACT AUTOMATIC HAND DRYER**

Quick drying, <30 seconds. 10-year warranty. Refer to our webpage for more color options.

**Overall Dimensions:**

11<sup>3</sup>/<sub>8</sub>" x 11<sup>7</sup>/<sub>32</sub>" x 3<sup>3</sup>/<sub>8</sub>"  
(289 x 285 x 99 mm)

**Electrical Specifications:**

Motor: ¼ HP - 7500 RPM - Brush type, dual ball bearings  
Voltage: 115-240 VAC, 50/60 Hz  
Heater: 1488-1620 Watts  
Current: 14.4-15 Amps



**Decibel Level**

**Min:** 60 dB-A @ 2M

**Max:** 66 dB-A @ 2M

**Dry Time:** Under 30 seconds

**0141 PORCELAIN HAND DRYER**

Quick drying, <30 seconds, and no-touch, energy efficient operation. Dries both hands and face. Refer to our webpage for more color options.

**Overall Dimensions:**

9<sup>7</sup>/<sub>16</sub>" x 9<sup>4</sup>/<sub>16</sub>" x 6<sup>3</sup>/<sub>8</sub>"  
(240 x 245 x 162 mm)

**Electrical Specifications:**

Motor: ½ HP-3150 RPM - Brushless  
Air Output: 142.4 CFM - Temp 127° F (53° C)



**Decibel Level**  
 69.2 dB-A @ 2M  
**Dry Time:** Under 25 seconds



**Decibel Level**  
 69.2 dB-A @ 2M  
**Dry Time:** Under 25 seconds



**0185-93 PROFILE™ STEEL COVER WITH PORCELAIN ENAMEL FINISH**

Quick drying, <25 seconds, and no-touch, energy efficient operation. Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Modern design and durable. Refer to our webpage for more color options.

**Overall Dimensions:**  
 14<sup>1</sup>/<sub>16</sub>" x 10<sup>13</sup>/<sub>16</sub>" x 3<sup>15</sup>/<sub>16</sub>"  
 (367 x 275 x 100 mm)  
 ADA compliant.



**0195 PROFILE™ CAST IRON COVER WITH PORCELAIN ENAMEL FINISH**

Quick drying, <25 seconds, and no-touch, energy efficient operation. Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Modern design and durable. Refer to our webpage for more color options.

**Overall Dimensions:**  
 15<sup>3</sup>/<sub>32</sub>" x 11<sup>7</sup>/<sub>32</sub>" x 3<sup>15</sup>/<sub>16</sub>"  
 (383 x 285 x 100 mm)  
 ADA compliant.

# ONLY ASI CAN SUPPLY EVERYTHING FOR YOUR WASHROOM

And only ASI Group offers the industry's most cutting-edge hand dryers, soap dispensers, baby changing stations, paper towel dispensers, toilet partitions, lockers and much, much more.



Distributed by:

**ASI**<sup>®</sup> *Integrated Solutions*  
Partitions · Accessories · Lockers

© 2015 American Specialties, Inc., an ASI Group Company

American Specialties, Inc.  
441 Saw Mill River Rd, Yonkers, NY 10701  
Tel: 914.476.9000 Fax: 914.476.0688  
E-mail: [info@americanspecialties.com](mailto:info@americanspecialties.com)  
Web: [americanspecialties.com](http://americanspecialties.com)

ASI98380315