

SHOWN: 0469 PAPER TOWEL DISPENSER  
AND WASTE RECEPTACLE

**NEVER OUT CATALOG**  
**Washroom Accessories**



**ASI** *American Specialties, Inc.*

# THE NEVER OUT PROGRAM

## SELECTION, QUALITY & SPEED.

### JUST SOME OF THE REASONS TO CHOOSE THE ASI GROUP



SHOWN: **0210** PAPER  
TOWEL DISPENSER



SHOWN: **0030** SURFACE  
MOUNTED DUAL ROLL  
TOILET TISSUE DISPENSER

With thousands of available washroom products, ASI customers already know that if they want it, ASI has it.

Among those thousands, there are certain products — 103, to be exact — that our customers, and experience, tell us are wanted immediately. To meet your needs, ASI is proud to offer this Never-Out Catalog — a complete listing of products that are always in stock.

**Place an order by 3:00pm Eastern Time - it will ship the next day.** Place your order by phone, fax or e-mail and know your products will be on their way to you the next business day. Standard pricing and terms apply.



SHOWN: **8206-L** FOLDING  
SHOWER SEAT





### **39 DRYWALL MOUNTING CLAMP**

Can be used to provide secure anchorage for drywall installation for ASI Models: 0402-Z, 0404-Z, 0406-Z, 0410-Z, 7402, 7402-H, 74022, 74022-H, 7404, and 7410.



### **0030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER**

Holds two rolls up to 5¼" (135 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Type 304 stainless steel cabinet and mechanism. Theft resistant spindles.

**Overall Dimensions:** 6" x 12" x 6½" (152 x 305 x 165mm).

### **0031 RECESSED DUAL ROLL TOILET TISSUE DISPENSER**

Similar to 0030, but provided with flange for recess mounting.

**Overall Dimensions:**  
8" x 14" x 6½" (203 x 356 x 165mm)

**Wall Opening:**  
6¼" x 12¼" x 3⅜" (159 x 311 x 86mm)



### **0040 SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER**

Holds two 9" (229 mm) diameter rolls of 2¼" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge type 304 stainless steel with a satin finish. Two viewing slots reveal toilet tissue rolls inside. Equipped with tumbler lock.

**Overall Dimensions:** 20<sup>3/16</sup>" x 11<sup>3/8</sup>" x 6<sup>3/16</sup>" (529 x 289 x 157mm).



### **0042 SURFACE MOUNTED JUMBO ROLL TOILET TISSUE DISPENSER**

Holds one roll up to 10" (254 mm) diameter of 1-5/8" or 2¼" (41 or 57 mm) diameter core. Outer cabinet is type 304 stainless steel with a satin finish. Unit has viewing slot and tumbler lock.

**Overall Dimensions:** 10<sup>5/8</sup>" x 10<sup>5/8</sup>" x 4½" (270 x 270 x 114mm).



### 0165 PROFILE™ COMPACT DRYER

#### ELECTRICAL SPECIFICATIONS:

- Motor: 1/4 HP - 7500 RPM - Brush Type
- Voltage: 100-240 - 50/60 Hz
- Air Output: 180 CFM - Temp: 140\* F (60\* C)
- Heater: 1620 Watts
- Current: 16 Amps @ 120 Vac

#### FEATURES:

- Quick Drying - Under 30 Seconds
- No Touch - Energy Efficient Operation
- Universal Voltage - Automatically Adjusts
- Modern Design and Durable

#### Overall Dimensions: (Conforms to ADA)

11<sup>3</sup>/<sub>8</sub>" x 11<sup>1</sup>/<sub>2</sub>" x 3<sup>7</sup>/<sub>8</sub>"  
(289 x 292 x 99 mm)

#### COLOR OPTION:

White



### 0185 ROVAL™ STEEL COVER WITH PORCELAIN ENAMEL FINISH

#### ELECTRICAL SPECIFICATIONS:

- Motor: 1/4 HP - 7500 RPM - Brush Type
- Voltage: 115-240 - 50/60 Hz
- Air Output: 186 CFM - Temp: 149\* F (65\* C)
- Heater: 2022 Watts
- Current: 17.6 Amps @ 115 Vac

#### FEATURES:

- Quick Drying - Under 25 Seconds
- No Touch - Energy Efficient Operation
- Universal Voltage - Automatically Adjusts
- Modern Design and Durable

#### Overall Dimensions: (Conforms to ADA)

14<sup>7</sup>/<sub>16</sub>" x 10<sup>13</sup>/<sub>16</sub>" x 3<sup>15</sup>/<sub>16</sub>"  
(367 x 275 x 100 mm)

#### COLOR OPTION:

White



### 0195 ROVAL™ CAST IRON COVER WITH PORCELAIN ENAMEL FINISH

#### ELECTRICAL SPECIFICATIONS:

- Motor: 1/4 HP - 7500 RPM - Brush Type
- Voltage: 115-240 - 50/60 Hz
- Air Output: 186 CFM - Temp: 149\* F (65\* C)
- Heater: 2020 Watts
- Current: 17.6 Amps @ 115 Vac

#### FEATURES:

- Quick Drying - Under 25 Seconds
- No Touch - Energy Efficient Operation
- Universal Voltage - Automatically Adjusts
- Modern Design and Durable

#### Overall Dimensions: (Conforms to ADA)

15<sup>3</sup>/<sub>32</sub>" x 11<sup>7</sup>/<sub>32</sub>" x 3<sup>15</sup>/<sub>16</sub>"  
(283 x 285 x 100 mm)

#### COLOR OPTION:

White



### **0210 PAPER TOWEL DISPENSER**

Dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters. Fabricated of 22 gauge stainless steel with #4 satin finish. Fitted with tumbler lock and heavy duty stainless steel piano hinge.

**Overall Dimensions:** 11" x 14<sup>5</sup>/<sub>8</sub>" x 4<sup>1</sup>/<sub>16</sub>" (279 x 368 x 103 mm).



### **0215 PAPER TOWEL DISPENSER - PETITE**

Same as 0210, but reduced capacity for low traffic areas. Dispenses 200 C-fold or 275 multi-fold paper towels.

**Overall Dimensions:** 11" x 8" x 4" (279 x 203 x 102 mm).



### **0245-SS PAPER TOWEL DISPENSER**

Dispenses 400 single-fold paper towel. Entire unit fabricated of 22 gauge stainless steel.

**Overall Dimensions:** 11<sup>1</sup>/<sub>4</sub>" x 6<sup>1</sup>/<sub>4</sub>" x 5<sup>5</sup>/<sub>8</sub>" (285 x 160 x 143 mm)



### **0263-1 SINGLE ROLL TOILET TISSUE DISPENSER WITH PIN**

Similar to 0264-1 (see below), except single roll toilet tissue dispenser.

**Overall Dimensions:** 6<sup>1</sup>/<sub>2</sub>" x 1<sup>3</sup>/<sub>4</sub>" x 4" (165 x 45 x 102 mm)

### **0263-1A SINGLE ROLL TOILET TISSUE DISPENSER WITHOUT PIN**

(NOT SHOWN) Similar to 0264-1A (see below).



### **0264-1 DOUBLE ROLL TOILET TISSUE DISPENSER WITH PIN**

Heavy-duty cast aluminum, satin matte silver-gray finish. No waste rocking action spindles of cyclac ABS thermoplastic. Holds 2 rolls up to 6" (152 mm) diameter (2000 sheets).

**Overall Dimensions:** 13" x 1<sup>3</sup>/<sub>4</sub>" x 4<sup>3</sup>/<sub>4</sub>" (330 x 45 x 120 mm)

### **0264-1A DOUBLE ROLL TOILET TISSUE DISPENSER WITHOUT PIN**

(NOT SHOWN) Similar to 0264-1, without controlled delivery.



### 0332 LAVATORY MOUNTED ALL PURPOSE SOAP DISPENSER

Corrosion-resistant valve dispenses viscous lotion soaps and synthetic detergents. Fills from top for ease of maintenance. Free turning spout is vandal resistant. Spout and stem are stainless steel with bright finish. Escutcheon is chrome-plated brass. Adjustable threaded shank allows for installation in counter tops up to 3½" (90 mm) thick through 7⁄8" (22 mm) diameter hole.

Model	0332	0332-C	0332-CD	0332-D
Capacity	34 oz. (1.0 L)	20 oz. (0.6 L)	20 oz. (0.6 L)	34 oz. (1.0 L)
Spout Length	4" (102 mm)	4" (102 mm)	6" (152 mm)	6" (152 mm)



### 0345 HORIZONTAL SOAP DISPENSER

Stainless steel, #4 satin finish. All-purpose soap valve and unbreakable refill window. Concealed fastening and hinged filler-top. Capacity: 40 fluid ounces (1.2 L).

**Overall Dimensions:** 8<sup>3</sup>/<sub>16</sub>" x 4<sup>13</sup>/<sub>16</sub>" x 3<sup>15</sup>/<sub>16</sub>" (208 x 122 x 100 mm) projection.



### 0347 VERTICAL SOAP DISPENSER

Capacity: 40 fluid ounces (1.2 L).

**Overall Dimensions:** 4<sup>13</sup>/<sub>16</sub>" x 8<sup>3</sup>/<sub>16</sub>" x 3<sup>15</sup>/<sub>16</sub>" (122 x 208 x 100 mm) projection.



### 0350 SURGICAL SOAP DISPENSER

Dispenses antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

**Overall Dimensions:** 3<sup>3</sup>/<sub>8</sub>" x 6<sup>1</sup>/<sub>2</sub>" x 5<sup>1</sup>/<sub>8</sub>" (86 x 165 x 305130 mm)



### 0351 SURFACE MOUNTED LIQUID SOAP DISPENSER

Stainless steel housing with mirror finish and removable plastic globe, concealed mounting. Used for viscous lotion soaps, and synthetic detergents. Capacity: 12 ounces (0.4 L)

**Overall Dimensions:** 3<sup>5</sup>/<sub>32</sub>" x 6" x 6<sup>3</sup>/<sub>16</sub>" (80 x 152 x 157 mm)



### 0457 PAPER TOWEL DISPENSER

For the smaller washroom with less space and traffic. Dispenses 350 C-fold or 500 multi-fold paper towels.

**Wall Opening:** 11¼" x 15¾" x 4" (286 x 400 x 102 mm)

**Overall Dimensions:** 12¾" x 17¼" x 4¼" (324 x 438 x 108 mm)



#### **0458 WASTE RECEPTACLE**

Stainless steel waste container locks into cabinet, removable for servicing.

**Wall Opening:** 15 $\frac{3}{4}$ " x 29" x (variable) (400 x 740 mm)

**Overall Dimensions:** 17 $\frac{1}{4}$ " x 30 $\frac{1}{2}$ " x 8" (400 x 775 x 203 mm)



#### **0462-AD PAPER TOWEL DISPENSER AND WASTE RECEPTACLE**

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle.

**Wall Opening:** 12 $\frac{3}{4}$ " x 26 $\frac{1}{2}$ " x 4" (324 x 673 x 102 mm)

**Overall Dimensions:** 14 $\frac{1}{4}$ " x 28" x 4 $\frac{1}{4}$ " (362 x 711 x 108 mm)

#### **0462-AD-9 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE**

(NOT SHOWN) Same as 0462-AD, except with 9" stainless steel collar for surface mounting.



#### **04684-25 RECESSED SANITARY NAPKIN/ TAMPON VENDOR**

Dispenses 15 napkins, 23 tampons. Coin mechanism for 25¢ operation.

**Wall Opening:** 16" x 26" x 6 $\frac{1}{4}$ " (406 x 660 x 152 mm)

**Overall Dimensions:** 17 $\frac{1}{4}$ " x 27 $\frac{1}{4}$ " x 6 $\frac{1}{2}$ " (438 x 692 x 165 mm)



#### **0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE**

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

**Wall Opening:** 15 $\frac{3}{4}$ " x 54 $\frac{1}{2}$ " x 4 $\frac{1}{4}$ " (400 x 1390 x 110 mm)

**Overall Dimensions:** 17 $\frac{1}{4}$ " x 56" x 4 $\frac{1}{4}$ " (438 x 1422 x 108 mm)

#### **0469-9 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE**

(NOT SHOWN) Similar to 0469, except with 9" stainless steel collar for surface mounting.



#### **04697 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE**

Dispenses 600 C-fold, 800 multi-fold or 1,100 single-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

**Wall Opening:** 15 $\frac{3}{4}$ " x 54 $\frac{1}{2}$ " x 7 $\frac{1}{4}$ " (400 x 1390 x 185 mm)

**Overall Dimensions:** 17 $\frac{1}{4}$ " x 56" x 7 $\frac{1}{4}$ " (438 x 1422 x 184 mm)



#### **0472 PARTITION MOUNTED DUAL ACCESS NAPKIN DISPOSAL**

Unit serves two compartments mounted in partitions. Receptacle removable from one side for servicing and locks to back of cabinet by means of stainless steel clips. Self-closing doors on each side are mounted to cabinet with heavy duty full length piano hinge

**Partition Opening:** 11 $\frac{3}{8}$ " x 15 $\frac{5}{8}$ " (290 x 400 mm)





**0473 RECESSED SANITARY NAPKIN DISPOSAL**

Similar to 0472, but recessed for side wall installation

**Wall Opening:** 11¼" x 15¾" x 4" (285 x 400 x 102 mm)



**0473-A END STALL SANITARY DISPOSAL SURFACE MOUNTED**

Similar to 0473, but surface mounted.

**0473-1A END STALL SANITARY DISPOSAL SURFACE MOUNTED**

(NOT SHOWN) Similar to 0473-A, but has tumbler lock for servicing.

**Overall Dimensions:** 11" x 15¼" x 4" (279 x 387 x 102 mm)



**0477 RECESSED TOILET SEAT COVER DISPENSER**

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

**Wall Opening:** 15¾" x 11¼" x 2⅝" (400 x 285 x 67 mm)

**Overall Dimensions:** 17¼" x 12¾" x 2⅜" (438 x 324 x 60 mm)



**0477-SM SURFACE MOUNTED TOILET SEAT COVER DISPENSER**

Dispenses 250 single or half-fold seat covers.

**Overall Dimensions:** 15¾" x 11" x 1¼" (400 x 279 x 32 mm)



**0535 FIXED TILT MIRROR**

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.

**0535-1830** - 18" x 30" (460 x 760 mm) (NOT SHOWN)

**0535-1836** - 18" x 36" (460 x 910 mm) (NOT SHOWN)



**0600 ANGLE FRAME MIRROR**

¾" x ⅝" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one piece, attached to frame with theft resistant locking device.

**0600-1830** - 18" x 30" (460 x 760 mm) (NOT SHOWN)

**0600-1836** - 18" x 36" (460 x 910 mm) (NOT SHOWN)

**0600-2436** - 24" x 36" (610 x 910 mm) (NOT SHOWN)





### 0620 ANGLE FRAME MIRROR

$\frac{1}{2}$ " x  $\frac{1}{2}$ " x  $\frac{1}{2}$ " (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft resistant screw.

**0620-1824** – 18" x 24" (460 x 610 mm) (NOT SHOWN)

**0620-1830** – 18" x 30" (460 x 760 mm) (NOT SHOWN)

**0620-1836** – 18" x 36" (460 x 910 mm) (NOT SHOWN)

**0620-2436** – 24" x 36" (610 x 910 mm) (NOT SHOWN)



### 0697-GAL STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge type 304 stainless steel satin finish with front edge hemmed. Holds two 1800 sheet toilet tissue rolls

**Overall Dimensions:** 18" x 4 $\frac{13}{16}$ " x 5" (457 x 106 x 127 mm)



### 0715 DOUBLE SURFACE MOUNTED TOILET TISSUE HOLDER CHROME-PLATED STEEL

Provided with vandal resistant locking device and mechanism to provide controlled delivery. High polish finish. Dispenses two standard or 1800 sheet toilet tissue rolls.

**Overall Dimensions:** 12 $\frac{3}{8}$ " x 2 $\frac{3}{4}$ " x 4 $\frac{1}{4}$ " (314 x 70 x 108 mm)

### 0710 SINGLE SURFACE MOUNTED TOILET TISSUE HOLDER CHROME-PLATED STEEL

(NOT SHOWN) Similar to 0715, but dispenses one standard or 1800 sheet toilet tissue roll.

**Overall Dimensions:** 6" x 2 $\frac{3}{4}$ " x 4 $\frac{1}{4}$ " (152 x 70 x 108 mm)



### 0714 COAT AND BUMPER HOOK

Chrome-plated 3" (76 mm) projection. Rubber bumper protects wall surface.



### 0751 HEAVY DUTY ROBE HOOK

Concealed mounting satin chrome-plated brass, 3 $\frac{1}{4}$ " (83 mm) projection.

### 0751-A HEAVY DUTY ROBE HOOK

(NOT SHOWN) Similar to 0751, but exposed mounting, satin chrome-plated brass 3 $\frac{1}{4}$ " (83 mm) projection.



### 0796-3 26" MOP HOLDER RACK

Formed channel fabricated of 20 gauge, type 304 stainless steel with a #4 satin finish. Projects  $\frac{1}{2}$ " (13 mm) from the wall. Holders have serrated rubber cams for grasping. 3 holders, 26" (660 mm) long.



### **0828 WASTE RECEPTACLE**

Fabricated of 22 gauge type 304 stainless steel with satin finish. Top and bottom edges hemmed for safety. Capacity: 6.7 gal. (25.4 L).

**Overall Dimensions:** 14" x 18" x 6" (356 x 457 x 152 mm).



### **0852 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL**

Sloping cover has full length piano hinge

**Overall Dimensions:** 7½" x 10" x 3⅞" (190 x 255 x 95 mm).



### **0864-25 SURFACE MOUNTED SANITARY NAPKIN/ TAMPON VENDOR**

Dispenser includes 2 dispensing mechanisms, one for 27 tampons, the other for 30 feminine napkins. Coin mechanism for 25¢ operation. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm).

**Overall Dimensions:** 11¾" x 26⅞" x 6½" (298 x 663 x 165 mm).

### **1200-SHU SHOWER CURTAIN HOOK**

Stainless steel hook for rods 1" (25 mm) and 1¼" (32 mm) diameter.

### **1200-V VINYL SHOWER CURTAIN**

Flame resistant, anti-bacterial, 8 gauge white vinyl fabric with grommets. White only. Standard Height: 72" (1829 mm).

**1200-V42** – 42" x 72" (1067 x 1830 mm) (NOT SHOWN)

**1200-V72** – 72" x 72" (1830 x 1830 mm) (NOT SHOWN)

### **1204 EXTRA HEAVY-DUTY SHOWER CURTAIN ROD**

Flanges 3⅜" (81 mm) diameter, 20 gauge type 304 stainless steel with satin finish. Rod is 1¼" (32 mm) diameter, 18 gauge type 304 stainless steel tubing with satin finish.

**1204-36** – 36" (914 mm) (NOT SHOWN)

**1204-60** – 60" (1524 mm) (NOT SHOWN)





### **1315-4 UTILITY SHELF WITH DRYING ROD, 4 MOP HOLDERS AND 3 RAG HOOKS**

Fabricated of type 304 satin finish stainless steel. Shelf is 8" (203 mm) deep with 3/4" (19 mm) return for rigidity. Mop holders are riveted to strip and rubber cam is ribbed for grasping. Rod and hooks for wet rags included. Size available: 36" (915 mm) long.



### **3413-P SWING-UP GRAB BAR**

Manually lowered to horizontal position for support and raised for departure. Tension control prevents grab bar from dropping from the vertical position. Fabricated of stainless steel type 304 alloy with a peened non-slip top bar gripping surface. 1 1/4" (32 mm) D.D.



### **SNAP FLANGE GRAB BARS**

**3700 SERIES** – 1 1/4" (32 mm) O.D. in lengths of 24", 36" and 42"

**3800 SERIES** – 1 1/2" (38 mm) O.D. in lengths of 18", 24", 36" and 42"

- Cover snaps over mounting flange dimples to conceal screws.
- Concealed mounting flange is 3 1/8" (79 mm) O.D. diameter with two screw holes and three locking dimples and is 1/8" (3 mm) thick, type 304 stainless steel.
- Cover is type 304 stainless steel with satin finish, 22 gauge, 3 13/16" (81 mm) diameter.
- For non-slip gripping surface, add suffix -P (peened)
- For White option add suffix -W when ordering



### **7305-B\* SINGLE SURFACE MOUNTED TOILET PAPER HOLDER STAINLESS STEEL**

Type 304 bright finish stainless steel with chrome-plated roller. Heavy gauge concealed bracket mounts on wall secured with stainless steel set screw. Holds 1800 sheet standard core roll. Unit: 7 3/4" wide (207 mm).

### **7305-S\* SINGLE SURFACE MOUNTED TOILET PAPER HOLDER STAINLESS STEEL**

(NOT SHOWN) Similar to 7305-B, but with satin finish.



### **7305-2B\* DOUBLE SURFACE MOUNTED TOILET TISSUE HOLDER STAINLESS STEEL**

Type 304 bright finish stainless steel with chrome-plated roller. Heavy gauge concealed bracket mounts on wall secured with stainless steel set screw. Holds 1800 sheet standard core roll. Unit: 13 1/2" wide (343 mm).

### **7305-2S\* DOUBLE SURFACE MOUNTED TOILET TISSUE HOLDER STAINLESS STEEL**

(NOT SHOWN) Similar to 7305-2B, but with satin finish.



### **7320-B SOAP DISH - BRIGHT FINISH**

Drawn, one-piece soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap. 4 1/4" (108 mm) wide, 2" (51 mm) high; projects 4" (102 mm) from wall.

### **7320-S SOAP DISH - SATIN FINISH**

(NOT SHOWN) Similar to 7320-B, but with satin finish.



**7340-B SINGLE ROBE HOOK - BRIGHT FINISH**

Fabricated from stainless steel. Hook extends 1 5/8" (40 mm) from wall.

**7340-S SINGLE ROBE HOOK - SATIN FINISH**

(NOT SHOWN) Similar to 7340-B, but with satin finish.



**7345-B DOUBLE ROBE HOOK - BRIGHT FINISH**

4" (102 mm) wide stainless steel bar forms hook at each end. Unit extends 2" (51 mm) from wall.

**7345-S DOUBLE ROBE HOOK - SATIN FINISH**

(NOT SHOWN) Similar to 7345-B, but with satin finish.



**7355 SERIES TOWEL BAR - ROUND**

3/4" (19mm) diameter stainless steel towel bar. Extends 3 1/4" (83 mm) from wall.

**7355-18B** – 18" (457 mm) length, bright finish

**7355-18S** – 18" (457 mm) length, satin finish

**7355-24B** – 24" (610 mm) length, bright finish

**7355-24S** – 24" (610 mm) length, satin finish

**7360 SERIES TOWEL BAR - SQUARE**

(NOT SHOWN) 3/4" (19mm) diameter stainless steel towel bar. Extends 3 1/4" (83 mm) from wall.

**7360-24B** – 24" (610 mm) length, bright finish

**7360-24S** – 24" (610 mm) length, satin finish



**7382-B HAT AND COAT HOOK - BRIGHT FINISH**

**7382-S HAT AND COAT HOOK - SATIN FINISH**

Double hook for both coat and hats, 2" x 7" x 3" (51 x 178 x 76 mm) projection.



**7402-BD RECESSED TOILET TISSUE HOLDER - BRIGHT FINISH FOR DRYWALL**

Spring loaded chrome roller.

**Overall Dimensions:** 6 1/4" x 6 1/4" (160 x 160 mm).

**7402-SD RECESSED TOILET TISSUE HOLDER - SATIN FINISH FOR DRYWALL**

(NOT SHOWN) Same as 7402-BD, but with satin finish.



### **8203 COMPACT FOLDING SEAT**

Seat is  $\frac{5}{16}$ " (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Features a self-locking mechanism. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall.



### **8206-L FOLDING SHOWER SEAT**

(Left Hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly. Seat is  $\frac{1}{2}$ " (13 mm) thick, one piece solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are type 304 satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22 $\frac{7}{8}$ " (581 mm) from wall.

### **8206-R FOLDING SHOWER SEAT**

(NOT SHOWN) Similar to 8206-L, but with right hand seat. Handing is field-convertible.



### **8215-4 MOP AND BROOM RACKS**

Formed channel fabricated of 20 gauge, type 304 stainless steel satin finish. Projects 3 $\frac{1}{2}$ " (90 mm) from wall. Rubber cam holders ribbed for grasping. 4 holders, 36" (914 mm) long.



### **8522 ROLL PAPER TOWEL DISPENSER**

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in three pre-set dispensing lengths.

**Overall Dimensions:** 14" x 16" x 9 $\frac{1}{2}$ " (356 x 406 x 241 mm).



### **9012 SURFACE MOUNTED BABY CHANGING STATION**

Modern styling and easy-to-clean surface is fabricated of 100% high-density polyethylene. Sturdy child protection has 300 lb. (136 kg) load capacity, concave changing surface, and safety strap. Easy opening-closing pneumatic mechanism has oversized hinge and safety stop system. Sealed components and absence of "pinch points" promote safe operation. The built in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Surface mounted. Only 4" deep when closed. Complies with Handicapped Accessibility codes.

#### **Overall Dimensions:**

Closed: 36" x 22" x 4" (914 x 559 x 102 mm).

Open: 36" x 22" x 20 $\frac{7}{16}$ " (914 x 559 x 519 mm).



# ONLY ASI CAN SUPPLY EVERYTHING FOR YOUR WASHROOM

And only ASI Group Offers the industry's most cutting-edge hand dryers, soap dispensers, baby changing stations, paper towel dispensers, toilet partitions, lockers and much, much more.



Distributed by:

**ASI**  
*American Specialties, Inc.*

American Specialties, Inc.  
441 Saw Mill River Rd. Yonkers, NY 10701  
Tel. 914.476.9000 Fax. 914.476.0688  
info@americanspecialties.com  
www.americanspecialties.com