


Model #0468

Technical Data Sheet



Key Features & Specifications

keyed alike to other ASI washroom equipment.

- Dual Vendor
- 25¢ 50¢ or Free Operation
- Type 304 Stainless Steel Satin Finish
- Recessed
- 30 Napkins AND 27 Tampons

□0468-25 – allows for 25¢ operation □0468-50 – allows for 50¢ operation □0468-F – allows Free (no coin) operation

American Specialties, Inc. 441 Saw Mill River Road, Yonkers, NY 10701 (914) 476-9000 www.americanspecialties.com **Revision: R2** Issued: 11/1/2021 Revised: 5/26/2023

diameter (Ø4.8) stainless steel multi-staked piano hinge and shall be held closed with two (2) tumbler locks

Model:#0468

Page: 1 of 2

American Specialties, Inc.

OPERATION **& M**AINTENANCE

Deposit of specified coin allows operation of dispenser. Napkin and tampon dispensers operate independently. Selected product drops into vending opening after operator actuation. Indicator displays empty condition and blocks coin slot when product is depleted. Unit vend product supply is replenished on cycle determined by maintenance needs by opening door and manually reloading product into dispenser supply tracks. Track weights MUST BE USED to provide positive feed.

TECHNICAL INFORMATION / PRODUCT PROPERTIES

Property	Value
Dimensions	16" [406] x 26" [660] x 6" [152]
Construction	Type 304 Stainless Steel - Satin Finish
Mounting	Recessed
Capacity	NAPKINS, SINGLES, CARDBOARD-BOXED, SEMIGLOSS FINISH CAPACITY 30 BOX SIZE 4-1/4" [108] x 3" [76] x 1-1/8" [29] Stayfree# 4 Guards# 247, or 147 Kotex# 704, 707, 07010, 07040, 07045, 07300, 07320 Pure-Nat# M-4 Modess# 4 TAMPONS, CYLINDER, CARDBOARD, SEMIGLOSS, CRIMPED ENDS CAPACITY 27 TUBE SIZE 3/4" diameter [Ø19] x 5-1/4" [134] Tampax#T500 ModessTampons

INSTALLATION

Unit is semi-recess mounted using #10 self-threading screws (by others). For maximum usability and compliance with 2010 ADA Accessibility Standards, unit should be installed so that coin slot is between 54" [1372] maximum Above Finished Floor (AFF) and 38" [965] minimum AFF. Note that coin slot is 6-3/8" [162] above bottom edge of RWO. SR collar is installed on cabinet prior to mounting in recess following procedure described on SR Collar Data Sheet.

Rough Wall Opening (RWO) required is 16" [406] W x 26" [660] H x 6-1/4" [159] D minimum

WARRANTY

One (1) Year from date of Invoice

441 Saw Mill River Road, Yonkers, NY 10701 American Specialties, Inc. (914) 476-9000 | www.americanspecialties.com Model:#0468 Revision: R2 Issued: 11/1/2021 Revised: 5/26/2023 Page: 2 of 2