

ONLY ASI OFFERS

THE LARGEST SELECTION OF DESIGNER OPTIONS IN THE INDUSTRY.







Solid Plastic, Phenolic, Powder Coated, Stainless Steel, or Moisture Guard™ Plastic Laminate partitions ready to ship within 48 hours.





A PIECE OF EUROPE—MADE IN AMERICA

THE NEW ASI ALPACO™ COLLECTION

Introducing the ASI Alpaco™ Collection—a marriage of European design and engineering with the American manufacturing ingenuity you have come to expect from ASI—with the shortest lead times in the industry. The Collection is made from Phenolic and offers sleek hardware, robust construction, and zero sightline doors and pilasters that meet in a flush finish with routed, overlapping closures for guaranteed privacy.

The **Alpaco Collection** Includes:

Elegance Partitions **P.4-5** | **Classic** Partitions **P.6** | **Kids** Partitions **P.7**



Beveled Edges

All edges are beveled and have an engineered polished black finish.



Occupancy Indicator

Occupancy latch with an emergency unlatching device indicates when cubicle is occupied.



Flush Finish Self-Closing Doors

All of our self-closing doors and pilasters meet in a flush finish with routed, overlapping closures for guaranteed privacy.



Designer Pedestals and Hardware

Our partitions are equipped with attractive, adjustable pedestals for quick and easy leveling. Total adjustability range is 2".

Dramatic lines, bold hardware and stunning adjustable pedestals define our Classic collection.

A marriage of simplicity and functionality creates a collection that has ASI's exclusive Ultimate Privacy™ at its heart. Zero sightline doors and pilasters meet in a flush finish with routed, overlapping closures for guaranteed privacy.





Dramatic Pedestals
Adjustable pedestals
allow for any
inconsistencies in
the floor to be
addressed and
leveled.

Available in a wide range of Wilsonart and Formica colors and finishes.

The Alpaco Collection is made of Phenolic.

Kids collection is a durable and fun partition system for nursery and elementary school washrooms.

Our child friendly partitions are engineered to offer the best and safest features. Door and panel heights are sized to be more appropriate for children, and doors are finished at the top in a semi-circle for a playful look and feel. For safety, doors have only fixed knobs, so caretakers have access to the partitions.





Safety Features Rubber profile

inserted between the doors and pilasters prevent injury to hands and fingers.

Available in a wide range of Wilsonart and Formica colors and finishes.

The Alpaco Collection is made of Phenolic.

Powder coated steel with a honeycomb core for solid construction and sound attenuation.

The powder coating and galvannealed steel on these partitions provide quality and economy. The finish is resistant to wear, fading, and scuffing. It is easily cleaned and wiped dry. For standard features see pages 18-19. **Options:** Stainless Steel Stirrup Brackets, Stainless Steel Door Hardware, Continuous Anodized Aluminum and Stainless Steel Brackets, Continuous Piano Hinges, and Ultimate Privacy.™





STANDARD FINISH:



The durability and elegance of type 304 stainless steel complements any washroom.




Stainless steel toilet partitions provide a modern look and retain their beauty indefinitely. By adding a textured finish, increased resistance to vandalism can be achieved. Available in all four mounting styles. For standard features see pages 18-19. **Options:** Stainless Steel Stirrup Brackets, Stainless Steel Door Hardware, Wood Core, Continuous Anodized Aluminum and Stainless Steel Brackets, Continuous Piano Hinges, and Ultimate Privacy.



STANDARD FINISH:



OPTIONAL FINISH SELECTIONS:



Partitions above shown in Ultimate Privacy.™

Moisture Guard™ plastic laminate, the finish of choice when aesthetics are essential.

Plastic Laminate Partitions with Moisture Guard™ Edge Banding fuses with the substrate creating a seamless beveled profile that eliminates any unsightly black lines that appear in standard Plastic Laminate. ASTM tests on Moisture Guard™ Edge Banding confirms 3X greater durability with increased resistance to moisture and humidity than standard Plastic Laminate. Standard Plastic Laminate is also available, visit asi-accurate partitions.com






To save you even more time our Easy Stall Shoe speeds up the installation process. Easy Stall Shoe in Floor Anchored/Overhead Braced only.



MOISTURE GUARD™ PLASTIC LAMINATE COLOR SELECTION:

NEW 48 Colors in 48 Hours. We have increased our selection of Moisture Guard™ Edge Banding to **48 colors** and patterns to offer you even greater choice in durability and elegance... **AND** we will ship you these colors in **48 hours*** from the time you approve your order.



 $^{^{\}scriptscriptstyle \dagger}$ 48 Colors in 48 hours are only available in Floor Anchored/Overhead Braced.

Actual colors may vary slightly from those shown due to limitations in the printing process.

^{*} Should you require different colors we will provide partitions in the Standard Plastic Laminate construction with the 2-year warranty.

^{**} Directional Pattern—Pattern on panels over 60" wide will run perpendicular to pattern on doors and pilasters. Patterns shown cropped from full size sheet, contact us for additional references.

Colors are subject to change without notice.

Solid Plastic (HDPE) partitions are environmentally safe, mildew, rust, graffiti, and impact resistant.

Solid Plastic partitions are water resistant, unaffected by steam or high humidity and have passed the NFPA 286 fire test criteria. For standard features see pages 18-19. **Options**: Stainless Steel Stirrup Brackets, Stainless Steel Door Hardware, Continuous Piano Hinges, Continuous Anodized Aluminum and Stainless Steel Brackets, Aluminum Door Hardware, and No-Sight Privacy Strips. Our most popular colors are also available in 100% post-consumer recycled material.





SOLID PLASTIC (HDPE) COLOR SELECTION:



AVAILABLE FINISHES:

Phenolic provides superior strength, durability and a broad variety of patterns and colors.



Phenolic partition sheets are fused at high temperature and pressure. In addition to strength and serviceability, a wide range of colors provides limitless design flexibility. Available in Color-Thru (Class "A" Fire Rated Material standard) and Black Core (Class "B" Fire Rated Material standard). **Options:** Continuous Piano Hinges, Continuous Anodized Aluminum and Stainless Steel Brackets, Custom Colors, and No-Sight Privacy Strips.



BLACK CORE COLOR SELECTION:*

*Burnt Strand 5107



^{*}Shipped in 48 Hours available for Black Core Phenolic. Consult color card for more definitive color matching.

COLOR-THRU SELECTION:



White 1050

^{**}Directional Pattern – Pattern on panels over 60" wide will run perpendicular to pattern on doors and pilasters.

Patterns shown cropped from full size sheet, contact us for additional references. Colors are subject to change without notice.

SIX DISTINCT MATERIALS TO MATCH ANY AESTHETIC AND PERFORMANCE NEED



Stainless Steel

Gleaming beauty indefinitely. The elegance of stainless steel complements any design scheme. Incorporates the known corrosion resistant benefits of type 304 stainless steel. Satin or textured finish. Available in all styles.



Solid Plastic (HDPE)

Highly resistant to common cleaning agents as well as to moisture, mildew, and graffiti. Ideal choice for busy public facilities and high humidity applications—never needs painting and will not easily dent, rust, or delaminate. Available in a wide variety of colors and mounting styles. Floor Anchored/ Overhead Braced, Ceiling Hung, and Floor and Ceiling Anchored styles.



Powder Coated Steel

High-tech quality at an economical price. Thermoset hybrid powder finish on galvannealed steel is highly resistant to corrosion, grease, acids, caustics, mars, and stains. A broad range of contemporary colors to complement any interior. Available in all styles.

Warranty 5 years*

Cost Index 255 (355)**

Warranty 25 years*

Cost Index 190**

Warranty 3 years*

Cost Index 100**





Moisture Guard™ Plastic Laminate

Plastic Laminate Partitions with Moisture Guard™ Edge Banding fuses with the substrate creating a seamless beveled profile that eliminates any unsightly black lines that appear in standard Plastic Laminate. Available in 48 colors/patterns.



Black Core Phenolic

Holds up even under severe moisture conditions from showers, pools, and saunas, or when maintenance hoses down toilet partitions. Ideal for where vandalism is a problem. In a full color spectrum—all with black edges. Available in all styles.



Color-Thru Phenolic

Color-Thru Phenolic lives up to its name, with surface color through and through. This product is impact, scratch, and graffiti resistant. It also has excellent screw-holding power and all the advantages of traditional Phenolic performance. Available in all styles and attractive colors.

Warranty 5 years*

Cost Index 110**

Warranty 25 years*

Cost Index 200**

Warranty 25 years*

Cost Index 250**

^{*} See full warranty on website: asi-accuratepartitions.com (2-year warranty for non Moisture Guard™ Plastic Laminate).

^{**} By assigning our materials a designation of 100, you can estimate how much more or less an alternate profile will cost.

ASI ACCURATE STYLES



Floor Anchored/Overhead Braced

This economical and sturdy mounting style installs just about anywhere. An anodized aluminum anti-grip head rail secures partitions firmly to the walls.



Floor Anchored

Simplified construction permits ease of installation anywhere. For concrete floors only: 2" minimum penetration into floor required.



Ceiling Hung

When used together with wall-hung fixtures, the entire floor is accessible for efficient cleaning. Structural steel ceiling supports are necessary to assure proper installation.



Floor to Ceiling Anchored

This mounting style is extremely stable and durable as pilasters are anchored into both the concrete floor and the structural ceiling support.





Alpaco Classic

Zero sightlines, doors and pilasters that meet in a flush finish rebated closure all ensure guaranteed privacy. Style and stability have not been sacrificed in this collection, with robust octagonal head rails.



Alpaco Elegance

The signature top rail provides structural stability and style. If you're looking for strength, comfort, aesthetics, and durability, the Elegance collection has it all.



Ultimate Privacy™

Our Ultimate Privacy™ design features doors and panels up to 72" tall and eliminates sightlines into the compartments around the doors.*



Urinal & Privacy Screens

- 1 Wall-Hung Screens
 - Available in two standard heights: 48" and 58".
- 2 Post-Mounted Screens

1¾" sq. aluminum post in Floor Mounted or Floor to Ceiling Mounted.

3 Pilaster-Mounted Screens

Available in Floor Mounted, Ceiling Hung, Floor to Ceiling, or Overhead Braced.

^{*}Shown in Stainless Steel, also available in Phenolic and Powder Coated Steel in all mounting styles.

ASI ACCURATE CONSTRUCTION FFATURES

Stainless Steel & Powder Coated Steel



WELDED CORNER

Corners of panels, pilasters, and doors are welded to each other and to the adjacent face sheets.



UPPER DOOR BRACKET

Internal part of the door. A pin goes through door and bracket for three-point bearing and operates in a nylon bushing in upper hinge bracket.



BOTTOM DOOR HINGE

Gravity-positioning hinge provides safe, durable, and maintenance free support.



CONCEALED LATCH

With emergency access and ADA lever handle.



HONEYCOMB CORE

Made of cellular honeycomb. This type of core provides strong construction and sound attenuation.



SHOE CONSTRUCTION

One-piece stainless steel, type 304, with #4 satin finish trim shoes are hemmed top and bottom for rigidity and sleek appearance.



VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.

Moisture Guard™ Plastic Laminate



VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.



CORE

Particle board core is 45# density to resist warping and ensure a smooth surface.



VERTICAL-GRADE LAMINATE

The thickness meets the most demanding partition specification.



EMERGENCY ACCESS

Meets ADA requirements. Slotted keeper coupled with gravity hinges allows access in an emergency.



DOOR HINGES

Wrap-around mounting and through bolting for vandal resistance.



EASY-STALL SHOE

For floor anchored overhead braced.

Easily adjusted leveling bolt.

True concrete anchor screws designed for lasting holding power.

Anchor rated at 2770 lbs. pullout strength.

Fabricated of type 304 stainless steel.



Solid Plastic (HDPE)



VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.



8" ALUMINUM WRAP-AROUND HINGE

Mainstream choice. Heavy-duty.



6" ALUMINUM STRIKE

Industry-standard wrap-around strike/keeper.



EASY-STALL SHOE

For floor anchored overhead braced.

Easily adjusted leveling bolt.

True concrete anchor screws designed for lasting holding power.

Anchor rated at 2770 lbs. pullout strength.

Fabricated of type 304 stainless steel.

Phenolic



VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.



EMERGENCY ACCESS

Meets ADA requirements. Slotted keeper coupled with gravity hinges allows access in an emergency.



VAULT HINGE

Rugged, attractive wrap-around hinge. Extra strong for heavy-duty installations.



SHOE CONSTRUCTION

One-piece stainless steel, type 304, with #4 satin finish trim shoes are hemmed top and bottom for rigidity and sleek appearance.



FLOOR STUD MOUNTING SYSTEM

Heavy-duty 5/6" diameter mounting studs adjust height and level pilasters by turning the locknut adjusters.

For use with stainless steel shoe.

ASI ACCURATE MATERIAL SELECTION GUIDE

Legend: = Available = Standard = Optional

	SOLID PLASTIC (HDPE)	POWDER COATED STEEL	
ENVIRONMENTAL DESIGN (LEED v3.0)			
RECYCLED CONTENT			
MR 4.1- Post Consumer; Standard (Optional)	0% (100%)	67%	
MR 4.2- Post Industrial; Standard (Optional)	33% (0%)	14%	
LOW-EMITTING MATERIALS			
IEQ 4.1-VOC Content of Adhesives (Below defined limits)	N/A	Yes	
IEQ 4.2-VOC Content of Paint (Below defined limits)	N/A	Yes	
IEQ 4.4- Free of Added Urea Formaldehyde Resins	Yes	Yes	
APPLICATION			
Fire Rating; Standard (Optional)	NFPA 286 / B	А	
Vandal Resistance	High	Average	
Ease of Maintenance	High	Average	
Wet Area Suitability	High	Low	
RELATIVE COST (Powder Coated Steel = 100%)	190%	100%	
WARRANTY	25 Years	3 Years	
COLOR / FINISH OPTIONS	18 Standard Colors	15 Standard Colors	
MOUNTING STYLES			
Floor Anchored/Overhead Braced	A	A	
Floor Mounted	_	_	
Ceiling Hung- Maximum Height	96" (Requires X Bracing)	108"	
Floor-to-Ceiling- Maximum Height	120"	120"	
Ultimate Privacy™	120	120 A	
HARDWARE			
STIRRUP BRACKETS			_
Chrome Plated Zamac		•	
Stainless Steel			
Aluminum	•	-	
CONTINUOUS BRACKETS	-		
Stainless Steel	_		
Aluminum	-	<u> </u>	
HINGES		<u>_</u>	
Zamac Wrap-Around / Gravity Bottom		<u>-</u>	
Stainless Steel Wrap-Around / Gravity Bottom	_	•	
Vault		_	
Continuous Stainless Steel	<u>.</u>	•	
8" Aluminum Wrap-Around	-		
Integral	•		
LATCHES		<u>_</u>	
Zamac Concealed		-	
Stainless Steel Concealed		•	
Zamac Surface Mount Slide		•	
Stainless Steel Surface Mount Slide	•		
HD Slide w/6" AL Wrap-Around Strike	•		
TRIM SHOES			
Stainless Steel			

TYPE 304 STAINLESS STEEL STANDARD FINISH (W/OPTIONAL TEXTURED FINISH)	BLACK CORE PHENOLIC	COLOR-THRU PHENOLIC	MOISTURE GUARD™ PLASTIC LAMINATE
72%	N/A	N/A	N/A
18%	27%	15%	95%
·			
Yes	N/A	N/A	Yes
N/A	N/A	N/A	N/A
Yes	Yes	Yes	Yes
А	B (A)	А	С
Average (High)	High	High	Low
Low (Average)	High	High	Average
Low	High	High	Average
255% (355%)	200%	250%	110%
5 Years	25 Years	25 Years	5 Years (2 Years For Non Moisture Guard™ Plastic Laminate).
#4 Satin (Diamond, Leather Grain)	10 Standard Colors	6 Standard Colors	48 Standard Colors
<u> </u>	<u> </u>	•	A
400#	100 () (D	1001/0/ D : D : 141	A
108"	108" (X Bracing Required Above 96")		108" (X Bracing Required Above 96")
120"	120"	120"	120"
<u> </u>			
			•
-			
_	_	_	<u>-</u>
•			•
	•	•	
•			
	•		•

ONLY ASI CAN SUPPLY EVERYTHING FOR YOUR WASHROOM

And only ASI Group offers the industry's most cutting-edge hand dryers, soap dispensers, baby changers, paper towel dispensers, partitions, lockers, visual display products, and much, much more.





160 Tower Drive Burr Ridge, IL 60527 Phone: 708.442.6800 Fax: 708.442.7439

Web: asi-accuratepartitions.com