

# Baby Changing Stations



SHOWN: 9013 BABY CHANGING STATION



**WARNING**

- Always use proper lifting technique.
- Avoid reaching above your head when lifting or placing the baby.
- Always use the correct lifting technique.
- Always use the correct lifting technique.
- Always use the correct lifting technique.

**VERBODEN**

- Het is niet toegestaan om op het apparaat te staan.
- Het is niet toegestaan om op het apparaat te zitten.
- Het is niet toegestaan om op het apparaat te liggen.
- Het is niet toegestaan om op het apparaat te knielen.
- Het is niet toegestaan om op het apparaat te buigen.

**ADVERTENCIA**

- Siempre utilizar la técnica correcta de levantamiento.
- Evitar alcanzar por encima de la cabeza al levantar o colocar al bebé.
- Siempre utilizar la técnica correcta de levantamiento.
- Siempre utilizar la técnica correcta de levantamiento.
- Siempre utilizar la técnica correcta de levantamiento.

**WARNING**

- Never stand on the device.
- Never sit on the device.
- Never lie on the device.
- Never kneel on the device.
- Never bend over the device.



# BABY CHANGING STATIONS

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable, and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

## WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?

UPTO  
**50**  
LB. CAPACITY


### LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight up to 250 lbs [113kg].



### ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



### EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.

FDA  
APPROVED

### FUNGUS- AND BACTERIA-RESISTANT PLASTIC

Our baby changing stations are made with FDA-approved fungus- and bacteria-resistant plastic.

## FEATURES

- Easy to install
- Sanitary, safe, and strong
- All units fold up; no obstruction when not in use
- Easy to clean



**9014**  
**SURFACE MOUNTED HORIZONTAL PLASTIC**  
**BABY CHANGING STATION**

Fabricated of FDA-approved fungus and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Its vinyl-coated, adjustable safety strap assures child protection.

**Overall Dimensions:**

Closed:	Open:
35 <sup>5</sup> / <sub>32</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 3 <sup>7</sup> / <sub>16</sub> "	35 <sup>5</sup> / <sub>32</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 22 <sup>1</sup> / <sub>32</sub> "
(893 x 616 x 98 mm)	(893 x 616 x 560 mm)



**9014-41**  
**BABY CHANGING STATION, HORIZONTAL –**  
**MATTE BLACK, SURFACE MOUNTED**

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Its vinyl-coated, adjustable safety strap assures child protection.

**Overall Dimensions:**

Closed:	Open:
35 <sup>5</sup> / <sub>32</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 3 <sup>7</sup> / <sub>16</sub> "	35 <sup>5</sup> / <sub>32</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 22 <sup>1</sup> / <sub>32</sub> "
(893 x 616 x 98 mm)	(893 x 616 x 560 mm)



**9013**  
**RECESSED STAINLESS STEEL**  
**BABY CHANGING STATION**

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact-resistant plastic for easy cleaning. Featuring a two-part adjustable safety strap, intended use for infants up to 3.5 years old and a load capacity of up to 50 lbs (23 kg), this product ensures child protection.

**MODEL OPTION:**

**9013-9** Surface mounted with a stainless steel collar

**Overall Dimensions:**

Open:	Closed:
37" x 25 <sup>1</sup> / <sub>2</sub> " x 17 <sup>3</sup> / <sub>4</sub> "	37" x 25 <sup>1</sup> / <sub>2</sub> " x 3 <sup>7</sup> / <sub>16</sub> "
(940 x 648 x 451 mm)	(940 x 648 x 10 mm)

**Wall Opening:**

34<sup>1</sup>/<sub>2</sub>" x 22<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>" min (870 x 578 x 95 mm)



**9012**  
**SURFACE MOUNTED PLASTIC**  
**BABY CHANGING STATION**

Modern styling and easy-to-clean surface is fabricated of 100% high-density polyethylene. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Surface mounted. Only 4" (102 mm) deep when closed.

**Overall Dimensions:**

Closed:	Open:
36" x 22" x 4"	36" x 22" x 20 <sup>7</sup> / <sub>16</sub> "
(914 x 559 x 102 mm)	(914 x 559 x 519 mm)



**9015**  
**SURFACE MOUNTED VERTICAL PLASTIC**  
**BABY CHANGING STATION**

Vertical unit has a pull handle and concealed damped gas spring, assisting in easy operation. Can be fabricated of FDA-approved fungus and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Its vinyl-coated, adjustable safety strap assures child protection.

**Overall Dimensions:**  
 Closed: 24<sup>1</sup>/<sub>4</sub>" x 35<sup>5</sup>/<sub>32</sub>" x 3<sup>7</sup>/<sub>8</sub>"  
 (616 x 893 x 98 mm)  
 Open: 24<sup>1</sup>/<sub>4</sub>" x 35<sup>5</sup>/<sub>32</sub>" x 32<sup>15</sup>/<sub>16</sub>"  
 (616 x 893 x 837 mm)



**9020**  
**SURFACE MOUNTED TODDLER SAFETY SEAT**

This plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit shall support a static load of 50 lbs. (23 kg). Fabricated of FDA approved plastic.

**Overall Dimensions:**  
 Closed: 12<sup>1</sup>/<sub>2</sub>" x 21<sup>3</sup>/<sub>4</sub>" x 5<sup>1</sup>/<sub>2</sub>"  
 (318 x 552 x 140 mm)  
 Open: 12<sup>1</sup>/<sub>2</sub>" x 21<sup>3</sup>/<sub>4</sub>" x 11<sup>1</sup>/<sub>8</sub>"  
 (318 x 552 x 283 mm)



**9017**  
**RECESSED VERTICAL STAINLESS STEEL**  
**BABY CHANGING STATION**

This vertical station has a door facing and collar made from 18 gauge 304 stainless steel. Fabricated of FDA-approved fungus and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg).

**Overall Dimensions:**  
 Closed: 28<sup>1</sup>/<sub>4</sub>" x 39<sup>5</sup>/<sub>32</sub>" x 3<sup>7</sup>/<sub>8</sub>"  
 (718 x 994 x 10 mm)  
 Open: 28<sup>1</sup>/<sub>4</sub>" x 39<sup>5</sup>/<sub>32</sub>" x 29<sup>3</sup>/<sub>8</sub>"  
 (718 x 994 x 746 mm)

**Wall Opening:**  
 24<sup>1</sup>/<sub>2</sub>" x 35<sup>1</sup>/<sub>2</sub>" x 4" min (622 x 902 x 102 mm)



**9017-9**  
**SURFACE MOUNTED VERTICAL**  
**STAINLESS STEEL BABY CHANGING STATION**

This vertical station has a door facing and collar made from 18 gauge 304 stainless steel. Fabricated of FDA-approved fungus and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg).

**Overall Dimensions:**  
 Closed: 28<sup>1</sup>/<sub>4</sub>" x 39<sup>5</sup>/<sub>32</sub>" x 3<sup>7</sup>/<sub>8</sub>"  
 (718 x 995 x 100 mm)  
 Open: 28<sup>1</sup>/<sub>4</sub>" x 39<sup>5</sup>/<sub>32</sub>" x 32<sup>3</sup>/<sub>8</sub>"  
 (718 x 995 x 822 mm)

**Wall Opening:**  
 24<sup>1</sup>/<sub>2</sub>" x 35<sup>1</sup>/<sub>2</sub>" x 4" min (622 x 902 x 102 mm)



**9018**  
**RECESSED HORIZONTAL STAINLESS STEEL**  
**BABY CHANGING STATION**

This horizontal station has a door facing and collar made from 18 gauge 304 stainless steel. Fabricated of FDA-approved fungus and bacteria-resistant plastic. Unit complies with 2010 ADA Accessibility Standards. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg).

**Overall Dimensions:**

<b>Closed:</b>	<b>Open:</b>
39 <sup>5</sup> / <sub>32</sub> " x 28 <sup>1</sup> / <sub>4</sub> " x 3 <sup>5</sup> / <sub>16</sub> "	39 <sup>5</sup> / <sub>32</sub> " x 28 <sup>1</sup> / <sub>4</sub> " x 18 <sup>1</sup> / <sub>8</sub> "
(995 x 718 x 10 mm)	(995 x 718 x 460 mm)

**Wall Opening:**

35<sup>1</sup>/<sub>2</sub>" x 24<sup>1</sup>/<sub>2</sub>" x 4" min (902 x 622 x 102 mm)



**9018-9**  
**SURFACE MOUNTED HORIZONTAL**  
**STAINLESS STEEL BABY CHANGING STATION**

This horizontal station has a door facing and collar made from 18 gauge 304 stainless steel. Fabricated of FDA-approved fungus and bacteria-resistant plastic. Unit complies with 2010 ADA Accessibility Standards. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg).

**Overall Dimensions:**

<b>Closed:</b>	<b>Open:</b>
39 <sup>5</sup> / <sub>32</sub> " x 28 <sup>1</sup> / <sub>4</sub> " x 3 <sup>5</sup> / <sub>16</sub> "	39 <sup>5</sup> / <sub>32</sub> " x 28 <sup>1</sup> / <sub>4</sub> " x 18 <sup>1</sup> / <sub>8</sub> "
(995 x 718 x 84 mm)	(995 x 718 x 460 mm)



**9018-41**  
**BABY CHANGING STATION, HORIZONTAL –**  
**MATTE BLACK, RECESSED**

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Its vinyl-coated, adjustable safety strap assures child protection.

**Overall Dimensions:**

<b>Closed:</b>	<b>Open:</b>
35 <sup>5</sup> / <sub>32</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 3 <sup>7</sup> / <sub>8</sub> "	35 <sup>5</sup> / <sub>32</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 22 <sup>1</sup> / <sub>32</sub> "
(893 x 616 x 98 mm)	(893 x 616 x 560 mm)



**9018-9-41**  
**BABY CHANGING STATION, HORIZONTAL –**  
**MATTE BLACK, STAINLESS STEEL,**  
**SURFACE MOUNTED**

This horizontal station has a door facing and collar made from 20 gauge 304 stainless steel with a powder coated matte black finish. Fabricated of FDA-approved fungus and bacteria-resistant plastic. Unit complies with 2010 ADA Accessibility Standards. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg).

**Overall Dimensions:**

<b>Closed:</b>	<b>Open:</b>
39 <sup>5</sup> / <sub>32</sub> " x 28 <sup>1</sup> / <sub>4</sub> " x 3 <sup>5</sup> / <sub>16</sub> "	39 <sup>5</sup> / <sub>32</sub> " x 28 <sup>1</sup> / <sub>4</sub> " x 18 <sup>1</sup> / <sub>8</sub> "
(995 x 718 x 10 mm)	(995 x 718 x 460 mm)

# SO WHY CHOOSE US? THE ANSWER IS **SIMPLE**

Only ASI Group designs, engineers, and manufactures fully integrated washroom accessories, partitions, lockers, and visual display products from one source.





441 Saw Mill River Rd.  
Yonkers, NY 10701  
Phone: 914.476.9000  
Fax: 914.476.0688  
Web: [americanspecialties.com](http://americanspecialties.com)

© 2024 American Specialties, Inc., an ASI Group Company