Washroom Accessories





FORGET EVERYTHING YOU KNOW ABOUT WASHROOM DESIGN

Welcome to the new standard for basis of design in washrooms. So what makes ASI so unique? For starters, we are the world's leading manufacturer of commercial washroom accessories. Welcome to choice, welcome to innovations, welcome to ASI.

How to use this brochure:

This brochure offers three ways to navigate our comprehensive portfolio of washroom accessories:

Navigate by collections—a family of complementary-designed products, see pages 6 & 7.

Navigate by specific product category, see pages 8 & 9.

Navigate the index by product category or model number, see pages 126-129.



WE ARE LASER FOCUSED ON DELIVERING EXACTLY WHAT YOU NEED—WHERE AND WHEN YOU NEED IT.

ASI Group's Global Reach—see how on pages 124-125.





1 WASHROOM ACCESSORIES

The world's leading manufacturer of commercial washroom accessories. We offer the most comprehensive selection of washroom accessories available anywhere.



2 PARTITIONS

A wide range of partitions designed to enhance any interior.





3 LOCKERS + BENCHES

Available to be built in any configuration matrix with multiple base options, tiers, and styles to choose from.




4 VISUAL DISPLAY PRODUCTS

Through constant research, innovation, and development, we design and manufacture high quality visual display products that are easy to install and require little maintenance.

SEVEN DISTINCT COLLECTIONS CURATED TO WORK IN ANY WASHROOM DESIGN

While ASI offers hundreds of individual accessories, we have simplified the specifying process with our seven distinct collections to serve your project's individual needs. And each of our seven collections was designed as a suite of products that complement one another. Welcome to aesthetics and function in perfect harmony. Welcome to the new standard for basis of design in washrooms.





Roval[™] Collection P.22

This elegant, durable, exceptionally functional collection features subtle curves, one-piece seamless doors, and flush tumbler locks, along with fully removable waste cans, strong hinges, and integral locking system.

Profile[™] Collection P.30

Manufactured with highly durable 16 gauge stainless steel doors and 20 gauge cabinets. Concealed heavyduty piano hinges ensure smooth and long-lived operation, and rimless keyed-alike flush tumbler locks offer strong security with an elegant look.





Simplicity[™] Collection P.36

This elegant collection combines seamless construction and crisp design lines to provide strength and comfort, beauty and durability, form and function. 18 gauge doors and 20 gauge cabinets conceal heavyduty piano hinges.

Traditional™ Collection P.44


This high-value collection features 22 gauge doublepan doors incorporating a "no-flex" structural fiberboard core. 22 gauge cabinets, heavy-duty piano hinges, and keyed-alike tumbler locks complete this broad product line.





THE LARGEST PRODUCT BREADTH WITH OVER 3.000 WASHROOM ACCESSORIES

Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered, and manufactured everything you need from one source? Welcome to integrated solutions. Welcome to ASI.





Our Paper Towel Dispensers and Combination Units can be found within our collections on pages 10–53.



PIATTO[™]COLLECTION

ASI's distinctive new collection of washroom accessories is designed to stand apart by not standing out—making it integral with your washroom design. Each washroom accessory is designed to be completely recessed, lying perfectly in the plane of the washroom wall

without any protrusion. The high-end door hinges, used to achieve this precise coplanar fit, are easily adjusted in the field. ½" (13 mm) Phenolic doors in matte black or white, close silently and effortlessly, and add an air of sophistication.

WHAT MAKES THE PIATTO™ COLLECTION UNIQUE?

COMPLETELY

UNIQUE DESIGN

The Piatto™ collection is designed to be coplanar to the wall—an ASI exclusive.

PHENOLIC DOORS

ELEVATED STYLE— A NEW CHOICE

Phenolic doors in matte black or white were created to accentuate your washroom design.



INNOVATIVE HINGES

3-way, adjustable hinges allow flexibility in the field and are concealed along with all other hardware.



STANDS APART BY BLENDING IN

A combination of technology and design ensures a perfect fit adding to your design by not detracting from it.



THREE-WAY ADJUSTABLE HINGE

An innovative hinge technology allows cabinet and doors to be completely recessed, with no protrusions from the plane of the wall surface. Doors can be adjusted in the field.

- Phenolic Doors
- Completely Recessed Mounting
- Concealed Internal Spring-Loaded Latch
- No Visible Hardware





PIATTO™ WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Stainless steel receptacle holds 12 gal. (46 L) of washroom waste materials. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 171/4" × 40" × 69/16" (438 × 1016 × 166 mm)

Finished Wall Opening*: $17^{5}/_{16}$ " \times $401/_{16}$ " \times $6^{11}/_{16}$ " (440 \times 1018 \times 170 mm)





64672-1

PIATTO™ COMPLETELY RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER, AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Features a <15 second automatic hand dryer, dispenses 400 standard C-fold or 500 standard multi-fold paper towels with a waste capacity of 6.8 gal. (26 L). Dryer has 5-year warranty. 110-120 V. Available in 208-240 V (-2). For matte black phenolic door use suffix -41, for white use -00.

 Unit Size:
 Finished Wall Opening*:

 15%" x 55%" x 71%2"
 157%" x 55%" x 75%"

 (391 x 1407 x 191 mm)
 (392 x 1408 x 194 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





6457

PIATTO™ PAPER TOWEL DISPENSER

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Well-suited for smaller washroom with less space and traffic. Dispenses 350 C-fold or 475 multi-fold paper towels. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 12³/₄" × 17¹/₄" × 4⁹/₁₆" (324 × 438 × 116 mm)

Finished Wall Opening*: 12¹³/₁₆" x 17⁵/₁₆" x 4³/₄" (325 x 440 x 121 mm)





64696A/AC

PIATTO™ AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. No-touch unit dispenses a pre-set length per cycle from 8" (203 mm) wide, 800 ft. (244 m) long rolls. Includes 9.9 gal. (37.3 L) stainless steel waste receptacle. Battery powered. Available in AC Powered (AC). For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 16½6" x 41½" x 9½6" (408 x 1048 x 246 mm)

Finished Wall Opening*: 161/8" x 415/16" x 10" (410 x 1049 x 254 mm)

ALL STAINLESS STEEL IS TYPE 304 WITH SATIN FINISH. UNLESS OTHERWISE NOTED.





PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Dispenses 600 C-fold, 800 multi-fold, or 1,100 single-fold towels. 9 gal. (34 L) stainless steel waste receptacle. Towel dispensing slot has hemmedin rolled edge for snag-free dispensing and user safety. For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

171/4" x 54" x 69/16" (438 x 1372 x 166 mm)

Finished Wall Opening*: 17⁵/₁₆" x 54¹/₁₆" x 6¹¹/₁₆" (440 x 1373 x 170 mm)





PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Dispenses 600 C-fold or 800 multi-fold paper towels. Towel dispensing slot has hemmed-in rolled edge for snag-free dispensing and user safety. Includes 4.24 gal. (16 L) stainless steel waste receptacle. For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

13" x 55" x 4%6" (330 x 1397 x 116 mm)

Finished Wall Opening*:

13½6" x 55½6" x 4½6" (332 x 1399 x 119 mm)





PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Well-suited for the smaller washroom with less space and traffic. Dispenses 350 C-fold or 475 multi-fold paper towels. Includes 2.2 gal. (8.4 L) stainless steel waste receptacle. For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

14¼" x 28" x 4½"6" (362 x 711 x 116 mm)

Finished Wall Opening*:

14⁵/₁₆" x 28¹/₁₆" x 4¹¹/₁₆" (364 x 713 x 119 mm)





645210A/AC

PIATTO™ AUTOMATIC ROLL PAPER TOWEL DISPENSER

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Proximity sensing no-touch unit dispenses an owner-adjustable length per cycle from 8" (203 mm) wide, 800 ft. (244 m) long rolls. Battery powered. Available in AC Powered (AC). For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

16½6" x 28" x 9½6" (408 x 711 x 248 mm)

Finished Wall Opening*:

161/8" x 281/16" x 10" (410 x 713 x 254 mm)

SHOWN: 0042-41 JUMBO ROLL TOILET TISSUE DISPENSER, 0210-41 SURFACE MOUNTED PAPER TOWEL DISPENSER, AND 9343-41 LIQUID SOAP DISPENSER



NEW

MATTE BLACK COLLECTION

ASI's Matte Black Collection provides a chic alternative for modern washrooms. Carefully curated to be versatile and powder coated for added durability, these accessories are ready to make a statement in any setting. The boldness of black creates an air of sophistication, while the subtlety of the matte finish exudes warmth.

Born out of the desire for something new and contemporary without sacrificing reliability that comes from the proven, this collection is easily paired with a wide variety of washroom accessories and toilet partitions, ranging from phenolic and plastic laminate to powder coated or stainless steel.





64672-41PC

SIMPLICITY™ IN MATTE BLACK RECESSED 3-IN-1 CABINET—PAPER TOWEL DISPENSER, WASTE RECEPTACLE, AND HIGH-SPEED HAND DRYER*

Cabinet dispenses 500 standard multi-fold or 400 standard C-fold paper towels and has a waste capacity of 6.8 gal. (26 L). 18 gauge stainless steel door, with matte black powder coated finish.

*Hand Dryer sold separately.

Unit Size:

15%" $\times 55\%$ " $\times 7\frac{1}{2}$ " (391 x 1407 x 191 mm)

Wall Opening:

143/32" x 543/8" x 71/4" (358 x 1381 x 184 mm)





6467-41PC

SIMPLICITY[™] IN MATTE **BLACK RECESSED PAPER TOWEL DISPENSER & WASTE** RECEPTACLE

This recessed matte black powder coated stainless steel unit dispenses 600 C-fold or 800 multi-fold paper towels and has a 4.2 gal. (16 L) waste receptacle. 18 gauge door held closed with two (2) tumbler locks. Waste receptacle has a rolled edge finger hole for easy servicing.

Unit Size: $13" \times 55" \times 4\frac{3}{4}"$

Wall Opening: 11½" x 53½" x 4 (330 x 1397 x 121 mm) (292 x 1359 x 102 mm)

MODEL OPTION:

6467-9-41PC Surface mounted with a matte black powder coated stainless steel collar.





6474-41PC

SIMPLICITY™ IN MATTE BLACK RECESSED WASTE RECEPTACLE

Matte black powder coated stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials. 18 gauge door is held closed with two (2) tumbler locks to prevent unauthorized access or removal.

Unit Size:

 $17^{1}/_{4}$ " \times 40" \times 6 $^{3}/_{4}$ " (438 x 1016 x 171 mm)

Wall Opening:

15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)

MODEL OPTION:

6474-2-41PC Semi-recessed with a matte black powder coated stainless steel collar.





SIMPLICITY™IN MATTE BLACK RECESSED PAPER TOWEL **DISPENSER AND WASTE** RECEPTACLE

Dispenses 350 C-fold or 475 multifold paper towels. Includes 2.2 gal. (8.4 L) stainless steel waste receptacle. 18 gauge door is held closed with tumbler lock.

Unit Size: 141/4" x 28" x 43/4" Wall Opening:

123/4" x 261/5" x 41/4" (362 x 711 x 121 mm) (324 x 673 x 108 mm)

MODEL OPTION:

64623-9-41PC Surface mounted with a matte black powder coated stainless steel collar.



0210-41

MATTE BLACK SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with matte black powder coated finish, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with a tumbler lock and heavy-duty stainless steel piano hinge.

Overall Dimensions:

111/8" x 145/8" x 4" (282 x 371 x 101 mm)





0477-SM-41

MATTE BLACK SURFACE MOUNTED TOILET SEAT COVER DISPENSER

This surface mounted unit dispenses 250 single or half-fold seat covers and is fabricated of 22 gauge stainless steel with a matte black powder coated finish.

15¾" x 11" x 1½" (400 x 279 x 48 mm)



15



AUTOMATIC LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Stainless steel soap and gel hand sanitizer dispenser in matte black finish has a capacity of 27 oz. (.8 L) and includes a tamper-resistant sight gauge.

Unit can be either wall mounted or mounted to a mobile stand offered as an additional option by ASI - Part # FS-0300.

Overall Dimensions:

413/16" x 105/8" x 41/8" (122 x 270 x 105 mm)





0347-41

VERTICAL SOAP DISPENSER

HORIZONTAL SOAP DISPENSER

40 fl. oz. (1.2 L) capacity liquid soap dispenser in stainless steel with matte black powder coated finish comes with an all-purpose valve and a tamper-resistant sight gauge.

0347 Unit Size:

413/16" x 83/16" x 315/16" (122 x 208 x 100 mm)

0345 Unit Size:

 $8^{3}/_{16}$ " x $4^{13}/_{16}$ " x $3^{15}/_{16}$ " (208 x 122 x 100 mm)

Spout projection: 15/16" (24 mm)





9343-41

LIQUID SOAP DISPENSER

Matte black powder coated stainless steel liquid soap dispenser has a capacity of 48 fl. oz. (1.4 L). Includes a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions:

71/4" x 61/2" x 311/16 (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



JUMBO ROLL TOILET TISSUE **DISPENSER**

Holds one roll up to 10" (254 mm) diameter of 15%" or 21/4" (41 or 57 mm) diameter core. Constructed of stainless steel with a matte black powder coated finish. Unit has viewing slot and tumbler lock.

Overall Dimensions:

10%" x 10%" x 4½" (270 x 270 x 114 mm)







SINGLE TOILET TISSUE HOLDER

DOUBLE TOILET TISSUE HOLDER

Fabricated of stainless steel with matte black powder coated finish. Includes chrome plated rollers and holds one (or two for -2 model) 1800 sheet standard core roll. Heavy gauge concealed bracket mounts on wall.

7304-41 **Dimensions:**

Dimensions: 13½" x 2" x 3¾" 7¾" x 2" x 3%" (343 x 51 x 98 mm) (207 x 51 x 98 mm)

7305-2-41



INTER-LOK ANGLE FRAME

3/4" x 5/8" (19 x 16 mm) roll formed 18 gauge stainless steel angle frame has corners heliarc welded, ground and polished smooth. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamperproof set screws.

MODEL OPTIONS:

0600-1836-41 - 18" wide x 36" high (457 x 914 mm)

0600-2436-41 – 24" wide x 36" high (610 x 914 mm)



0196-41 TURBO-PRO™ HIGH-SPEED ADA HAND DRYER

Elegant ADA-compliant, high-speed, automatic hand dryer. A HEPA filter is used to purify the air before it dries hands. The dryer provides operating flexibility—the owner controls air temperature as well as air speed. Fast drying, <15 seconds. Available in 110-120 V (-1) and 208-240 V (-2).

Overall Dimensions:

85/8" x 139/16" x 4" (219 x 345 x 102 mm)

Decibel Level: 68-73.8 dB-A @ 2M



0397-1AC-41 EZ FILL™ WATER FAUCET

0394-1AC-41 EZ FILL™ FOAM SOAP DISPENSER

EZ Fill™ Top Fill Multi-Feed Soap Dispensing System allows for refill of up to 6 liquid or foam soap dispensers with one pour. The 6L (203 oz.) tank is ideal for high-traffic

Complete the look with the matching EZ $FIII^{TM}$ Water Faucet.

See all EZ Fill™ model options on page 61.



3801-41 STRAIGHT GRAB BAR

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 31/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel.

MODEL OPTIONS:

3801-18-41 - 18" (457 mm) 3801-24-41 - 24" (610 mm) 3801-36-41 - 36" (914 mm) 3801-42-41 - 42" (1067 mm)





7385-41 TOWEL RING

For bath and hand towels. Support post is $\frac{1}{2}$ " x 1" (13 mm x 25 mm) rectangular tubing with formed mounting flange and bracket welded on end. Ring formed from $\frac{1}{4}$ " diameter ($\frac{1}{4}$ 6.4 mm) stainless steel rod with matte black powder coated finish.

Unit Size:

4½" x 5" x 2½" (114 x 127 x 64 mm)





7355-24-41

TOWEL BAR - 24"

3/4" (19 mm) diameter towel bar and mounting bracket are fabricated of stainless steel with a matte black powder coated finish. Extends 31/4" (83 mm) from wall.

Unit Size:

24" x 2" x 31/4" (106 x 51 x 83 mm)





SINGLE ROBE HOOK

Hook extends 2" (51 mm) from wall and is suitable for a robe or clothing and small carry bags. Fabricated from stainless steel with a matte black powder coated finish.

Unit Size:

2" x 2" x 2" (51 x 51 x 51 mm) SHOWN: 0661-T VELARE™ BTM SYSTEM – STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

VELARET COLLECTION

An elegant space-saving solution, designed to tuck away clutter, this wall mounted stainless steel cabinet conceals an automatic soap dispenser, and your choice of a paper towel dispenser or highspeed hand dryer (Dryer Model 0196—equipped with a HEPA filter).

The sophisticated design is ideal for iconic buildings—the dispensing capacity makes it ideal for any high-traffic environment. Another reason to specify ASI!

WHAT MAKES THE VELARE™ COLLECTION UNIQUE?

ARTFULLY **CONCEALED**

ARTFULLY CONCEALED

Consumables are concealed behind the mirror to accentuate the overall style.

SOAP



CONCEALED SOAP DISPENSER

High-capacity foam or liquid soap dispenser makes Velare™ ideal for high frequency use restrooms.

TOWEL



PAPER TOWEL OPTION

Velare™ provides paper towels as an option for drying hands. 500 towel capacity.



HAND DRYER OPTION

Optional high-speed, low-decibel hand dryer is equipped with a HEPA filter.

ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP DISPENSER, AND YOUR CHOICE OF PAPER TOWEL DISPENSER OR HAND DRYER – NOW AVAILABLE WITH MIRROR FILLERS FOR FLEXIBILITY.

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The 1/4" thick tempered glass mirror, supported by twin, damped gas springs, opens up to 90° for easy maintenance.





0661-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

Designed with elegance and safety in mind, this wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare $\bar{}^{\text{TM}}$ Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208-240 V).

Overall Dimensions:

235%" x 357/16" x 79/16" (600 x 900 x 192)



0661-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

235/8" x 357/16" x 79/16' (600 x 900 x 192)



0661-FM-14

VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

14³/₄" x 35⁷/₁₆" x 7⁹/₁₆" (375 x 900 x 192)



0661-FM-23

VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

23¹/₄" x 35⁷/₁₆" x 7⁹/₁₆" (591 x 900 x 192)



0663-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare™ Stainless Steel Cabinet with Foam Soap and Hand Dryer (208-240 V).

Overall Dimensions:

235/8" x 357/16" x 79/16" (600 x 900 x 192)



0663-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

235%" x 357/16" x 79/16" (600 x 900 x 192)

Aptly named **Velare**TM, which means to veil, this elegant, space-saving mirror cabinet lives up to its name by concealing a soap dispenser (liquid or foam) and your choice of a high-speed hand dryer or paper towel dispenser.

Velare™ minimizes the hazards of water spilling on the floor by housing soap and drying components directly above the sink. The mirror, made of ¼" thick tempered glass with pencil edges, is supported by twin damped gas springs, which allow the cabinet to be opened up to 90° for easy maintenance.

Backlit icons etched into the mirror intuitively indicate soap and drying options, making this cabinet both elegant and easy to use. This marriage of elegance, safety, and functionality makes Velare™ ideal for a wide range of building types, from sophisticated corporate headquarters to high-traffic washrooms in entertainment centers and airports.





ROVAL™C O L L E C T I O N

Engineered for high-profile settings, this collection adds elegance, durability, and exceptional functionality to any washroom without becoming the focal point.

This collection is ideal for the most aesthetically demanding applications. All features are functionally superior, quickly installed, and easily maintained.

WHAT MAKES THE ROVAL™ COLLECTION UNIQUE?

STAINLESS STEEL CONSTRUCTION

Our collection is constructed of stainless steel, which is tough, durable, stainresistant, and easy to clean.



INTEGRAL LOCKING SYSTEM

Our durable, integral locking system prevents tampering and theft.



STAKED PIANO HINGES

Our heavy-duty, staked piano hinges provide security and a neat appearance, and they stand up to heavy use.



REMOVABLE WASTE RECEPTACLE

Fully removable waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.



MANUAL AND AUTOMATIC PAPER TOWEL/ **TOILET TISSUE DISPENSERS**



MIRRORS



AUTOMATIC HAND DRYERS



204623

ROVAL™ RECESSED PAPER TOWEL DISPENSER AND REMOVABLE WASTE RECEPTACLE

Dispenses 350 C-fold, 475 multi-fold paper towels. 3.0 gal. (11.2 L) removable stainless steel waste receptacle with a tumbler lock. 22 gauge stainless steel door in a satin finish with a flush lock and a heavy-duty $^3\!/_{16}$ " staked piano hinge on door.

MODEL OPTION:

204623-9 Surface mounted with a stainless steel collar.

Unit Size: 12³/₄" x 28" x 6¹/₂" (325 x 710 x 165 mm)

Wall Opening: 11½" × 26½6" × 3½6" (286 × 672 × 100 mm)



20469

ROVAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 14.8 gal. (56 L) removable waste receptacle. Door made of 18 gauge stainless steel with a heavy-duty $\%\rm e^{\rm m}$ staked piano hinge.

MODEL OPTION:

20469-9 Surface mounted with a stainless steel collar.

Unit Size: 173%" x 561/16" x 9" (441 x 1424 x 228 mm)

Wall Opening: 15%" x 54%" x 4" (397 x 1381 x 102 mm)





ROVAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge stainless steel. 17.8 gal. (67.2 L) removable waste receptacle. Towel length is determined by owner by setting length, delay, and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with a stainless steel collar.

- -9: Surface mounted with a stainless steel collar.

Unit Size: $17\frac{3}{8}$ " \times $56\frac{1}{16}$ " \times $11\frac{11}{16}$ " (441 x 1424 x 297 mm)

Wall Opening: 15¹³/₁₆" × 54¹¹/₁₆" × 10" (402 × 1389 × 254 mm)





2046921A

ROVAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADA COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows unit to be ADA compliant. Cabinet and frame fabricated of 22 gauge stainless steel. Internal shelf is ideal for paper towel storage. Towel length is determined by owner by setting length, delay, and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with a stainless steel collar.

- -9: Surface mounted with a stainless steel collar.

Unit Size:

173/8" x 561/16" x 1111/16" (441 x 1424 x 296 mm)

Wall Opening: 15¹³/₁₆" × 54¹¹/₁₆" × 10" (402 × 1389 × 254 mm)



20826

ROVAL™ SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge stainless steel with satin finish. 12.8 gal. (48.4 L) waste capacity.

MODEL OPTION:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.4 L).

Overall Dimensions:

151/8" x 23" x 81/2" (384 x 584 x 216 mm)



20458

ROVAL™ SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance—removable 20 gauge stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Frame and cabinet fabricated of 22 gauge stainless steel with satin finish.

Unit Size:

17³/₈" x 27³/₄" x 8¹⁵/₁₆" (441 x 705 x 227 mm)

Wall Opening:

15¾" x 26" x 3¹5⁄16" (400 x 660 x 100 mm)





2085

ROVAL™ SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty %4" multi-staked concealed piano hinge. Cabinet top and body fabricated of 22 gauge stainless steel. 1 gal. (3.7 L) waste capacity.

Overall Dimensions:

7½" x 10" x 3½" (185 x 253 x 89 mm)





20470

ROVAL™ RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty \(^{9}\kappa^{4}\) staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge stainless steel with a satin finish. 1.0 gal. (3.7 L) waste capacity.

Unit Size:

 $12^{13}/_{16}$ " x 11" x $5^{7}/_{16}$ " (325 x 280 x 138 mm)

Wall Opening:

15³/₄" x 26" x 3¹⁵/₁₆" (400 x 660 x 100 mm)



204684

ROVAL™ RECESSED DUAL SANITARY NAPKIN AND TAMPON VENDOR

Dispenses 31 napkins and 22 tampons. Door has 18 gauge satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION:

204684-9 Surface mounted with a stainless steel collar.

Unit Size:

 $17^{5}/_{16}$ " x $27^{3}/_{4}$ " x $5^{5}/_{8}$ " (440 x 705 x 143 mm)

Wall Opening:

15¾" x 261/8" x 4" (397 x 664 x 102 mm)



ROVAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Door fabricated of 18 gauge drawn one-piece stainless steel with satin finish. Door secured with 3/16" staked piano hinge and flush tumbler lock.

Overall Dimensions:

12³/₄" x 28" x 5⁷/₁₆ (324 x 711 x 137 mm)



ROVAL™ AUTOMATIC RECESSED ROLL PAPER **TOWEL DISPENSER**

Fabricated of 22 gauge stainless steel with satin finish. Towel length is determined by owner by setting length, delay, and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter.

-6: Semi-recessed with a stainless steel collar.

-9: Surface mounted with a stainless steel collar.

Unit Size:

173/8" x 273/4" x 11 11/16" (441 x 705 x 297 mm)

Wall Opening:

15¾" x 26" x 10" (400 x 660 x 254 mm)



ROVAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER

Dispenses 400 C-fold or 525 multi-fold paper towels. Fabricated of 22 gauge stainless steel with satin finish. Fitted with tumbler lock and heavy-duty stainless steel staked piano hinge.

Overall Dimensions:

11½6" x 13½6" x 4½" (281 x 345 x 124 mm)



ROVAL™ SURFACE MOUNTED TWIN HIDE-A-ROLL TOILET TISSUE **DISPENSER**

Holds 2 rolls up to 5.25" (133 mm) diameter (double roll capacity 3600 sheets); top roll automatically drops in place when bottom roll is used up. Fabricated of 22 gauge satin finish stainless steel. Theft-resistant spindles with integral plated steel endpins.

MODEL OPTION:

20031 With flange for semi-recessed mounting.

Overall Dimensions:

6½6" x 12½" x 6½" (154 x 308 x 165 mm)





20477-SM ROVAL™ SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge stainless steel with a satin finish.

Overall Dimensions:

15¾" x 11" x 2¾" (400 x 280 x 60 mm)





RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is fungus-, bacteria-, and high-impact-resistant plastic for easy cleaning. Its two-part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with a stainless steel collar.

Overall Dimensions:

Open: Closed: 37" x 25½" x 17¾" 37" x 25½" x 3/8" (940 x 648 x 451 mm) (940 x 648 x 10 mm)

Wall Opening:

341/4" × 223/4" × 33/4" (870 x 578 x 95 mm)





HORIZONTAL SURFACE MOUNTED **SOAP DISPENSER**

All-purpose valve dispenses liquid soaps with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged

MODEL OPTION:

NEW 9343-41 Matte Black.

Overall Dimensions:

71/4" x 61/2" x 311/16 (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)







ROVAL™ AUTOMATIC SURFACE MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free foam soap and hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). May be mounted to #FS-0300 stand.

Overall Dimensions:

5½" x 10¾" x 4" (140 x 273 x 102 mm)





ROVAL™ AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). May be mounted to #FS-0300 stand.

Overall Dimensions:

5½" x 10 %" x 4" (140 x 276 x 102 mm)






ROVAL™ SURFACE MOUNTED LIQUID SOAP DISPENSER

Push button operation, valve needs no more than 5 lbs. of pressure to actuate. Dispenses liquid soap Capacity: 57 oz. (1.7 L).

Overall Dimensions:

 $5\frac{1}{2}$ " x $10\frac{13}{16}$ " x 4" (139 x 274 x 102 mm)

Spout Projection: 15/16" (24 mm)







20199

ROVAL™ SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Wall Opening: **Unit Size:** 11" x 15½" x 5²³/₃₂" (279 x 394 x 145 mm) 10½" x 145%" x 3¼" (267 x 371 x 83 mm)

Decibel Level: 69 dB-A @ 2M







ði 20200

TRI-Umph™ HIGH-SPEED HAND DRYER

Satin look cover: ABS plastic with silver ions. Ergonomicno need to bend over or bend knees. Air blows down and back from vents above. No water splash-back. Ultra hygienic—over 99% of airborne bacteria is eliminated with the removable Triple HEPA Filter System. 5-year warranty. Optional voltages available.

MODEL OPTION: 20201 White finish.

Overall Dimensions: 1211/16" x 231/8" x 73/4" (322 x 588 x 196 mm)

Decibel Level: 62.9-67.2 dB-A @ 2M





ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

The gently radiused edges provide added strength and complement the curves of the ASI Roval™ Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Choice of sizes.

MODEL OPTION: 20650 Mirror without shelf.



ROVAL™ SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel, the 6" wide shelf has a $3\!\!4$ " (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval™ Collection. Choice of sizes.

Overall Dimensions: 6" x 12"-72"

(152 x 305-1829 mm)



PROFILE™ COLLECTION

Manufactured with highly durable stainless steel doors and cabinets, this visually appealing collection with rounded edges stands the test of time.

Its concealed hinges ensure smooth and long-lived operation, and its locks offer strong security.

WHAT MAKES THE PROFILE™ COLLECTION UNIQUE?

16

HEAVY-DUTY

Our 16 gauge stainless steel doors are attached to 20 gauge stainless steel cabinets with concealed %e" (5 mm) diameter piano hinges to handle heavy use.



RIMLESS TUMBLER LOCKS

Our rimless flush tumbler locks that are keyed alike provide convenience and security with an elegant look.



ROUNDED CORNERS

All doors have vertical edges rounded to a 3/4" (19 mm) radius with welded corners for strength and to ensure no sharp edges for safety.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES





9469

PROFILE™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. Door and 13 gal. (49 L) waste receptacle fabricated of 16 gauge stainless steel.

Unit Size: 17½" x 56" x 5¾6" (438 x 1422 x 132 mm)

Wall Opening: 153/4" × 541/2" × 4" (400 × 1384 × 102 mm)





9/6

PROFILE™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 16 gauge stainless steel door. 9 gal. (34 L) stainless steel waste receptacle.

Unit Size: 171/4" x 54" x 6¹⁵/₁₆" (438 x 1372 x 176 mm)

Wall Opening: 15¾" x 52½" x 6" (400 x 1334 x 152 mm)





PROFILE™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.5 gal. (17 L) stainless steel waste receptacle. 16 gauge stainless steel door.

MODEL OPTIONS:

94676 dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold towels and has push door. 8 gal. (30 L) waste capacity.

Unit Size: 13" x 55" x 5³/₁₆" (330 x 1397 x 132 mm)

Unit Size: 13" x 55" x 7³/₁₆" (330 x 1397 x 183 mm)

Wall Opening:

11½" x 53½" x 4¼" (292 x 1359 x 108 mm)

Wall Opening:

11½" x 53½" x 6¼" (292 x 1359 x 159 mm)





94696A

PROFILE™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 16 gauge stainless steel door. 10 gal. (37.8 L) stainless steel waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, AC]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. 94696: Mechanical lever dispenser.

Unit Size: 16½16" × 41½" × 10½6" (408 × 1048 × 272 mm)

Wall Opening: 14%" x 39%" x 10" (371 x 1010 x 254 mm)



94623

PROFILE® RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels and has a built-in 2 gal. (7.6 L) stainless steel waste receptacle. 16 gauge stainless steel door.

Unit Size:

141/4" x 28" x 415/16" (362 x 711 x 125 mm)

Wall Opening:

12¾" x 26½" x 4¼" (324 x 673 x 108 mm)



0450

PROFILE™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. 16 gauge stainless steel door.

Unit Size:

14½" x 28" x 4½6" (362 x 711 x 125 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)



0/157

PROFILE™ RECESSED PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 475 multi-fold paper towels. 16 gauge stainless steel door.

Unit Size:

12¾" x 17¼" x 4½6" (324 x 438 x 125 mm)

Wall Opening:

11½" x 15¾" x 4¼" (286 x 400 x 108 mm)



0.454

PROFILE™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 16 gauge stainless steel door.

Unit Size:

14½" x 28" x 4½%" (362 x 711 x 125 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)



CII

PROFILE™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials. 16 gauge stainless steel door.

Unit Size:

17¹/₄" x 40" x 7³/₁₆" (438 x 1016 x 183 mm)

Wall Opening:

15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)



CII

PROFILE™ RECESSED DUAL NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons using 25¢, 50¢, or free operation. Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock. 16 gauge stainless steel door.

MODEL OPTION:

94684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size:

17½" x 27½" x 6½6" (438 x 692 x 176 mm)

Wall Opening:

16" x 26" x 61/4" (406 x 660 x 159 mm)





PROFILE™ RECESSED SANITARY NAPKIN DISPOSAL

Stainless steel unit features a self-closing push door that covers the disposal opening along with a removable 1.8 gal. (7 L) waste receptacle and 16 gauge stainless steel door.

Unit Size:

105%" x 195%" x 415/16" (270 x 498 x 125 mm)

Wall Opening:

91/8" x 181/8" x 41/4" (232 x 460 x 108 mm)





PROFILE™ RECESSED LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid soap, with a capacity of 52 fl. oz. (1.5 L).

Unit Size:

10½" x 6" x 7¾6" (260 x 152 x 183 mm)

Wall Opening:

9" x 4⁷/₈" x 4¹/₄" (229 x 124 x 108 mm)

Spout Projection: 21/4" (57 mm)



9343

PROFILE™ SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid soap, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

MODEL OPTION:

NEW 9343-41 Matte Black.

Overall Dimensions:

7½" x 6½" x 3½6" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)





0.47

PROFILE™ RECESSED TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers. Fabricated of 16 gauge stainless

MODEL OPTION:

9477-SM Surface mounted. Dispenses 250 seat covers.

Overall Dimensions:

171/4" x 123/4" x 35/16" (438 x 324 x 84 mm)

Wall Opening:

15¾" x 11½" x 2½" (400 x 292 x 64 mm)



ði

PROFILE™ SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 5½" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions:

6" x 12" x 61/4" (152 x 305 x 159 mm)





9031

PROFILE™ RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 51/4" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Unit Size:

8" x 14" x 61/4" (203 x 356 x 159 mm) with flange for recessing

Wall Opening:

61/4" x 121/4" x 33/8" (159 x 311 x 86 mm)



SIMPLICITY TO DELLECTION

Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty, and durability.

All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE SIMPLICITY™ COLLECTION UNIQUE?

18

STAINLESS STEEL

CONSTRUCTION

Constructed with 18 gauge stainless steel doors and 20 gauge cabinets, which are attached with concealed %/se" (5 mm) diameter piano hinges for durability.



SEAMLESS ONE-PIECE COVER-ALL DOOR

The door is designed for a sleek and streamlined appearance, making it easy to maintain even with heavy use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.



PAPER TOWEL DISPENSERS



FEMININE HYGIENE VENDORS



SOAP DISPENSERS





3/62

SIMPLICITY" RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 800 multi-fold or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

6462-2 Semi-recessed with a stainless steel collar.
6462-9 Surface mounted with a stainless steel collar.

Unit Size

17½" x 54" x 6½" (438 x 1372 x 165 mm)

Wall Opening:

15³/₄" x 52¹/₂" x 6" (400 x 1335 x 152 mm)



SIMPLICITY" RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.24 gal. (16 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 6467-41PC Matte Black 6467-9 Surface mounted with a stainless steel collar. NEW 6467-9-41PC Surface mounted with a matte black stainless steel collar.

Unit Size:

13" x 55" x 4¾" (330 x 1397 x 121 mm)

Wall Opening:

11½" x 53½" x 4" (292 x 1359 x 102 mm)



64676

SIMPLICITY" RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-Fold, 800 multifold, or 1100 single-fold towels. 7 gal. (26.5 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

64676-2 Semi-recessed with a stainless steel collar.
64676-9 Surface mounted with a stainless steel collar.

Unit Size:

13" x 55" x 6½" (330 x 1397 x 165 mm)

Wall Opening:

11½" x 53½" x 6" (292 x 1359 x 152 mm)



NEW



646924A

SIMPLICITY™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 mm) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-9, AC, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter.

-9: Surface mounted with a stainless steel collar.

Unit Size: 171/4" × 56" × 101/4" (438 x 1422 x 260 mm) Wall Opening: 15¾" x 54½" x 4" (400 x 1384 x 102 mm)





64672-1 SIMPLICITY™ RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER AND WASTE RECEPTACLE

Paper towel dispenser with waste receptacle and < 15 second automatic hand dryer. Dispenses 500 multi-fold or 400 C-fold paper towels, and has a waste capacity of 6.8 gal. (26 L). 18 gauge stainless steel door. Dryer has 5-year warranty. 110-120 V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240 V Dryer.
64672 Cabinet only—no hand dryer included.
NEW 64672-41PC Cabinet Only—Matte Black.

Unit Size: Wall Opening: 14³/₃₂" x 54³/₈" x 7¹/₄" (358 x 1381 x 184 mm) 15\%" x 55\%" x 7\\2" (391 x 1407 x 191 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M







0198-MH

SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Optional voltages available.

Unit Size:

12⁵/₈" x 15³/₄" x 5⁴/₁₆" (320 x 400 x 140 mm)

Wall Opening:

11⁷/₈" x 14³/₄" x 5¹/₈" (303 x 376 x 130 mm)

Decibel Level: 66 dB-A @ 2M







0125

TURBO-TUFF RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, operates automatically using infrared sensor with auto-resetting thermostat. Owneradjustable air speed and temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Unit Size:

 12^{19} $_{32}$ " x 15 $_{4}$ " x 4 $_{16}$ " (320 x 400 x 103 mm)

Wall Opening:

12⁵/₁₆" x 15³/₁₆" x 3⁷/₈" (313 x 386 x 98 mm)

Decibel Level:

68.9-74.3 dB-A @ 2M





64623

SIMPLICITY™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multifold paper towels. 2.2 gal. (8.4 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 64623-41PC Matte Black. 64623-9 Surface mounted with a stainless steel collar. NEW 64623-9-41PC Surface

mounted with a matte black stainless steel collar.

Unit Size:

141/4" x 28" x 43/4" (362 x 711 x 121 mm)

Wall Opening:

12¾" x 26½" x 4¼" (324 x 673 x 108 mm)







645210A

SIMPLICITY" AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch recessed unit dispenses an owner-adjustable length per cycle from 8" (205 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 20 gauge stainless steel with satin finish.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with a

stainless steel collar.

-9: Surface mounted with a stainless steel collar.

Unit Size:

163/50" x 28" x 9" (408 x 711 x 229 mm)

Wall Opening:

15¾" x 26½" x 10¼" (400 x 673 x 260 mm)





64696

SIMPLICITY" RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in pre-set lengths per stroke. 9.2 gal. (34.8 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

64696-6 Semi-recessed with a stainless steel collar.
64696-9 Surface mounted with a stainless steel collar.

Unit Size

16½6" x 41¼" x 95%" (408 x 1048 x 245 mm)

Wall Opening:

145/8" x 393/4" x 91/4" (371 x 1010 x 235 mm)





64696

SIMPLICITY" AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 9.9 gal. (37.3 L) stainless steel waste receptacle. 18 gauge stainless steel door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with a stainless steel collar.

-9: Surface mounted with a stainless steel collar.

Unit Size:

16½6" x 41¼" x 10¼" (408 x 1048 x 261 mm)

Wall Opening:

145/8" x 393/4" x 10" (371 x 1010 x 254 mm)





SIMPLICITY™ RECESSED PAPER TOWEL DISPENSER

Well-suited for the smaller washroom with less space and traffic, this unit dispenses 350 C-fold or 475 multifold paper towels. 18 gauge stainless steel door.

Unit Size: 12³/₄" × 17¹/₄" × 4¹/₂" (324 × 438 × 114 mm)

Wall Opening: 11½" × 15¾" × 4½" (286 × 400 × 108 mm)





SIMPLICITY™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. 18 gauge stainless steel door.

MODEL OPTION:

6452-9 Surface mounted with a stainless steel collar.

Unit Size: 141/4" × 28" × 41/2" (362 × 711 × 114 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)





...

SIMPLICITY™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 18 gauge stainless steel door.

Unit Size: 14½" × 28" × 4½" (362 × 711 × 114 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)





6474

SIMPLICITY™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 6474-41PC Matte Black.

6474-2 Semi-recessed with a stainless steel collar. NEW 6474-2-41PC Matte Black.

Unit Size: 171½" x 40" x 6¾" (438 x 1016 x 171 mm)

Wall Opening: 15¾" x 38½" x 6¼" (400 x 978 x 159 mm)





SIMPLICITY™ RECESSED DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25ϕ , 50ϕ , and free (no coin) operation. Choose appropriate suffix (-25, -50, or –F). Door has 2 tumbler locks, inside coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 171/4" x 271/4" x 61/2" (438 x 692 x 165 mm) Wall Opening:

16" x 26" x 61/4 (406 x 660 x 159 mm)





68523A-4

SIMPLICITY™ AUTOMATIC SEMI-RECESSED ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" standard towel roll up to 800 ft. (244 m) long and has stub roll capability for continuous dispensing.

MODEL OPTION:

68523A battery operated, surface mounted. 68523AC roll towel dispenser, 110-240 VAC, surface mounted.

68523AC-4 roll towel dispenser, 110-240 VAC, semirecessed.

Unit Size:

175/16" x 203/8" x 91/2" (440 x 518 x 241 mm) Wall Opening:

15%" x 19" x 4' (391 x 483 x 102 mm)





SIMPLICITY™ RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle. 18 gauge stainless steel door.

Unit Size:

105/8" x 195/8" x 41/2" (270 x 498 x 114 mm)

Wall Opening:

91/8" x 181/8" x 4" (232 x 460 x 102 mm)





SIMPLICITY™ RECESSED TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers. 18 gauge stainless steel door.

Unit Size:

171/4" × 123/4" × 27/8" (438 x 324 x 73 mm)

Wall Opening: 15¾" × 11½" × 2¾" (400 × 292 × 60 mm)





SIMPLICITY™ RECESSED LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid soap, with a capacity of 47 fl. oz. (1.4 L).

Unit Size:

101/4" x 6" x 41/8" (260 x 152 x 105 mm)

Wall Opening:

9" x 47/₈" x 4" (229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)



TRADITIONAL[™] (0 L L E (T I 0 N

This time-honored collection provides exceptional value, offering a broad array of items for well-equipped washrooms. Double-pan doors incorporate a "no-flex" structural fiberboard core. Combining seamless construction and crisp design


lines, this elegant collection provides strength, comfort, beauty, and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE TRADITIONAL™ COLLECTION UNIQUE?

22

STAINLESS STEEL CONSTRUCTION

Fabricated with 22 gauge stainless steel with face trim, the recessed cabinet features one-piece construction with no miters or welding for durability.



DOUBLE-PAN DOORS

The double-pan doors incorporate a "no-flex" structural fiberboard core, adding strength and endurance for long-term use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste, and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES





0462-AD

TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle. Door and cabinet fabricated of 22 gauge stainless steel.

MODEL OPTION:

0462-AD-9 Surface mounted with a stainless steel collar.

Unit Size:

14½" x 28" x 4½" (362 x 711 x 108 mm)

Wall Opening: 12¾" x 26½" x 4" (324 x 673 x 102 mm)





0469

TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

0469-2 Semi-recessed with a stainless steel collar. 0469-9 Surface mounted with a stainless steel collar. 0469-BL 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

Unit Size:

17¹/₄" x 56" x 4¹/₄" (438 x 1422 x 108 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)





TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 singlefold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

04697-4 Semi-recessed with a stainless steel collar. 04697-9 Surface mounted with a stainless steel collar. 04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

Unit Size:

17¹/₄" x 56" x 7¹/₄" (438 x 1422 x 184 mm)

Wall Opening:

15³/₄" × 54¹/₂" × 7¹/₄" (400 × 1384 × 184 mm)





04692A

TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel,18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with a stainless steel collar.

- -9: Surface mounted with a stainless steel collar.04692: Mechanical lever dispenser.

Unit Size:

171/4" x 56" x 101/4" (438 x 1422 x 260 mm)

Wall Opening: 15¾" × 54½" × 10" (400 x 1384 x 254 mm)





TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 singlefold paper towels. 7 gal. (26 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

0467-2 Semi-recessed with a stainless steel collar. 0467-9 Surface mounted with a stainless steel collar.

Unit Size:

13" x 55" x 6½" (330 x 1397 x 165 mm) Wall Opening:

11½" x 53½" x 6¼" (292 x 1359 x 159 mm)





046926

TRADITIONAL™ SEMI-RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses single full width cut towel 12" (305 mm) long from pull-towel autocut dispenser. With manual override feed wheel on the side of the cabinet. 13.5 gal. (52 L) waste receptacle. Door and back fabricated of 18 gauge stainless steel.

Unit Size:

17½" x 56" x 9½" (438 x 1422 x 235 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)





TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter.

-6: Semi-recessed with a stainless steel collar.

-9: Surface mounted with a stainless steel collar.

046921: Mechanical lever dispenser.

Unit Size: 17½" x 56" x 10½" (438 x 1422 x 260 mm)

Wall Opening: 15³/₄" × 54¹/₂" × 10¹/₄" (400 × 1384 × 260 mm)





046924

TRADITIONAL™ RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Unit mechanically dispenses 8" or 9" wide standard towel roll up to 800 ft. (244 m) long and has stub roll capability for continuous dispensing. 12 gal. (46 L) disposal capacity. A lever operated dispensing mechanism also supplied. Surface mounted with 9" stainless steel collar.

MODEL OPTIONS:

046924-9 Surface Mounted with a stainless steel collar.

Unit Size: 17½" × 56" × 10½" **Wall Opening:** 153/4" × 541/2" × 4" (400 × 1384 × 102 mm) (438 x 1422 x 260 mm)





TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 500 multi-fold paper towels; well-suited for smaller washrooms with less space and traffic. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0457-9 Surface mounted with a stainless steel collar.

Unit Size: **Wall Opening:** 1111/4" × 153/4" × 4" 123/4" × 171/4" × 41/4" (324 x 438 x 108 mm) (286 x 400 x 102 mm)



0452

TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0452-9 Surface mounted with a stainless steel collar.

Unit Size: Wall Opening: 141/4" x 28" x 41/4" 123/4" x 261/2" x 4" (326 x 711 x 108 mm) (324 x 673 x 102 mm)





TRADITIONAL™ AUTOMATIC RECESSED **ROLL PAPER TOWEL DISPENSER**

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/ MOUNTING: [A, A-6, AC, AC-6, AC-9]

AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless

-9: Surface mounted with a stainless steel collar.

045224: Mechanical lever dispenser.

Unit Size: Wall Opening: $17\frac{1}{4}$ " × $30\frac{1}{2}$ " × $10\frac{1}{4}$ " 15¾" x 29" x 4" (438 x 775 x 260 mm) (400 x 737 x 102 mm)



TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

steel collar.

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless

-9: Surface mounted with a stainless steel collar.

Unit Size: **Wall Opening:** 15³/₄" x 26¹/₂" x 10¹/₄" 171/4" x 28" x 10" (438 x 711 x 254 mm) (400 x 673 x 260 mm)



ði

TRADITIONAL™ SEMI-RECESSED WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0458-9 Surface mounted with a stainless steel collar.

Unit Size: Wall Opening: 171/4" x 301/2" x 81/4" 153/4" x 29" x (variable") (438 x 775 x 210 mm) (400 x 737 mm)

"[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if ½" (13 mm) x 7½" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]



04733

TRADITIONAL™ RECESSED WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

Wall Opening: Unit Size: 14½" x 28" x 4½" 123/4" x 261/2" x 4" (362 x 711 x 114 mm) (324 x 673 x 102 mm)



TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.

MODEL OPTION: NEW 0210-41 Matte Black.

Overall Dimensions: 111/8" x 145%" x 4" (282 x 371 x 101 mm)





021

TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER—PETITE

Dispenses 200 C-fold or 275 multi-fold paper towels; well-suited for low-traffic areas. Fabricated of 22 gauge stainless steel.

Overall Dimensions:

11" x 8" x 4" (279 x 203 x 102 mm)



0439

TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible. Fabricated of 22 gauge stainless steel.

Note for Designers: Leave 6" min. (152 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.

Overall Dimensions:

11½" x 18" x 4½" (292 x 457 x 108 mm)



8522

TRADITIONAL™ SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel, 18 gauge door. Product allows for modular retrofit into a variety of standard size cabinets.

MODEL OPTIONS:

8523A Powered by 4 D-size batteries (not included).

8523AC Powered by AC plug-in adapter.

Overall Dimensions:

14" x 16" x 9½" (356 x 406 x 241 mm)



ði

04.05

TRADITIONAL™ SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Holds standard paper towel roll up to 6" (152 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

Overall Dimensions:

Unit measures 13" (330 mm) wide; projects 6" (152 mm) from wall.



245-SS

TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

Overall Dimensions:

111/4" x 61/4" x 55/8" (285 x 160 x 143 mm)





TRADITIONAL™ CORNER WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 16 gal. (60 L) of waste.

Overall Dimensions:

15" x 23" x 14½" (381 x 584 x 368 mm)



NEW

0834

TRADITIONAL™ FREESTANDING WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top is removable for easy maintenance and bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839 has 19 gal. (72 L) capacity with 12%" x 32" x 12½" (314 x 800 x 318 mm) dimensions.

Overall Dimensions:

12%" x 24" x 12½" (314 x 609 x 318 mm)







0834-T

TRADITIONAL™ FREESTANDING WASTE RECEPTACLE WITH DUAL SWING TOP

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top has dual swing door and is removable for easy maintenance. Bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-T has 19 gal. (72 L) capacity with 12%" x 37¼" x 12½" (314 x 946 x 318 mm) dimensions.

Overall Dimensions:

12%" x 29%" x 12½" (314 x 756 x 318 mm)





003

TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions:

10½" x 9" x 4¾" (267 x 229 x 121 mm)





TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

Overall Dimensions:

14" x 18" x 6" (356 x 457 x 152 mm)





TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:

0826 has 12 gal. (45.4 L) capacity with 15%" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions:

15³/₄" x 21⁷/₈" x 11³/₄" (400 x 556 x 298 mm)





TRADITIONAL™ UNDER VANITY TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 300 C-fold or 475 multi-fold paper towels and has a waste capacity of 10 gal. (38 L). Waste disposal door is spring loaded to remain shut. Fabricated of 20 gauge stainless steel.

Unit Size: 17⁷/₁₆" x 24" x 14⁷/₁₆" Under Mount Requirements:

(443 x 610 x 367 mm) 17½" x 30" x 14½" (445 x 762 x 368 mm)

Exposed Cabinet Size: 13½" x 24" x 12½" (343 x 610 x 318 mm)





1000

TRADITIONAL™ CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

MODEL OPTION:

1000A has a 9" (229 mm) outside diameter with a counter opening of 81/8" (206 mm) diameter.

Unit Size: 6¾" (171 mm) outside diameter





1001

TRADITIONAL™ COUNTER TOP MOUNTED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Capacity of 1 package of C-fold paper towels for loading by pushing through hinged dispensing flaps. Loose waste receptacle to be placed directly below waste door on the vanity floor is provided. Capacity is 7.5 gal. (28 L).

Unit Size: Counter Opening: 14¼" x 15" x ¾2" 12½" x 13½" (362 x 381 x 2 mm) (318 x 343 mm)





TRADITIONAL™ COUNTER TOP MOUNTED PAPER TOWEL DISPENSER

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

 Unit Size:
 Counter Opening:

 14¼" x 6" x ¾2"
 12½" x 4¼"

 (362 x 152 x 2 mm)
 (318 x 108 mm)





Counter Opening:

53/4" (146 mm)

diameter

TRADITIONAL™ COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" \times 12" \times 12" \times 305 \times 305 \times 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size: Counter Opening: 14½" × 10" × ¾2" 8¾" × 12½" (362 × 254 × 2 mm) (222 × 318 mm)

SHOWN FROM LEFT: 0196-00 TURBO-PRO™ – WHITE 0196-41 TURBO-PRO™ – MATTE BLACK 0196-93 TURBO-PRO™ – STAINLESS STEEL HIGH-SPEED ADA HAND DRYERS



TURBO-PROMATIC HAND DRYER

Introducing ASI's Elegant ADA-Compliant, High-Speed, Automatic Hand Dryer. A HEPA filter is used to purify the air before it dries hands. The replaceable filter is housed in a separate chamber, which allows it to be easily accessed for removal without the need to disconnect the dryer.

The dryer provides operating flexibility—the owner controls air temperature as well as air speed to suit their needs and a 5-year warranty provides peace of mind. Available in Matte Black, White, or Satin finish Stainless Steel in 110-120 V or 208-240 V.

WHAT MAKES TURBO-PRO™ UNIQUE?



HIGH-SPEED YET QUIETER

The TURBO-Pro™ highspeed hand dryers offer quieter operation and faster drying time.

Low Decibel Level: 68 to 73.8 dB-A @ 2M



ADA ACCESSIBILITY STANDARD COMPLIANT

Our TURBO-Pro™ hand dryers are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



ADJUSTABLE AND FAST

The dryer provides operating flexibility—the owner controls air temperature as well as air speed to suit their needs.



HEPA FILTER

A HEPA filter is used to purify the air before it dries hands.



TURBO-PRO™ AUTOMATIC HAND DRYER

0196-00 WHITE

0196-41 MATTE BLACK

0196-93 SATIN STAINLESS STEEL

FEATURES

• ADA compliant – ultra slim

• Ultra-hygienic – HEPA filter

• Energy efficient

Quieter

• Fast drying

• Easy to maintain

VARIABLE SETTINGS

• Air flow can be lowered

• Heat can be turned on or off

• Save energy

• Reduce noise

· Gain operating flexibility

ELECTRIC

Different models for operating voltage

110-120 V (50/60 Hz),

220-240 V (50/60 Hz)

ON/OFF Heat Option

Nichrome Wire

325 - 500 W

DECIBEL LEVEL

68 to 73.8 dB-A @ 2M

DIMENSIONS

8%" x 13%6" x 4" (219 x 345 x 102 mm)



0661-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a handsfree automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter. Available in 208-240 V (0661-2).

Overall Dimensions:

235/8" x 357/16" x 79/16 (600 x 900 x 192 mm)

Decibel Level: 68-73.8 dB-A @ 2M



0663-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER ,AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter. Available in 208-240 V (0663-2).

Overall Dimensions:

235/8" x 357/16" x 79/16 (600 x 900 x 192 mm)

Decibel Level: 68-73.8 dB-A @ 2M





SIMPLICITY™ 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER, AND WASTE RECEPTACLE

Paper towel dispenser with waste receptacle and <15 second automatic hand dryer, dispenses 500 standard multi-fold or 400 standard C-fold paper towels with a waste capacity of 6.8 gal. (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. 110-120 V. Available in 208-240 V (64672-2).

Unit Size:

Wall Opening: 14³/₃₂" x 54³/₈" x 7¹/₄" (358 x 1381 x 184 mm) 15% x 55% x $7\frac{1}{2}$ (391 x 1407 x 191 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M







PIATTO™ COMPLETELY RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER, AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Features a <15 second automatic hand dryer, dispenses 400 standard C-fold or 500 standard multi-fold paper towels with a waste capacity of 6.8 gal. (26 L). Dryer has 5-year warranty. 110-120 V. Available in 208-240 V (-2). For matte black phenolic door use suffix -41, for white use -00.

Finished Wall Opening*:

153/8" x 553/8" x 717/32" 15⁷/₁₆" x 55⁷/₁₆" x 7⁵/₈" (391 x 1407 x 191 mm) (392 x 1408 x 194 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



ALL STAINLESS STEEL IS TYPE 304 WITH SATIN FINISH, UNLESS OTHERWISE NOTED.



NEW

0192

TURBO Swift™ ADA HIGH-SPEED HAND DRYER

High-speed ADA-compliant automatic hand dryer has one-piece stainless steel cover with satin finish and delivers eco-friendly and cost-saving performance. Includes adjustable infrared sensor, and LED indicates power status and guides user toward air flow. Fast drying, <12 seconds. 110-120 V.

Overall Dimensions:

6²⁷/₃₂" x 10¹/₁₆" x 4" (174 x 256 x 102 mm)

Decibel Level: 74 dB-A @ 2M







0196-41

TURBO-PRO™ HIGH-SPEED ADA HAND DRYER

Elegant ADA-compliant, high-speed, automatic hand dryer. A HEPA filter is used to purify the air before it dries hands. The dryer provides operating flexibility—the owner controls air temperature as well as air speed. Fast drying, <15 seconds. Available in 110-120 V (-1) and 208-240 V (-2).

Overall Dimensions:

85/8" x 139/16" x 4" (219 x 345 x 102 mm)

Decibel Level: 68-73.8 dB-A @ 2M







Bright White

Stainless Steel

ASITURBO-ADA ACCESSIBILITY COMPLIANT HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and automatic operation using infrared sensor with auto-resetting thermostat. Owneradjustable air speed and temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Available in 110-120 V (-1), 208-240 V (-2), and 277 V (-3).

Overall Dimensions:

105/8" x 815/32" x 4" (270 x 215 x 102 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M







TURBO-DRI™ HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish, or white porcelain enamel coated steel. Available in 115-120 V (-1) and 208-240 V (-2).

Overall Dimensions:

8½16" x 11 19/64" x 75/64" (205 x 287 x 180 mm)

Decibel Level: 61.2-65.2 dB-A @ 2M

*ADA Compliant using Semi-Recessed Kit #0119







TURBO-TUFF RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and operates automatically using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed and temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Available in 110-120 V (-1), 208-240 V (-2), and 277 V (-3).

Wall Opening:

 $12^{19}/_{32}$ " x $15^{3}/_{4}$ " x $4^{1}/_{16}$ " (320 x 400 x 103 mm)

12⁵/₁₆" x 15³/₁₆" x 3⁷/₈" (313 x 386 x 98 mm)

Decibel Level:

68.9-74.3 dB-A @ 2M GreenSpec*





0198-MH

SAFE-DRI™ RECESSED MENTAL HEALTH APPROVED **HIGH-SPEED HAND DRYER**

Anti-ligature dryer operates automatically and is designed for Behavioral Health environments—angled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Available in 115-120 V (-1) and 208-240 V (-2).

Unit Size:

Wall Opening:

 $12^5\!\!/\!\!s" \times 15^3\!\!/\!\!s" \times 5^4\!\!/\!\!_{16}"$ (320 x 400 x 140 mm) (311 x 386 x 133 mm)

121/4" x 153/16" x 51/4"

Decibel Level:

66 dB-A @ 2M







PROFILE™ COMPACT HAND DRYER

Operates automatically from IR sensor that activates dryer when hands are placed in sensor zone. Motor and heating element have internal resetting automatic thermal protection. Fabricated of one-piece, heavy-duty cast aluminum with white enamel coating. Quick drying, <30 seconds. 115-240 V.

Overall Dimensions:

11%" x 117/32" x 3%' (289 x 285 x 99 mm)

Decibel Level: 66 dB-A @ 2M



TURBO-DRI™ Jr. HIGH-SPEED HAND DRYER

Powerful, fast drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Cover fabricated of heavy-duty, one-pieceformed steel with white enamel, or satin finish stainless steel. Available in 110-120 V and 220-240 V.

Overall Dimensions:

9²⁵/₃₂" x 6⁵/₈" x 5¹³/₃₂" (248.3 x 168.2 x 137.5 mm)

Decibel Level: 66 dB-A @ 2M













PROFILE™ HAND DRYER

Universal voltage; automatically adjusts to voltages of 100-240 V. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable. Cover available in one-piece steel with porcelain enamel coating, or stainless steel in bright or satin finish.

MODEL OPTION:

0184 Surface mounted no-touch hand dryer, 277 V.

Overall Dimensions:

14⁷/₁₆" x 10¹³/₁₆" x 3¹⁵/₁₆" (367 x 275 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M





ROVAL™ SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel. Available in 120 V (-1) and 240 V (-2).

Unit Size:

11" x 15½" x 5 23 /₃₂" (279 x 394 x 145 mm) **Wall Opening:** 10½" x 145%" x 31¼" (267 x 371 x 83 mm)

Decibel Level: 69 dB-A @ 2M







20201

TRI-Umph™ HIGH-SPEED HAND DRYER, WHITE

ABS plastic with silver ions. Ergonomic—no need to bend over or bend knees. Air blows down and back from vents above. No water splash-back. Ultra hygienic-over 99% of airborne bacteria is eliminated with the removable Triple HEPA Filter System. 5-year warranty.

Decibel Level:

Unit Size: 12¹¹/₁₆" x 23¹/₈" x 7³/₄" (322 x 588 x 196 mm) 62.9 to 67.2 dB-A @ 2M

MODEL OPTION:

20200 Sliver and Black.





WHAT MAKES OUR TOP FILL SOAP DISPENSING SYSTEMS UNIQUE?

UPTO


6 or 17

DISPENSERS

MULTI-FEED SYSTEM

EZ Fill™ up to 6 dispensers.

0388 & 0389 up to 12 dispensers.



EASY REFILL

Using a single soap reservoir, this top fill system allows refill of soap dispensers with 1 pour—for easy ongoing maintenance.



FOAM OR LIQUID SOAP

Dispensers available for both foam and liquid soap.

UPTO


h

LITER CAPACITY


RANGE OF SIZES FOR ALL NEEDS

Holds 6 L of soap to supply up to 6 EZ Fill™ or 12 0388 & 0389 vanity mounted automatic soap dispenser units.





^{*}Max 6 dispensers on each side of tank. For proper installation refer to owner's manual.









0362-4

AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER – MATTE BLACK

Stainless steel liquid soap and gel hand sanitizer dispenser with matte black finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

4¹³/₁₆" x 10⁵/₈" x 4¹/₈" (122 x 270 x 105 mm)



0397

EZ FILL™ WATER FAUCET - CHROME

Matching water faucet for EZ Fill™ Top Fill Multi-Feed soap dispensing system. Battery or AC power operated, hands-free sensor housing with a highly polished chrome or matte black (-41) finish over all surfaces.

MODEL OPTION: 0397-1AC-41 Matte Black.







0262

AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER – SATIN

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AAssize batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

MODEL OPTION: 0362-41 Matte Black.

Overall Dimensions:

4¹³/₁₆" x 10⁵%" x 4¹/₈" (122 x 270 x 105 mm)







0360


AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge, removable lid with special lock and key. Capacity: 34 fl. oz. (1 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

4¹⁷/₃₂" x 9¹/₄" x 4⁷/₈" (115 x 235 x 124 mm)









AUTOMATIC VANITY MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a satin finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:

0334-B Stainless steel with bright finish.

1½" x 3¹³/₁₆" (38 x 97 mm) (dispenser body only)

Spout projection: 31/8" (98 mm)





AUTOMATIC VANITY MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a bright finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:

0335-S Stainless steel with satin finish.

Unit Size:

1½" x 3¹³/₁₆" (38 x 97 mm) (dispenser body only)

Spout projection: 31/8" (98 mm)





TOP FILL AUTOMATIC VANITY MOUNTED LIQUID SOAP DISPENSER

Anti-theft top opens with funnel that has built-in key for neat and easy maintenance. LED ring indicates low liquid soap levels and incorrect soap. Smart Sensor prevents messy overfilling by beeping and flashing LED ring. AC Powered, 51 oz. (1.5 L) capacity.

Unit Size:

1½" x 5¾ " (38 x 137 mm) (dispenser body only)

Spout projection: 31/8" (98 mm)





TOP FILL AUTOMATIC VANITY MOUNTED FOAM SOAP DISPENSER

Anti-theft top opens with funnel that has built-in key for neat and easy maintenance. LED ring indicates low foam soap levels and incorrect soap. Smart Sensor prevents messy overfilling by beeping and flashing LED ring. AC Powered, 51 oz. (1.5 L) capacity.

Unit Size: 1½" x 5¾ " (38 x 137 mm) (dispenser body only)

Spout projection: 31/8" (98 mm)





AUTOMATIC VANITY MOUNTED LIQUID SOAP DISPENSER

Unit has chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition, and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of liquid soap.

Overall Dimensions:

4" x 21½" (102 x 546 mm)

Spout Projection: 31/8" (99 mm)





20334

AUTOMATIC VANITY MOUNTED FOAM SOAP DISPENSER

Unit has chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition, and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of foam soap.

Overall Dimensions:

63/4" x 16" (172 x 407 mm)

Spout Projection: 31/8" (99 mm)





O1

VANITY MOUNTED MANUAL LIQUID SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

MODEL OPTIONS:

	Capacity	Spout
0332	34 oz. (1.0 L)	4" (102 mm)
0332-C	20 oz. (0.6 L)	4" (102 mm)
0332-CD	20 oz. (0.6 L)	6" (152 mm)
0332-D	34 oz. (1.0 L)	6" (152 mm)

Unit Size:

3½6" x 10²½2" (87 x 271 mm)





0336

VANITY MOUNTED MANUAL FOAM SOAP DISPENSER

Plunger cap, stem and body, spout, escutcheon, and base sleeve fabricated of stainless steel. Soap container is translucent, shatter-resistant HDPE with 34 oz. (1 L) capacity.

MODEL OPTION:

0336-D 6" (152 mm) spout projection.


Unit Size: 3½" x 15¾ "

(87 x 271 mm)

Spout projection: 4" (102 mm)













ROVAL™ SURFACE MOUNTED LIQUID SOAP DISPENSER

Push button operation, valve needs no more than 5 lbs. of pressure to actuate. Dispenses liquid soap Capacity: 57 oz. (1.7 L).

Overall Dimensions:

5½" x 10¹³/₁₆" x 4" (139 x 274 x 102 mm)

Spout Projection: 15/16" (24 mm)





20364

ROVAL™ AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

5½" x 10 %" x 4" (140 x 276 x 102 mm)





ð

ROVAL™ AUTOMATIC SURFACE MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free foam soap and hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

5½" x 10½" x 4" (140 x 276 x 102 mm)





5001-S

DISPOSA-VALVE SURFACE MOUNTED LIQUID SOAP DISPENSER

Soap is forced through disposable valve by pulling a lever forward. Disposable cartridges are available to dispense soap, hand lotion, heavy-duty cleaner, waterless cleaner, and antiseptic soap and are typically good for 1500 washings. Typical soap cartridges are super-concentrated cleansing formula approved for medical and food handling facilities. Fabricated of stainless steel.

Overall Dimensions:

4½" x 11" x 4" (108 x 279 x 102 mm)





026

AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

White, high-impact plastic, proximity sensor, and powered by one 9 V or 6 AA-size batteries (not included). Tamper-resistant sight gauge, swing open body with special lock and key. Capacity: 28 fl. oz. (0.8 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

45%" x 105/16" x 47/16" (118 x 262 x 113 mm)







RECESSED HORIZONTAL LIQUID SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 57 fl. oz. (1.7 L) liquid soap capacity. Includes tamper-resistant sight gauge.

Unit Size:

 $10\frac{1}{4}$ " \times 6" \times $4\frac{1}{2}$ " (260 x 152 x 115 mm)

Wall Opening:

(229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)





PROFILE™ SURFACE MOUNTED LIQUID SOAP DISPENSER

All-purpose valve dispenses liquid soap, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

MODEL OPTION:

NEW 9343-41 Matte Black.

Overall Dimensions:

71/4" x 61/2" x 311/16"

(184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)





SURFACED MOUNTED VERTICAL LIQUID SOAP DISPENSER

SURFACED MOUNTED HORIZONTAL LIQUID SOAP DISPENSER

 $40\ \text{fl.}$ oz. (1.2 L) capacity liquid soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant sight gauge.

MODEL OPTIONS:

NEW 0347-41 Matte Black. NEW 0345-41 Matte Black.

0347 Unit Size: $4^{13}/_{16}$ " \times $8^{3}/_{16}$ " \times $3^{15}/_{16}$ " (122 x 208 x 100 mm) 0345 Unit Size: $8^{3}/_{16}$ " x $4^{13}/_{16}$ " x $3^{15}/_{16}$ " (208 x 122 x 100 mm)

Spout projection: 11/2" (38 mm)









SURFACED MOUNTED HORIZONTAL

FOAM SOAP DISPENSER

SURFACED MOUNTED VERTICAL FOAM SOAP DISPENSER

40 fl. oz. (1.2 L) capacity foam soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant sight gauge.

0357 Unit Size:

 $83/_{16}$ " x $4^{13}/_{16}$ " x $4^{1/2}$ " (208 x 122 x 114 mm)


0359 Unit Size:

413/16" x 83/16" x 41/2" (122 x 208 x 114 mm)

Spout projection: 11/2" (38 mm)











0661-1

VELARE™ STAINLESS STEEL CABINET WITH LIQUID SOAP DISPENSER AND HIGH-SPEED HAND DRYFR

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare™ Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208-240 V).

Overall Dimensions:

235/6" x 357/16" x 79/16" (600 x 900 x 192 mm)





0663-

VELARE™ STAINLESS STEEL CABINET WITH FOAM SOAP DISPENSER AND HIGH-SPEED HAND DRYER

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare[™] Stainless Steel Cabinet with Foam Soap and Hand Dryer (208-240 V).

Overall Dimensions:

 $23\frac{5}{8}$ " x $35\frac{7}{16}$ " x $7\frac{9}{16}$ " (600 x 900 x 192 mm)





0661-

VELARE™ STAINLESS STEEL CABINET WITH LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

235/8" x 357/16" x 79/16" (600 x 900 x 192 mm)





0663-1

VELARE™ STAINLESS STEEL CABINET WITH FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

23%" x 35½6" x 7½6" (600 x 900 x 192 mm)



Sanitizing (NO) Touch Accessories

ASI offers a variety of (NO) Touch soap and hand sanitizer dispensers that can be wall mounted or mounted to our new durable and sleek stainless steel floor stand (FS-0300) or our desk stand (DS-0400), which can be placed where and when needed.

SHOWN: 20364 ROVAL™ AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

ASI (NO) Touch Automatic paper towel dispensers, combination units, and hand dryers can be found throughout this catalog.





0004

AUTOMATIC VANITY MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a satin finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:

0334-B Stainless steel with bright finish.

Unit Size:

1½" x 3¹³/₁₆" (38 x 97 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)





0335-

AUTOMATIC VANITY MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a bright finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:


0335-S Stainless steel with satin finish.

Unit Size:

 $1\frac{1}{2}$ " x $3\frac{13}{16}$ " (38 x 97 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)











AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge, removable lid with special lock and key. Capacity: 34 fl. oz. (1 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

4¹⁷/₃₂" x 9½" x 4½" (115 x 235 x 124 mm)





AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

White, high-impact plastic, proximity sensor, and powered by one 9 V or 6 AA-size batteries (not included). Tamper-resistant sight gauge, swing open body with special lock and key. Capacity: 28 fl. oz. (0.8 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

45%" x 105/16" x 47/16" (118 x 262 x 113 mm)







0262

AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER – SATIN

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

4¹³/₁₆" x 10⁵/₈" x 4¹/₈" (122 x 270 x 105 mm)





0362-4

AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER – MATTE BLACK

Stainless steel liquid soap and gel hand sanitizer dispenser with matte black finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

4¹³/₁₆" x 10⁵/₈" x 4¹/₈" (122 x 270 x 105 mm)



NEW

FS-0500

FREESTANDING SOLID PLASTIC (HDPE) SANITIZING STATION

Constructed of red exterior with white core ½" Solid Plastic (HDPE) with antimicrobial properties. All edges and corners are radiused for safety, and bottom is equipped with rubber feet to prevent sliding. Door on back is held closed with a keyed lock and provides access to dispenser components. Hand sanitizer dispenser (0390-HSD, included) is mounted to podium on site. A single shot of gel or liquid hand sanitizer is automatically dispensed by a battery or AC powered mechanism. Unit has a polished chrome finish on all exposed surfaces and capacity of 1.6 gal. (6 L).

Overall Dimensions:

13½" x 36¾" x 14" (343 x 930 x 356 mm)



NEW

FS-0700

FREESTANDING PLASTIC LAMINATE SANITIZING STATION

Constructed of 5%" Plastic Laminate with antimicrobial properties in a Cosmic Strandz finish. All edges and corners are radiused for safety, and bottom is equipped with rubber feet to prevent sliding. Door on back is held closed with a keyed lock and provides access to dispenser components. Hand sanitizer dispenser (0390-HSD, included) is mounted to podium on site. A single shot of gel or liquid hand sanitizer is automatically dispensed by a battery or AC powered mechanism. Unit has a polished chrome finish on all exposed surfaces and capacity of 1.6 gal. (6 L).

Overall Dimensions:

13½" x 36¾" x 14" (343 x 930 x 356 mm)







ROVAL™ AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

5½" x 10½" x 4" (140 x 276 x 102 mm)







ROVAL™ AUTOMATIC SURFACE MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER


Hands-free foam soap and hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). Unit may be mounted to #FS-0300 or DS-0400 stainless steel stands.

Overall Dimensions:

5½" x 10 %" x 4" (140 x 276 x 102 mm)







SANITIZING (NO) TOUCH ACCESSORIES



DS-0400

STAINLESS STEEL HAND SANITIZER DISPENSER **DESKTOP STAND**

Freestanding stainless steel desktop stand for dispensing attachments. 14 gauge stand is designed with rounded edges and has heavy-duty polyurethane feet to prevent sliding. Universal mounting plate has mounting holes/space for double-sided tape placement to accommodate mounting the following products:

Hand Sanitizer Dispensers:

20364, 20365, 0361, 0362, and 0362-41 Stainless Steel Single Box Glove Dispenser: 0501-1 Stainless Steel Sanitizer Wipes Dispenser: 0502

Overall Dimensions:

5½" x 18¼" x 81/64" (140 x 463 x 204 mm)



NEW

FREESTANDING STAINLESS STEEL SANITIZER WIPES **DISPENSER AND DISPOSAL STATION**

Sanitizer wipes dispenser station constructed of satin finish stainless steel, with 18 gauge top and 22 gauge bin. Holds one standard 9" DIA x 9" tall sanitizer wipes container (by others). Receptacle with top on holds 12 gallons (45 L) of waste and bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-TWH has 17 gal. (64 L) capacity with 12%" x 3111/16" x 121/2" (314 x 805 x 318 mm) dimensions.

Overall Dimensions:

12%" x 243/16" x 121/2" (314 x 614 x 318 mm)



FS-0300

FREESTANDING STAINLESS STEEL HAND SANITIZER DISPENSER FLOOR STAND

Freestanding stainless steel floor stand for dispensing attachments. 11 gauge stand with rounded edges and 18 gauge mounting plate and tube. Stand sold individually with no dispensers/attachments. Universal mounting plate has mounting holes/space for double-sided tape placement to accommodate mounting the following products:

Soap Dispensers/Hand Sanitizer Dispensers: 20364, 20365, 0360, 0361, 0362, and 0362-41 Stainless Steel Single Box Glove Dispenser: 0501-1 Stainless Steel Sanitizer Wipes Dispenser: 0502

Overall Dimensions:

5661/64" (1446 mm) H Tube: 11/2" (38 mm) DIA Base: 16" x 16" (406 x 406 mm)



NEW

0502

WIPES DISPENSER HOLDER – ATTACHMENT FOR STANDS

Wipes dispenser holder mounts to FS-0300 or DS-0400 stainless steel stands (sold separately) with self-threading pan head screws (by others) through holes provided or with double-sided tape with top of holder no higher than 46" above finished floor for ADA compliance. Constructed of 16 gauge stainless steel with satin finish. Holds one standard sized wipes tub (by others).

Overall Dimensions:

5²⁹/₆₄" x 8" x 5" (139 x 203 x 127 mm)





Mirrors

ASI provides mirrors for every location, application, and budget—in virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

SHOWN: 20650 ROVAL™ STAINLESS STEEL MIRROR

OPTIONAL REFLECTIVE SURFACES

SUFFIX DESCRIPTION:

- B Tempered Glass ¼" (6 mm) polished tempered glass
- C Stainless Steel Mirrors Type 304 Stainless Steel polished to a #8 mirror finish
- D Lexan Dura-Mir™ Fabricated of ¼" (6 mm) polycarbonate sheet
- E Plexiglas® ¼" (6 mm) acrylic plastic, lightweight and shatter-resistant
- L Laminated Glass 1/4" (6 mm) thick

Note for Designers: All of the above glazing options are particularly suited to applications where frequent breakage and/or security problems exist. These surfaces are best specified for use in prisons, schools, police stations, psychiatric wards, etc., where shards of broken glass might possibly be used as weapons. The reflective quality of these types of mirrors is not as true as plate glass.





CHANNEL FRAME MIRROR

½" x ½" (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theftresistant screws.



0605

ANGLE FRAME MIRROR WITH SHELF

0625

CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) deep.





FIXED TILT MIRROR

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.





8026

FRAMELESS STAINLESS STEEL MIRROR

Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a 5//6" (8 mm) return. Provided with ¼" (6 mm) thick concealed tempered masonite backing and 4 mounting holes.

MIRRORS



NEW



FRAMELESS MIRROR WITH LED BACKLIGHT

Frameless polished edge mirror with integral mounting frame and border LED halo lighting is made of \$\frac{5}{2}\text{"} (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external wall switch (by others). Unit can be mounted horizontally or vertically without additional brackets or adaptations to mounting provisions.



NEW



06/1

FRAMELESS MIRROR WITH FROSTED BORDER AND LED BACKLIGHT

Frameless polished edge mirror with integral mounting frame and frosted glass border LED halo lighting is made of 5/32" (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external wall switch (by others). Unit can be mounted horizontally or vertically without additional brackets or adaptations to mounting provisions.





0600

ANGLE FRAME MIRROR

%" x %" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one-piece, attached to frame with theft-resistant locking device.

MODEL OPTION:

NEW 0600-41 Matte Black.





20650

ROVAL™ STAINLESS STEEL MIRROR

20659

ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

Gently radiused edges match the ASI Roval™ design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror.





FRAMELESS MIRROR

Frameless mirrors offer clean lines to complement every type of interior design and are easy to care for. One-piece can be up to 28 sq. ft. (2.6 m²), as long as either H or W dimension is less than 84" (2134 mm). Mirrors larger than 28 sq. ft. (2.6 m²) or with either linear H or W dimension larger than 84" (2134 mm) shall be supplied as multiple pieces. Made of ¼" polished plate glass.





0600-T

ADJUSTABLETILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.

					STAN	IDARD MI	RROR SIZ	ES						
Width x Height	0535	0537	0600	0600-T	0605	0620	0625	0640	0641	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)						-								
16" x 24" (41 x 61 cm)						-								
16" x 30" (41 x 76 cm)				-										
18" x 24" (46 x 61 cm)														
18" x 30" (46 x 76 cm)				-						-				
18" x 36" (46 x 91 cm)	-	•	-	-	-	-	-				-	-	-	-
20" x 60" (51 x 152 cm)														
24" x 24" (61 x 61 cm)														
24" x 30" (61 x 76 cm)					-	-	-			-				
24" x 36" (61 x 91 cm)														
24" x 42" (61 x 107 cm)														
24" x 48" (61 x 122 cm)														
24" x 60"(61 x 152 cm)														
24" x 72" (61 x 183 cm)														
30" x 36" (76x 91 cm)														
30" x 48" (76x 122 cm)														
36" x 36" (91x 91 cm)														
36" x 48" (91 x 122 cm)						-								
48" x 30" (122 x 76 cm)														
48" x 36" (122 x 91 cm)			-		-	-			-					
60" x 24" (152 x 61 cm)														
60" x 36" (152 x 91 cm)					-	-			-					
72" x 36" (183 x 91 cm)														

Custom sizes available upon request. Standard glazing is glass. See optional reflective surfaces on page 72.



0661-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare™ Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208-240 V).

Overall Dimensions:

235/8" x 357/16" x 79/16" (600 x 900 x 192 mm)



0663-

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare™ Stainless Steel Cabinet with Foam Soap and Hand Dryer (208-240 V).

Overall Dimensions:

235/8" x 357/16" x 79/16" (600 x 900 x 192 mm)



0661-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

235/8" x 357/16" x 79/16" (600 x 900 x 192 mm)



0663-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

235/8" x 357/16" x 79/16" (600 x 900 x 192 mm)

MIRRORS



0661-FM-14

VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

14¾" x 35½6" x 7½6" (375 x 900 x 192 mm)



0661-FM-23

VELARETM STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

23½" x 35½6" x 7½6" (591 x 900 x 192 mm)

VELARE™ COLLECTION

ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP DISPENSER, AND YOUR CHOICE OF PAPER TOWEL DISPENSER OR HAND DRYER—NOW AVAILABLE WITH MIRROR FILLERS FOR FLEXIBILITY.

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The $1/4^{\circ}$ thick tempered glass mirror, supported by twin, damped gas springs, opens up to 90° for easy maintenance.





Feminine Hygiene

ASI offers a wide range of feminine hygiene vendors and disposal units, available as recessed, semi-recessed, or surface mounted with various capacities. Type 304 stainless steel fabrication with satin finish on exposed surfaces and 18 gauge doors secured with concealed full length stainless steel hinges. Coin boxes are keyed separately from door lock for maximum security. Available for 25¢, 50¢, or free operation.

SHOWN: 0468 RECESSED SANITARY NAPKIN/TAMPON VENDOR





SEMI-RECESSED SANITARY NAPKIN & TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm). Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F). Coin box has a separately keyed locked.

MODEL OPTION:

0864 Surface mounted.

Wall Opening: 13¾" x 28½" x 6½" 12½" x 26½" x 1" to 6" (349 x 714 x 165 mm) (318 x 673 x 25 to 152 mm)





SIMPLICITY™ RECESSED SANITARY NAPKIN & TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F). Its door has 2 tumbler locks. Coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

171/4" x 271/4" x 61/2" (438 x 692 x 165 mm) Wall Opening: 16" x 26" x 61/4 (406 x 660 x 159 mm)





RECESSED SANITARY NAPKIN & TAMPON VENDOR

Dispenses 30 napkins and 27 tampons. Fabricated of 18 gauge stainless steel. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F).

MODEL OPTIONS:

0468-2 Semi-recessed with a stainless steel collar. **04684** Designed for 4" (102 mm) wall. Dispenses 15 napkins, 23 tampons.

Unit Size: Wall Opening: 17¼" x 27¼" x 6½" 16" x 26" x 6" (438 x 692 x 165 mm) (406 x 660 x 152 mm)



20468

$\begin{array}{l} \textbf{ROVAL}^{^{\bowtie}} \ \textbf{RECESSED SANITARY NAPKIN \&} \\ \textbf{TAMPON VENDOR} \end{array}$

Dispenses 31 napkins and 22 tampons. Door is 18 gauge satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F).

MODEL OPTION:

204684-9 Surface mounted with a stainless steel collar.

Unit Size: Wall Opening: 15%" x 27¾" x 5%" 15%" x 26½" x 4" (440 x 705 x 143 mm) (397 x 664 x 102 mm)





647

SIMPLICITY™ RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing 20 gauge stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 105%" x 195%" x 4½" (270 x 498 x 114 mm)

Wall Opening: 91/8" x 181/8" x 4" (232 x 460 x 102 mm)





9471

$\textbf{PROFILE}^{\text{\tiny{TI}}} \ \textbf{RECESSED SANITARY NAPKIN DISPOSAL}$

Features a self-closing 16 gauge stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

 Unit Size:
 Wall Opening:

 105%" x 195%" x 415/16"
 9½" x 18½" x 4½"

 (270 x 498 x 125 mm)
 (232 x 460 x 108 mm)





PARTITION MOUNTED DUAL ACCESS NAPKIN DISPOSAL

Unit serves two compartments mounted in partitions. Receptacle removable from one side for servicing and locks to back of cabinet by means of stainless steel clips. Self-closing doors on each side are mounted to cabinet with heavy-duty full length piano hinge. 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION:

0472-1 Waste receptacle unit with lock.

Unit Size: Partition Opening: 13" x 17"/4" x 4" 11%" x 15%" (330 x 438 x 102 mm) (290 x 400 mm)





0473

RECESSED SANITARY NAPKIN DISPOSAL

Unit features self-closing door and is fabricated of 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION:

0473-1 Waste receptacle unit with lock.

Unit Size: Wall Opening: 13" x 171/4" x 41/4" 111/4" x 153/4" x 4" (330 x 438 x 108 mm) (285 x 400 x 102 mm)





0473-A

SURFACE MOUNTED END STALL SANITARY NAPKIN DISPOSAL

Unit features self-closing door and is fabricated of 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION:

0473-1A Waste receptacle unit with lock.

Overall Dimensions:

11" x 151/4" x 4" (279 x 387 x 102 mm)





0852

SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Sloping cover has full length piano hinge. Fabricated of 22 gauge stainless steel. Capacity: 1.2 gal. (4.5 L).

Overall Dimensions:

7⁷/₈" x 9¹¹/₁₆" x 4" (200 x 246 x 102 mm)





20/170

ROVAL™ RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty %4" staked piano hinge adds to the robust construction. Drawn, one-piece seamless door of 22 gauge stainless steel with a satin finish. 1.0 gal. (3.8 L) waste capacity.

Overall Dimensions:

12¹³/₁₆" x 11" x 5⁷/₁₆" (325 x 280 x 138 mm)






20852

ROVAL™ SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn, one-piece construction and is secured to the cabinet with a heavy-duty \%4" multi-staked concealed piano hinge. Fabricated of 22 gauge stainless steel. Capacity: 1 gal. (3.8 L).

Overall Dimensions:

7½" x 10" x 3½" (185 x 253 x 89 mm)







TOWEL RING

For bath and hand towels. Ring is 4½" (114 mm) wide, made of ¼" (6 mm) diameter stainless steel bar. Projects ½" (64 mm) from wall. 5" (127 mm) high.

MODEL OPTION: NEW 7385-41 Matte Black.





CLOTHES HOOK

Heavy-duty 11 gauge stainless steel with satin finish. Hook projects 11/4" (32 mm) from wall and is 21/4" (57 mm) high.





COAT AND BUMPER HOOK

Fabricated from chrome plated brass, 3" (76 mm). Neoprene bumper protects wall surface.

0719 DOOR BUMPER

Chrome plated Zamac 2\%6" (56 mm) diameter flange. Projects 1\%" (48 mm).





DOUBLE ROBE HOOK

Fabricated from triple chrome plated rust-resistant Zamac.

MODEL OPTION: 0740-Z Single robe hook.

Overall Dimensions: 2³/₁₆" x 1⁷/₁₆" x 1²/₆₄" (56 x 37 x 37 mm)





SINGLE ROBE HOOK

Fabricated from stainless steel. Hook extends 2" (51 mm) from wall.

MODEL OPTION: NEW 7340-41 Matte Black.





DOUBLE ROBE HOOK

4" (102 mm) wide stainless steel bar forms hook at each end. Unit extends 2" (51 mm) from wall.





HAT AND COAT HOOK

Double hook made from stainless steel for both coats and hats

Overall Dimensions:

2" x 7" x 3" (51 x 178 x 76 mm).





HEAVY-DUTY ROBE HOOK

Concealed mounting satin chrome plated brass, projects 31/4" (84 mm).

MODEL OPTION:

0751-A Exposed mounting, satin chrome plated brass, projects 31/4" (83 mm).





0785-Z TOWEL RING

Bracket formed of Zamac and towel ring formed of triple chrome plated corrosion-resistant steel.

Overall Dimensions:

6%" x 15%" (162 x 41 mm)





7301-B

TOWEL PIN

Fabricated from stainless steel with bright finish.

Extends $3\frac{1}{2}$ " (89 mm) from wall.

MODEL OPTION:

7301-S Towel pin with satin finish.

Overall Dimensions:

2" x 2" x 3½" (51 x 51 x 89 mm)



0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.





0002-SM STAINLESS STEEL PAPER CUP DISPENSER

Dispenses 100 flat bottom cups. Adjustable for 3 oz. through 6 oz. cups. Stainless steel with bright finish.

MODEL OPTION: 0002-ASM A square version of the unit.

Overall Dimensions:

3" Diameter x 15" (76 x 381 mm)





SOAP DISH

Drawn, one-piece stainless steel soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap.

MODEL OPTION:

0721-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions:

4¹/₄" x 2" x 4" (108 x 51 x 102 mm)





7335

TOOTHBRUSH AND TUMBLER HOLDER

Drawn, one-piece toothbrush holder is made of stainless steel. Has 2½" (60 mm) diameter hole in center of unit to hold tumbler. Accommodates 6 toothbrushes.

MODEL OPTION:

0735-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions:

41/4" x 2" x 4" (108 x 51 x 102 mm)





TOWEL BAR-ROUND

3/4" (19 mm) diameter stainless steel towel bar and stainless steel mounting bracket. Available in 18", 24", and 30" (457, 610, and 762 mm) lengths in bright (-B) and satin (-S) finishes. Extends 31/4" (83 mm) from wall

MODEL OPTION: NEW 7355-24-41 24" Matte





HEAVY-DUTY STAINLESS STEEL TOWEL BAR

Towel bar fabricated of 1" (25 mm) O.D. x 20 gauge, stainless steel with a satin finish and designed not to turn in support posts. Support posts fabricated of heavy solid cast brass plated to have stainless steel satin finish to match stainless steel. Available in 18", 24", and 30" (457, 610, and 762 mm) lengths.





SQUARE TOWEL BAR

34" (19 mm) square 21 gauge triple chrome plated rustresistant Zamac. Available in 18", 24", and 30" (457, 610,

and 762 mm) lengths. Fabricated from triple chrome plated rust-resistant Zamac.



TOWEL SHELF WITH TOWEL BAR

8" (203 mm) deep consisting of four %" (10 mm) diameter bright finish stainless steel tubes, with 1/4" (6 mm) diameter bright finish stainless steel towel bar below shelf, available in 18" (457 mm) and 24" (610 mm). Overall height: 41/4" (110 mm).

MODEL OPTION: 7310-S Towel shelf with satin finish.



7311-B TOWEL SHELF WITH TOWEL BAR

Heavy-duty unit with 3/4" (19 mm) diameter drying rod and %" (10 mm) diameter cross tubes in stainless steel. Bright finish only. Available 20" (508 mm) and 24" (610 mm). Overall height: 61/2" (165 mm); projects 8" (203 mm).





ROUND TOWEL BAR

Triple chrome plated rust proof Zamac brackets. Triple chrome plated steel tubing 18", 24", and 30" (457, 610, and 762 mm) long.



NEW

HANDS-FREE ARM GRIP DOOR PULL

Hands-free arm grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at standard mid-door height, or no higher than 40" above finished floor for ADA compliance, to allow placing the forearm to pull door open. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions:

1¾" x 21/8" x 3" (44 x 54 x 76 mm)



NEW 0504

HANDS-FREE FOOT GRIP DOOR PULL

Hands-free foot grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at base of door aligned with bottom edge or slightly above, and as close to opening side as possible. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions:

3" x 3" x 2%41 (76 x 76 x 54 mm)





SURFACE MOUNTED FACIALTISSUE DISPENSER

Fabricated of stainless steel with satin finish. Dispenses 300 single-ply or 150 two-ply sheets.



MODEL OPTION:

0259-SS A recessed version of the unit.

Overall Dimensions:

101/4" x 55/16" x 23/16" (260 x 135 x 55 mm)





RECESSED MULTI-ROLL TOILET TISSUE DISPENSER

Holds and dispenses 4 rolls or 1800 sheets of standard toilet tissue.

Unit Size: 17%" x 20" x 41/4"

Wall Opening: 15¾" x 18¾" x 4"

(441 x 508 x 108 mm) (400 x 467 x 102 mm)



PARTITION MOUNTED DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER

Mounts centered through partition. Internal baffles prevent line of sight view from either side through unit at any time. Holds and dispenses 1000 seat covers and 4 rolls or 1800 sheets of standard toilet paper.

MODEL OPTIONS:

0484-HC Mounts flush to partition. 0485 For end-stall installation. 0486 Surface mounted with a stainless steel collar.

Unit Size: 173/8" x 305/8" x 41/2" (441 x 778 x 114 mm)

Partition Opening: 15½" x 28½" x ½" to 2" (394 x 733 x 13 to 51 mm)





PARTITION MOUNTED DUAL ACCESS TOILET TISSUE DISPENSER WITH NAPKIN DISPOSAL

Mounts through partition, usable by both sides but serviced from one side. Holds 4 rolls of toilet tissue.

MODEL OPTIONS:

04813-HC One side mounts flush. 04823 Holds two rolls, for end-stall installation.

04833 Surface mounted with a stainless steel collar.

 Unit Size:
 Partition Opening:

 17% " x 20" x 4¼"
 15½" x 18¼"

 (441 x 508 x 108 mm)
 (394 x 464 mm)
 adjustable for partitions in thickness from 1/2" to 2" (13 to 51 mm)





PARTITION MOUNTED DUAL ACCESS SEAT COVER AND TOILET TISSUE **DISPENSER WITH SANITARY DISPOSAL**

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS:

0481-HC One side mounts flush. 0482 For end-stall installation. 0483 Surface mounted with a stainless steel collar.

Unit Size:

17%" x 305%" x 4½" 15½" x 28%" (441 x 778 x 108 mm) (394 x 733 mm) 173/8" × 305/8" × 41/4"

Partition Opening:

adjustable for partitions in thickness from 1/2" to 2" (13 to 51 mm)



NEW



RECESSED ADA-COMPLIANT TOILET TISSUE AND SEAT COVER DISPENSER WITH WASTE DISPOSAL

Recessed seat cover and toilet paper dispenser with sanitary napkin disposal. Holds 500 seat covers and 2 rolls of toilet tissue.

MODEL OPTIONS:

0487-L All components on opposite side. 0487-R-9 Surface mounted with a stainless steel collar. 0487-L-9 Surface mounted with a

stainless steel collar, with all components on opposite side.

Unit Size: 28" x 141/4" x 41/4" Wall Opening:

(711 x 362 x 108 mm) (673 x 327 x 108)

26½" x 12½" x 4¼"



TOILET TISSUE DISPENSERS

ASI offers many different designs and styles to complement the features of your washroom setting. Engineered for heavy-duty use and easy maintenance, these units stand the test of time.

Choose from a wide range of features, based on your own washroom needs. All of these options are easy to install, easy to use, durable, and affordably priced.

WHAT MAKES THESE DISPENSERS UNIQUE?

18-22

GAUGE

STAINLESS STEEL CONSTRUCTION

Our dispensers are made of stainless steel, which is a tough, durable material that is stain-resistant and easy to clean.



TUMBLER LOCKS

Our tumbler locks provide convenience and security with an elegant look.



SAFE, EASY DISPENSING

Dispensing and storage options vary, from single roll to multiple rolls or jumbo roll dispensers.



VIEWING SLOT

Slot in front cover of jumbo roll dispensers provides easy visual indication of remaining tissue supply.

SPINDLES:



R-002: THEFT-RESISTANT SPINDLE FOR 0263 AND 0264 SERIES (STANDARD)



RECESSED
ADA-COMPLIANT
TOILET TISSUE
AND SEAT COVER
DISPENSER WITH
WASTE DISPOSAL

See our Toilet Tissue Combination Units, page 83.

FOR 0402-Z, 0697-GAL, 0705-Z AND VARIOUS 7000 SERIES UNITS



R-003: CHROME-PLATED SPINDLE (OPTIONAL)



R-009: THEFT-RESISTANT SPINDLE (OPTIONAL)

FOR 0030, 0031, 0032, 9030, 9031, 20030, 20031, AND ALL COMBINATION UNITS



R-004: ABS SPINDLE (STANDARD)



R-005: SPINDLE FOR CORELESS ROLLS (OPTIONAL)





PROFILE™ SURFACE MOUNTED DUAL ROLLTOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theftresistant spindles holds 2 rolls up to 51/4" (133 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions:

6" x 12" x 61/4" (152 x 305 x 159 mm)





SURFACE MOUNTED DUAL ROLL TOILET TISSUE **DISPENSER**

Holds two rolls up to $5\frac{1}{4}$ " (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Stainless steel cabinet and mechanism. Theft-resistant spindles.

Unit Size: 6" x 12" x 61/2" (152 x 305 x 165 mm)





PARTITION MOUNTED DUAL ACCESS DUAL ROLL TOILET TISSUE DISPENSER

Serves two toilet compartments by mounting through partition. Dispenses 4 toilet tissue rolls. Adjustable to accommodate partitions from 1/2" to 11/4" thick (13 to 32 mm).

Unit Size: 14" × 141/8" × 10" **Partition Opening:** 121/8" × 121/4" × 1/2-21/2" (356 x 359 x 255 mm) (308 x 311 x 13-64 mm)





RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Holds two rolls up to $5\frac{1}{4}$ " (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Stainless steel cabinet and mechanism. Theft-resistant spindles. Includes stainless steel flange for recess mounting.

Wall Opening: Unit Size: 8" x 14" x 6½" 61/4" x 121/4" x 33/8" (203 x 356 x 165 mm) (159 x 311 x 86 mm)





SURFACE MOUNTED LOW PROFILE TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 21/4" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge stainless steel with a satin finish. Door is hung on heavy-duty stainless steel pivot hinges. Equipped with tumbler lock.

Overall Dimensions:

20½" x 11¾6" x 4½6" (521 x 284 x 119 mm)





0040

SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILETTISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 21/4" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge stainless steel with a satin finish. Two viewing slots reveal toilet tissue rolls inside. Equipped with tumbler lock.

Overall Dimensions:

20¹³/16" x 11³/8" x 6³/16" (529 x 289 x 157 mm)





004

SURFACE MOUNTED JUMBO ROLL TOILET TISSUE DISPENSER

Holds one roll up to 10" (254 mm) diameter of 15%" or 2½" (41 or 57 mm) diameter core. Outer cabinet is stainless steel with a satin finish. Unit has viewing slot and tumbler lock.

MODEL OPTION:

NEW 0042-41 Matte Black.

Overall Dimensions:

105%" x 105%" x 4½" (270 x 270 x 114 mm)





74022-I

RECESSED DOUBLE TOILET TISSUE HOLDER WITH HOOD

Recessed dual roll toilet paper holder with hood is fabricated of stainless steel. Rollers are made of chrome plated ABS and spring-loaded.

MODEL OPTIONS:

74022 Same as 74022-H but without hood. 7402 Single roll unit. 7402-H Single roll unit with hood.

Overall Dimensions:

125/8" x 65/16" (320 x 160 mm)





0263-

SURFACE MOUNTED SINGLE ROLL TOILET TISSUE DISPENSER

Single roll toilet tissue dispenser with controlled-delivery spindle. Holds and dispenses all standard core roll tissue up to 6' (152 mm) diameter. Fabricated of heavy-duty aluminum casting with satin-matte, silver-grey powder coated finish.

MODEL OPTION:

0264-1 Double roll toilet tissue dispenser.

Overall Dimensions:

6½" x 1¾" x 4" (165 x 45 x 102 mm)



0267

VANDAL-RESISTANT HOOD

14 gauge satin finish stainless steel for use only with 0264-1 (specified and purchased separately).

Unit Size

141/8" x 73/4" x 61/2" (359 x 197 x 175 mm)

MODEL OPTION:

0266 Hood for single roll toilet tissue dispenser.

Unit Size:

7½" x 7¾" x 6½" (184 x 197 x 175 mm)





0697-GAI

SURFACE MOUNTED STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge stainless steel satin finish with front edge hemmed. Holds two 1500 sheet toilet tissue rolls.

Overall Dimensions:

18" x 4¹³/₁₆" x 5" (457 x 106 x 127 mm)





7305-E

SURFACE MOUNTED TOILET TISSUE HOLDER

Bright finish stainless steel with chrome plated roller. Heavy gauge concealed bracket mounts on wall. Holds standard core roll.



MODEL OPTIONS:

7305-S Satin finish stainless steel. **7305-2S/2B** Holds 2 rolls.

7305-S/B Overall Dimensions: 73/4" x 2 x 37/8" (207 x 51 x 98 mm)

774 X Z X 378 (207 X 31 X 30 IIIIII)

7305-2S/2B Overall Dimensions:

13½" x 2 x 3¾" (343 x 51 x 98 mm)





0715

SURFACE MOUNTED DOUBLE TOILET TISSUE HOLDER CHROME PLATED STEEL

Provided with vandal-resistant locking device and mechanism to provide controlled delivery. High polish finish. Dispenses two standard or 1800 sheet toilet tissue rolls.

Overall Dimensions:

12³/₈" x 2³/₄" x 4¹/₄" (314 x 70 x 108 mm)

0710

SURFACE MOUNTED SINGLE TOILETTISSUE HOLDER

Overall Dimensions:

6" x 2³/₄" x 4¹/₄" (152 x 70 x 108 mm)



7/02

RECESSED EXTRA ROLL TOILET TISSUE HOLDER

Spring-loaded chrome roller. Extra roll stored behind roll in use.

MODEL OPTIONS:

7403-B Rec., bright stainless steel. **7403-S** Rec., satin stainless steel.

NOTE: If drywall installation is required, add suffix "D" to model number. If wetwall installation is required, add suffix "W" to model number (no clamp is required for wetwall).

Overall Dimensions:

65/16" x 61/4" (160 x 159 mm)





0402-Z

RECESSED SINGLE TOILET TISSUE **HOLDER**

Holds any standard core roll tissue up to 5" (127 mm) diameter. Die-cast of Zamac in seamless one-piece construction.

Wall Opening:

51/4" x 51/4" x 21 (133 x 133 x 51 mm)





0477-SM

SURFACE MOUNTED TOILET SEAT **COVER DISPENSER**

Dispenses 250 single or half-fold seat covers. Fabricated of 22 gauge stainless steel with satin finish.

MODEL OPTION:

NEW 0477-SM-41 Matte Black.

Overall Dimensions:

15¾" x 11" x 1¼" (400 x 279 x 32 mm)

RECESSED TOILET SEAT COVER

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

171/4" x 123/4" x 23/8" (438 x 324 x 60 mm)

Wall Opening:

15¾" x 11¼" x 25%" (400 x 285 x 67 mm)





20477-SM ROVAL™ SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge stainless steel with a satin finish.

Overall Dimensions:

15¾" x 11" x 2¾" (400 x 280 x 60 mm)





SURFACE MOUNTED TOILET TISSUE HOLDER

Fabricated from triple chrome plated rust-resistant Zamac. Dispenses one standard core roll tissue up to 5" (127 mm).

Overall Dimensions:

57/8" x 17/16" x 23/4" (149 x 37 x 70 mm)





EXTRA ROLL TOILET TISSUE HOLDER

Extra roll of toilet tissue is placed over the horn type holder. Stainless steel set screw on bottom of flange locks unit to mounting plate.



RECESSED TOILET TISSUE HOLDER-FRONT MOUNT, SQUARE

Fabricated of 14 gauge type 304 stainless steel with satin finish exterior, glass blasted satin finish interior 4½" (114 mm) deep accommodates one standard toilet tissue roll. Flange is 7" (179 mm) square. Includes front mounting holes.

Additional security toilet tissue holders are available at americanspecialties.com.





EXPOSED MOUNTING

3400 Series — 11/4" (32 mm) O.D. **3500 Series** — 11/2" (38 mm) O.D.

Features include flange of 3" (76 mm) diameter, 1/8" (3 mm) thick type 304 stainless steel with a satin finish; exposed mounting screw holes are drilled and countersunk.



SNAP FLANGE

3700 Series — 11/4" (32 mm) O.D. **3800 Series** — 11/2" (38 mm) O.D.

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 31/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 33/16" (81 mm) diameter.

MODEL OPTIONS: 3700-W White.

3800-W White.

NEW 3800-41 Matte Black. NEW 3801-18-41 18" Matte Black.

NEW 3801-24-41 24" Matte Black.

NEW 3801-36-41 36" Matte Black.

NEW 3801-42-41 42" Matte Black.





Ag+ GERM GUARD™ POWDER COATING

ANTIMICROBIAL GRAB BAR WITH SNAP FLANGE

3800-AW Series - 11/2" (38 mm) O.D.

ASI's Germ Guard™ grab bars are designed to suppress the growth of mold, bacteria, fungus, algae, mildew, and yeasts. They are made from stainless steel and are finished with an electrostatically applied powder coating. This powder coating is custom formulated to incorporate slow release silver ions (Ag+), the most powerful and long-lasting natural antimicrobial agent known.

3801-18AW 18" 3801-24AW 24" 3801-36AW 36" 3801-42AW 42" 3801-48AW 48" 3802-48AW* 48" (*with intermediate


GRAB BAR CONFIGURATIONS

The following standard shapes are typical configurations. Grab bars can be custom designed and manufactured to meet any specific architectural requirement.

Designers Note:

For a non-slip surface, specify suffix "P" (peened). When specifying grab bars insert the configuration type numbers listed below into the double zeros at the end of the grab bar series number.

Example 1: A $1\frac{1}{2}$ " (38 mm) concealed 18" x 33" (460 x 840 mm) horizontal grab bar has a model number—3874. When a special size is needed, add suffix "M" plus the size, to the closest standard bars. Example 2: A $1\frac{1}{2}$ " (38 mm) concealed 23" x 37" (585 x 940 mm) horizontal grab bar has a model number 3874-M2337.





Shower/Tub Accessories

ASI provides a full range of shower and tub accessories that show attention to details to address the safety and comfort needs of users. All items—including shower seats and benches, tub seats, soap dishes, and shower curtain rods—are designed to ensure secure installation and easy use.

SHOWN: 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS



0398

RECESSED HEAVY-DUTY SOAP DISH AND BAR

Stainless steel unit with bright polished finish exterior and sand blasted finish interior. Includes mounting clamp for stud walls.

MODEL OPTIONS:

0399 Same as 0398, but includes kit for installing in cement wall.

0400 Without bar.

0401 Same as 0400, but includes kit for installing in cement wall.



0410-Z

RECESSED SOAP DISH WITH BAR

Die-cast of Zamac in seamless one-piece construction. A plastic soap tray with drying ribs interlocks with housing for retention.



7404-S

RECESSED SOAP DISH

Seamless one-piece construction fabricated of 22 gauge stainless steel with satin finish. Provided with a raised lip to retain soap.

MODEL OPTION:

7404-B Bright stainless steel.

Overall Dimensions: $6\frac{1}{4}$ " \times $6\frac{5}{8}$ " \times 2" (159 \times 160 \times 51 mm)

Wall Opening: 5½" × 5½" × 2" (140 × 140 × 51 mm)



7410-B

RECESSED SOAP DISH AND BAR

One-piece construction soap dish fabricated of 22 gauge stainless steel with bright finish. Includes a bar, held permanently between two posts at top of unit

MODEL OPTION:

7410-S Satin stainless steel.

 Overall Dimensions:
 Wall Opening:

 65/6" x 61/4" x 3"
 5½" x 5½" x 2"

 (160 x 159 x 76 mm)
 (140 x 140 x 51 mm)



1204

EXTRA HEAVY-DUTY SHOWER CURTAIN ROD

3%e" (81 mm) diameter flanges of 20 gauge type 304 stainless steel with satin finish and 1%" (32 mm) diameter rod of 18 gauge type 304 stainless steel tubing with satin finish. Available in lengths up to 96" (2438 mm); special order on longer lengths.

MODEL OPTION:

1214 20 gauge, 1" (25 mm) diameter rod. Available in lengths up to 72" (1829 mm).



1201-A

CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:


1201-B Curved shower curtain rod with mounting brackets for opposite walls.



1224

CONCEALED MOUNTING SHOWER CURTAIN ROD

Chrome plated brass with satin finish flanges and 1" (25 mm) diameter rod of 20 gauge type 304 stainless steel with satin finish. One flange has set screw to lock rod and prevent rotation. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.



1200-SHU SHOWER CURTAIN HOOK

Stainless steel hook for rods 1" (25 mm) and $1\frac{1}{4}$ " (32 mm) diameter.

Overall Dimensions:

1% x 2% (40 x 67 mm)



1200-V

VINYL SHOWER CURTAIN

Flame-resistant, anti-bacterial, 8 gauge white vinyl fabric with standard height of 72" (1829 mm). Curtain should be 6" (152 mm) wider than opening up to 42" (1067 mm) and 12" (305 mm) wider than opening exceeding 42" (1067 mm).





8203 COMPACT FOLDING SEAT

5/16" (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges, and bracket are satin finish stainless steel. Features a self-locking mechanism. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall. Additional width options are available in 20", 28", and 33" (order with suffix -20, -28, and -33).

MODEL OPTIONS:

8204 Seat is sponge cushion covered with off-white Naugahyde' mounted on ½" (13 mm) thick marine grade plywood. 8207 Seat is fabricated of stainless steel, satin finish, slatted design.





FOLDING SHOWER SEAT

(Right hand) Slats are fabricated with stainless steel in satin finish. Requires only one hand operation to manually lower to horizontal position for use or raise for departure and arrival. Guide bracket with spring detent prevents seat from dropping and provides positive support in usage position as well as spring locked storage position. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 33" (838 mm) wide and projects 23" (584 mm) from wall.

MODEL OPTION: 8208-L Left hand seat.



0010

CORNER SHOWER SEAT

Seat, support brackets, and retainer clip are satin finish stainless steel. Seat is secured to one wall with full length piano hinge and support on other wall by bracket. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.

Overall Dimensions:

15¾" x 15¾" (400 x 400 mm)



8358

FOLDING TUB SEAT

½" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 15" (387 mm) wide and projects 33¾" (860 mm) from wall.



8206-L

FOLDING SHOWER SEAT

(Left hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22%" (581 mm) from wall.

MODEL OPTIONS:

8206-R Right hand seat.

8205-L Left hand seat with cushion covered in

off-white Naugahyde*.

8205-R Right hand seat with cushion covered in off-white Naugahyde®.



8206-SC-L

SLOW CLOSE FOLDING SHOWER SEAT

Slow Close Phenolic L-Shaped Fold Up Shower Seat provides added safety and ease of use. Gas charged struts assist one-handed opening by allowing the slowly lowering seat to its operating position and also assists in partial closing. (Left hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is 1/2" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 221/8" (581 mm) from wall.

MODEL OPTION:

8206-SC-R Right hand seat.



RECTANGULAR PHENOLIC FOUR-LEG FOLD-UP SHOWER BENCH

Seat is 1/2" (13 mm) thick solid phenolic, with white top and bottom surfaces, and black edges. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is 22½" (572 mm) deep and 48" (1219 mm) wide, projecting 24" (610 mm) from the wall when in the open position. When retracted, legs fold up to provide low profile against wall.



L-SHAPED PHENOLIC FOUR-LEG FOLD-UP SHOWER SEAT

Seat is 1/2" (13 mm) thick solid phenolic, with white top and bottom surfaces, and black edges, and is field reversible for left or right hand. Rear load feet remain on floor with rear frame mounted to wall and never need adjustment after correct installation. Front legs fold up automatically when seat is raised. Gravity prevents seat from dropping. Seat measures 331/2" (851 mm) wide and projects 1517/32" (395 mm) from wall. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.

SHOWN: 9013 BABY CHANGING STATION

BABY CHANGING STATIONS

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable, and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?

350+ lbs.

LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight in excess of 350 lbs.



ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



FUNGUS- AND BACTERIA-RESISTANT PLASTIC

Our baby changing stations are made with FDA-approved fungus- and bacteria-resistant plastic.

FEATURES

- Easy to install
- Sanitary, safe, and strong
- All units fold up; no obstruction when not in use
- Easy to clean



SOAP DISPENSERS

See our Soap Dispensers on pages 60-67.



SANITIZING (NO) TOUCH ACCESSORIES

See our Sanitizing (NO) Touch Accessories on pages 68-71.





SURFACE MOUNTED HORIZONTAL PLASTIC BABY **CHANGING STATION**

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteriaresistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 35⁵/₃₂" x 24¹/₄" x 3⁷/₈" $35^{5}/_{32}$ " x $24^{1}/_{4}$ " x $22^{1}/_{32}$ " (893 x 616 x 98 mm) (893 x 616 x 560 mm)



SURFACE MOUNTED VERTICAL PLASTIC BABY CHANGING STATION

This vertical unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteriaresistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 24½" x 35½2" x 3½" $24^{1}\!/_{4}" \times 35^{5}\!/_{32}" \times 32^{15}\!/_{16}"$ (616 x 893 x 98 mm) (616 x 893 x 837 mm)





RECESSED HORIZONTAL STAINLESS STEEL BABY **CHANGING STATION**

Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg). Fabricated of FDAapproved fungus- and bacteria-resistant plastic. Door facing and collar fabricated of stainless steel.

MODEL OPTION:

9018-9 Surface mounted with a stainless steel collar.

Overall Dimensions:

Closed: Open:

39⁵/₃₂" x 28¹/₄" x ³/₈" 395/32" x 281/4" x 181/8" (995 x 718 x 10 mm) (995 x 718 x 460 mm)

351/2" x 241/2" x 4" min (902 x 622 x 102 mm)



RECESSED VERTICAL STAINLESS STEEL BABY CHANGING STATION

This vertical station has a door facing and collar made from 18 gauge stainless steel. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

MODEL OPTION:

9017-9 Surface mounted with a stainless steel collar.

Overall Dimensions:

Closed: Open:

28½" x 395/32" x 3/8" 281/4" x 395/32" x 293/8" (718 x 994 x 10 mm) (718 x 994 x 746 mm)

Wall Opening: 24½" x 35½" x 4" min (622 x 902 x 102 mm)





SURFACE MOUNTED PLASTIC BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of FDA-approved fungus- and bacteria-resistant plastic. Easy opening/closing pneumatic mechanism has oversized hinge and safety stop system. The built-in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Unit shall support a static load of 300 lbs. (136 kg). Surface mounted. Only 4" (102 mm) deep when closed.

Overall Dimensions:

Closed: 36" x 22" x 4" (914 x 559 x 102 mm) Open: 36" x 22" x 20⁷/₁₆" (914 x 559 x 519 mm)





RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact, fungus-, and bacteriaresistant plastic for easy cleaning. Its two-part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with a stainless steel collar.

Overall Dimensions:

Open: 37" x 25½" x 17¾" $37" \times 25^{1}/_{2}" \times ^{3}/_{8}"$ (940 x 648 x 451 mm) (940 x 648 x 10 mm)

Wall Opening: 34½" x 22¾" x 3¾" min (870 x 578 x 95 mm)





SURFACE MOUNTED TODDLER SAFETY SEAT

This plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit shall support a static load of 50 lbs. (23 kg). Fabricated of FDA approved plastic.

Overall Dimensions:

Closed: $12\frac{1}{2}$ " x $21\frac{3}{4}$ " x $5\frac{1}{2}$ " (318 x 552 x 140 mm)

12½" x 21¾" x 11½" (318 x 552 x 283 mm)





RECESSED BABY CHANGER BED LINER DISPENSER

Holds and dispenses up to 30 paper liners. Fabricated of stainless steel.

Unit Size: 10" x 18" x 4" (254 x 457 x 101 mm)

Wall Opening: 81/4" x 161/4" x 33/4" (210 x 413 x 95 mm)





กคลก

SHELF WITH RAISED EDGES

Entire unit is formed of one piece of 18 gauge stainless steel having a ¾" (10 mm) depression with a satin finish.

See chart for standard sizes.

	0690	Model Numbers 0692	0694	20692
Standard Sizes:	6" depth (152 mm)	5", 6" or 8" depth (127,152, 203 mm)	5" depth (127 mm)	6" depth (152 mm)
Length				
12" (305 mm)				
16" (406 mm)				
18" (457 mm)				
24" (610 mm)				
30" (762 mm)				-
36" (914 mm)				
48" (1219 mm)				
60" (1524 mm)				
72" (1829 mm)				



SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel with a satin finish. Front edge is hemmed for maximum rigidity and safety.

See chart for standard sizes.



FOLDING UTILITY SHELF FOR TOILET COMPARTMENTS

Fabricated of 18 gauge satin finish stainless steel with raised rim. Shelf automatically returns to upright position when not in use.

Overall Dimensions:

145/8" x 513/16" (371 x 148 mm)



0412 RECESSED SHELF

This unit is fabricated of 22 gauge, all welded construction, stainless steel with a satin finish.

Overall Dimensions:

18" x 8" x 41/4" min (457 x 203 x 108 mm)

Wall Opening: 16½" x 6½" x 4" min (419 x 165 x 102 mm)



SURFACE MOUNTED SHELF WITH **BACKSPLASH**

Fabricated of 18 gauge stainless steel with a satin finish on exposed surfaces with 5" (127 mm) depth.



ROVAL™ SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel, the 6" wide shelf has a 3/4" (19 mm) gently radiused edge. Choice of sizes.

Overall Dimensions:

6" x 12"-72" (152 x 305-1829 mm)





UTILITY HOOK STRIP WITH 3 HOOKS

Fabricated of stainless steel with satin finish, this strip is 4" (102 mm) high with edges returning $\frac{1}{2}$ " (13 mm) to the wall. Measures 26" (660 mm) long.

MODEL OPTIONS:

1307-4 With 4 hooks 36" (914 mm) long. **1307-5** With 5 hooks 46" (1168 mm) long. **1307-6** With 6 hooks 56" (1422 mm) long.



1308-3 SHELF WITH 4 UTILITY HOOKS AND 3 MOP **HOLDERS STRIP**

Fabricated of satin finish stainless steel, this shelf is 8" (203 mm) deep with $\frac{3}{4}$ " (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Unit is 14½" (368 mm) high. Measures 34" (860 mm) long.

MODEL OPTION:

1308-4 4 mop holders/5 utility hooks, 44" (1118 mm) long.



HEAVY-DUTY UTILITY HOOK

Heavy-duty 14 gauge stainless steel with satin finish.




0533 SERIES

CORNER GUARD

Surface Mounted Corner Guard is constructed of robust 18 gauge stainless steel and is finished with a ½" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications.



48" x 41/4" x 41/4" (1219 x 108 x 108 mm)



1) CHOOSE EDGE AND MOUNTING STYLE:

0533-1 Beveled w/Adhesive 0533-3 Straight w/ Adhesive 0533-2 Beveled w/ Mounting Holes 0533-4 Straight w/ Mounting Holes

2) ADD PREFIX FOR GAUGE:

1 (16 Gauge) or 2 (18 Gauge)

Ex: 0533-3-2 straight edges with adhesive mounting, 18 gauge



8215-5

MOP AND BROOM RACKS

5 holders, 46" (1168 mm) long. Fabricated from one-piece hi-hat channel stainless steel.

MODEL OPTIONS:

8215-3 3 holders, 26" (660 mm) long. **8215-4** 4 holders, 36" (914 mm) long.



1315-4

UTILITY SHELF WITH DRYING ROD, 4 MOP HOLDERS, AND 3 RAG HOOKS

Fabricated of satin finish stainless steel, this shelf is 8" (203 mm) deep with ¾" (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Rod and hooks for wet rags are included. Measures 36" (914 mm) long.

MODEL OPTIONS:

1315-3 3 mop holders/2 rag hooks, 30" (762 mm) long. **1315-6** 6 mop holders/5 rag hooks, 48" (1219 mm) long.

HEALTHCARE A C C E S S O R I E S

ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers. From innovative products like new antimicrobial

grab bars and a slow close shower seat, to glove dispensers, security cabinets, and hazardous waste disposals—ASI healthcare accessories are designed for ease of use, safety, durability, and peace of mind.

WHAT MAKES OUR HEALTHCARE ACCESSORIES UNIQUE?

18-22

GAUGE

STAINLESS STEEL CONSTRUCTION

Our cabinets are made of stainless steel, which is tough, durable, stainresistant and easy to clean.



TUMBLER LOCK

The design of our products with tumbler locks allows for the removal of internal components for sterilizing or autoclaving when necessary.



CONVENIENT PASSAGE

Our specimen pass box and cabinet enables easy access and safe handling of specimens from patient area to laboratory.



ADJUSTABLE SHELVES

The design of our cabinets offers flexibility with adjustable shelves for ease in storage and use.



NEW 8206-SC SLOW-CLOSE SHOWER SEAT



See our Shower Seat Collection, pages 94-95.



8202 SHOWER SEAT







RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is stainless steel with satin finish. Mirror is 1/4" (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

Overall Dimensions: $18^{1}\!/_{\!4}" \times 24^{1}\!/_{\!4}" \times 4^{1}\!/_{\!2}"$ (464 x 616 x 114 mm)

16" x 223/4" x 31/2" (406 x 578 x 89 mm)

Wall Opening:

MODEL OPTION: 0952-B Larger than 0952.

Overall Dimensions: Wall Opening: $24" \times 26" \times 4\%"$ 21¾" x 24½" x 3½" (610 x 660 x 124 mm) (550 x 620 x 89 mm)





SURFACE MOUNTED STAINLESS STEEL MEDICINE CABINET

Surface mounted cabinet is made from 20 gauge stainless steel with a satin finish. Mirrored door is hung on cabinet with a full length 3/16" staked piano hinge. Cabinet has three adjustable stainless steel shelves.

Overall Dimensions: 181/4" x 241/4" x 43/41 (464 x 616 x 121 mm)



0533 SERIES

CORNER GUARD

Surface Mounted Corner Guard is constructed of robust 18 gauge stainless steel and is finished with a 1/8" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications.



48" x 41/4" x 41/4" (1219 x 108 x 108 mm)

1) CHOOSE EDGE AND MOUNTING STYLE:

0533-1 Beveled w/ Adhesive 0533-3 Straight w/ Adhesive 0533-2 Beveled w/ Mounting Holes 0533-4 Straight w/ Mounting Holes

2) ADD PREFIX FOR GAUGE:

1 (16 Gauge) or 2 (18 Gauge)

Ex: 0533-3-2 straight edges with adhesive mounting, 18 gauge





optional

RECESSED PASS-THROUGH SPECIMEN CABINET

Provides a convenient passage from patient area into laboratory. Fabricated of 18 gauge satin finish stainless steel. Internal latch prevents simultaneous door opening. Stainless steel tray is removable. Mounts in wall thickness of $1\frac{3}{4}$ " to $5\frac{1}{2}$ " (44 to 140 mm).

MODEL OPTIONS:

8155 Extension sleeve and flange for recessed specimen pass-through cabinet.

8156 Same as 8154 including 8155 extension sleeve.





RECESSED POWDER COATED MEDICINE CABINET

One-piece, drawn cold rolled steel with white powder coated steel finish. Stainless steel channel framed mirrored door with ¼" (6 mm) thick plate glass, has continuous piano hinge and magnetic catch. Three removable white enamel steel shelves.

Overall Dimensions: 181/4" x 241/4" x 47/8" (465 x 615 x 120 mm)

MODEL OPTIONS: 8338 Smaller and has two adjustable white baked enamel steel shelves. 141% × 20% (" × 5" (359 × 513 × 125 mm)

Wall Opening: 16" × 22¾" × 3½" (406 × 578 × 89 mm)

8339 Larger than 8338. 16³/₁₆" x 22³/₁₆" x 5" (411 x 564 x 127 mm)





0546

SECURITY MEDICINE CABINET

Stainless steel satin finish shelves are 20 gauge with hemmed edges and are easily adjusted by owner using track clips provided. Two (2) shelves and eight (8) clips are provided.

Overall Dimensions:

30" x 30" x 12" (762 x 762 x 305 mm)





0547

NARCOTICS CABINET -COMBINATION LOCK/DUAL DOORS

Security cabinet for controlled narcotic substances is surface mounted and constructed from stainless steel with double wall all welded construction. Cabinet is 22 gauge and doors are 18 gauge.

Overall Dimensions:

11¼" x 15" x 8¼" (286 x 381 x 210 mm)





0350

SURGICAL SOAP DISPENSER

Dispenses liquid antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

Overall Dimensions:

33/8" x 61/2" x 51/8" (86 x 165 x 130 mm)





0349

FOOT OPERATED SURGICAL SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (0.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (2438 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses liquid surgical soaps, antiseptic solutions, and synthetic detergents.

Overall Dimensions:

4½" x 12¾" x 9" (108 x 324 x 229 mm)

Spout Projection: 9" (229 mm) from wall



FLOOR STANDING FOOT OPERATED WASTE RECEPTACLE

Foot operated waste receptacle with satin finish stainless steel body and top. Connected with multi-staked piano hinge and features hemmed edges for safety. Capacity: 8 gal. (30.7 L).

Overall Dimensions: 10³/₄" x 20¹⁵/₁₆" x 10" (273 x 531 x 254 mm)





Ag+ GERM GUARD™ POWDER COATING

ANTIMICROBIAL GRAB BAR WITH SNAP FLANGE

3800-AW Series - 11/2" (38 mm) O.D.

ASI's Germ Guard $^{\text{TM}}$ grab bars are designed to suppress the growth of mold, bacteria, fungus, algae, mildew, and yeasts. They are made from stainless steel and are finished with an electrostatically applied powder coating. This powder coating is custom formulated to incorporate slow release silver ions (Ag+), the most powerful and long-lasting natural antimicrobial agent known.

MODEL OPTIONS:

3801-18AW 18" 3801-24AW 24" 3801-36AW 36" 3801-42AW 42" 3801-48AW 48" 3802-48AW* 48" (*with intermediate support)



NEW

HANDS-FREE ARM GRIP DOOR PULL

Hands-free arm grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at standard mid-door height, or no higher than 40" above finished floor for ADA compliance, to allow placing the forearm to pull door open. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions:

1¾" x 21/8" x 3" (44 x 54 x 76 mm)



NEW

0504

HANDS-FREE FOOT GRIP DOOR PULL

Hands-free foot grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at base of door aligned with bottom edge or slightly above, and as close to opening side as possible. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions:

3" x 3" x 2%₄" (76 x 76 x 54 mm)



0548

RECESSED SHARPS DISPOSAL CABINET

Satin finish stainless steel. Marked with graphic label indicating Biohazard. Holds one Becton, Dickinson and Company (BD) brand Sharps Collector model #305443 (not included).

 Overall Dimensions:
 Wall Opening:

 13¾" x 19½"s" x 5½"
 12½" x 17¾ x 5"

 (349 x 486 x 133 mm)
 (308 x 451 x 127 mm)

MODEL OPTION:

0548-9 Surface mounted with a stainless steel collar.





SURFACE MOUNTED SURGICAL **GLOVE DISPENSER**

Satin finish stainless steel holds and dispenses gloves from one standard surgical glove box. Fully hemmed-in rolled edges for snag-free dispensing and user safety.

MODEL OPTIONS:

0501-1 Dispenser for 1 box. 0501-2 Dispenser for 2 boxes. 0501-3 Dispenser for 3 boxes. 0501-4 Dispenser for 4 boxes.



SURFACE MOUNTED BULK DISPENSER, SMALL

Satin finish stainless steel. Dispenses various personal protection equipment such as gloves, caps, and shoe covers (not supplied).

Overall Dimensions:

125/64" x 11" x 51/2" (307 x 279 x 140 mm)

MODEL OPTION:

0512 Large bulk dispenser.

Overall Dimensions:

125/64" x 17" x 51/2" (307 x 431 x 140 mm)



TURNTABLE SPECIMEN PASS BOX

Fabricated of 18 gauge satin finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with 101/2" x 6" (267 x 152 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (178 mm) thick.





RECESSED BEDPAN AND URINAL BOTTLE CABINET

Recessed cabinet is 22 gauge satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with ½" (13 mm) open space across top and bottom of door to allow air circulation.

Overall Dimensions:

15" x 28" x 51/4" (381 x 711 x 133 mm)

Wall Opening:

13%" x 26½" x 5%" (340 x 670 x 140 mm)

MODEL OPTION:

0558-1 Recessed bedpan and wash basin cabinet.





SURFACE MOUNTED BEDPAN RACK

Surface mounted rack provides convenient storage for one conventional sized bedpan.

Overall Dimensions:

12" x 11" x 41/8" (305 x 279 x 124 mm)

MODEL OPTIONS:

0556 Surface mounted bedpan and urinal rack.

0559 Surface mounted double bedpan rack. Similar to 0556, but designed to hold two conventional sized bedpans.





0198-MH

SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environmentsangled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Available in . 115-120 V and 208-240 V.

Unit Size:

Wall Opening: 125/8" x 153/4" x 54/16" 121/4" x 153/16" x 51/4" (320 x 400 x 140 mm) (311 x 386 x 133 mm)

Decibel Level: 66 dB-A @ 2M



SHOWN: 7383 TOWEL SHELF WITH HANGER ROD

HOSPITALITY A C C E S S O R I E S

ASI offers a wide range of options to accessorize the washroom setting. These items include towel bars and racks, clothes hooks, shelving and holders. All items are easy to install and easy to clean. These items add a special touch and convenience for washroom users.

WHAT MAKES OUR HOSPITALITY ACCESSORIES UNIQUE?

304

STAINLESS STEEL

STAINLESS STEEL CONSTRUCTION

Our heavy-duty items are made of high-quality type 304 stainless steel, which is tough, durable, stainresistant, and easy to clean.



MINIMALISTIC, CONTEMPORARY, AND CLASSIC

Different styles allow you to choose what works best to complement your washroom.



LEED®-FRIENDLY

The robust construction made of type 304 stainless steel is LEED*-friendly and fits our sensibility about longer lifecycle building designs.



REFINED LOOK, RICH FUNCTION

These accessories add a special touch to enhance the user's experience in the washroom setting.

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean



FRAMELESS MIRRORS



STAINLESS STEEL MIRRORS



FRAMELESS MIRRORS WITH LED BACKLIGHT

See our mirrors on pages 72-76.





SOAP DISH WITH GLASS HOLDER

Clear glass holder has raised ribs to elevate soap slightly above surface to promote drying. May be removed for cleaning. All other parts of the unit are fabricated of satin finish stainless steel.

Overall Dimensions:

45/16" DIA x 47/8" (110 DIA x 124 mm)





SINGLE ROBE HOOK

Extends 25% (59 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel hook.





DOUBLE ROBE HOOK

Two hooks, set apart at 90° on center, extend 23/4" (60 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel.





SINGLE TOILET PAPER ROLL HOLDER

The toilet paper placed on this bailtype holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish stainless steel. Paper bar is reversible to change handing.

Overall Dimensions:

5³/₁₆" x 3³/₈" x 2³/₁₆" (131 x 86 x 56 mm)



7317

COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION:

7317-S Satin stainless steel finish.

Overall Dimensions:

8³2" DIA x 12³4" (210 DIA x 324 mm)





SINGLE TOILET PAPER ROLL HOLDER WITH HOOD

Satin finish stainless steel hood. Hood adds weight for easy tear and also protects paper roll from water droplets.

Overall Dimensions:

5½" x 5" x 2½6" (133 x 127 x 65 mm)





7315-H

DOUBLE TOILET PAPER ROLL HOLDER WITH HOOD

Double Toilet Paper Roll Holder with Hood is fabricated of stainless steel. All exposed surfaces have a satin finish. Roll holder bail is retained in post with concealed set screw. Hoods are captive on rod. Post is 22 gauge tubing with formed 18 gauge threaded bracket welded inside end.

Overall Dimensions:

12⁵/₃₂" x 3" x 5" (309 x 76 x 128 mm)



7316

SPARE TOILET PAPER HOLDER

Holds one roll of toilet paper. Extends 4" (102 mm) from wall. All exposed surfaces have a satin finish stainless steel

Overall Dimensions:

3³⁵/₆₄" DIA x 6⁵/₈" (90 DIA x 167 mm)





0640 FRAMELESS MIRROR WITH LED BACKLIGHT

Frameless polished edge mirror with integral mounting frame and border LED halo lighting is made of \(\frac{5}{32} \)" (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external wall switch (by others). Unit can be mounted horizontally or vertically without additional brackets or adaptations to mounting provisions.







FRAMELESS MIRROR WITH FROSTED BORDER AND LED BACKLIGHT

Frameless polished edge mirror with integral mounting frame and frosted glass border LED halo lighting is made of 5/52" (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external wall switch (by others). Unit can be mounted horizontally or vertically without additional brackets or adaptations to mounting provisions.





7387

SURFACE MOUNTED TOILET BRUSH AND HOLDER

Tube handle, round splash guard, and storage cylinder of this wall mounted unit are fabricated of satin finish stainless steel. Includes a drip cup at the bottom for easy cleaning. Brush is made of PVC with a polypropylene shaft. 15½" (394 mm) from bottom of base to top of handle and extends 55%" (131 mm) from wall. Allows for easy cleaning while maintaining an elegant washroom.

MODEL OPTION:

7388 Freestanding. 15" (381 mm) from bottom of base to top of handle.





0712

SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.





7383

SURFACE MOUNTED TOWEL SHELF WITH HANGER ROD

Heavy-duty unit with ¾" diameter stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

235/8" x 31/2" x 815/16" (600 x 89 x 227 mm)





SURFACE MOUNTED SUNDRIES SHELF

Stainless steel formed round wire construction and has ²⁵/₆₄" (10 mm) diameter. Solid retainer cross bar as front rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

12⁷/₈" x 4⁷/₁₆" x 3³⁵/₆₄" (372 x 114 x 90 mm)





7322

SURFACE MOUNTED SOAP BASKET

Stainless steel formed round wire construction and fabricated with heavy gauge solid rectangular cross section formed bar top rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

11 15/32" x 29/32" x 61/2" (291 x 58 x 165 mm)





TOWEL RING

Designed for hand towels, this 7" DIA (178 mm) towel ring is formed from a %" DIA (9.5 mm) satin finish stainless steel tube. Extends $2\frac{1}{2}$ " (64 mm) from wall.



1201-A

CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.



0259-SS

RECESSED FACIALTISSUE DISPENSER

Dispenses 300 single-ply or 150 double-ply tissues. Faceplate constructed of stainless steel with satin finish.

Overall Dimensions:

11%" x 6%" x 2¼" (302 x 162 x 57 mm)





7307-18

ROUND TOWEL BAR

Satin finish stainless steel tube and posts with round mounting brackets on ends. Extends $2^{5}\!\!\%''$ (67 mm) from wall. 18" (457 mm) in length.

MODEL OPTION:

7307-24 Same as 7307-18, but 24" (610 mm) in length, 5/8" (16 mm) DIA.



SHOWN: 128-1 BOOK SHELF/CLOTHES HOOK-FRONT MOUNTING





122

SQUARE CLOTHES HOOK-REAR MOUNT

Fabricated of 12 gauge stainless steel with a satin finish. Back plate is fabricated of 14 gauge stainless steel. If hook is excessively loaded, it will snap down for safety. Unit has four studs welded on back for rear mounting.

MODEL OPTION:

123 Front mounted hook.

Overall Dimensions:

4½" x 4½" x 2½" (108 x 108 x 57 mm)





0198-MI

SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Available in 115-120 V and 208-240 V.

Unit Size

125/8" x 153/4" x 54/16" (320 x 400 x 140 mm)

Wall Opening:

12½" x 15¾6" x 5½" (311 x 386 x 133 mm)

Decibel Level:

66 dB-A @ 2M





128-

BOOK SHELF/CLOTHES HOOK—FRONT MOUNT

Shelf and back plate are 14 gauge stainless steel with satin finish. Hooks are 12 gauge stainless steel, and back plate is 14 gauge stainless steel. Seams are welded and ground smooth. Hooks snap down for safety if excessively loaded. Unit has six holes through back for front mounting.

Overall Dimensions:

18" x 11" x 8" (457 x 279 x 203 mm)








CLOTHES HOOK—FRONT MOUNT

Bracket 11 gauge, hook 7 gauge stainless steel with satin finish. If hook is excessively loaded, it will snap down for safety. Unit has four holes through flange for front mounting.

Overall Dimensions:

3" x 5" x 3½6" (76 x 127 x 78 mm)





GRAB BAR

Tubing 18 gauge and flanges %" (3 mm) thick stainless steel with satin finish. Closure plate is %" (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.

MODEL OPTIONS:

Rear Mounted	Length
160	24" (610)
161	30" (762)
163	36" (914)
166	42" (1067)
168	48" (1219)

F	
Front	
Mounted	Length
159	18" (457)
162	30" (762)
164	36" (914)
165	24" (610)
167	42" (1067)
160	40" (1210)





110 1

SQUARE RECESSED TOILET TISSUE HOLDER—REAR MOUNT

Fabricated of 14 gauge stainless steel with satin finish exterior, glass blasted satin finish interior 4" (102 mm) deep accommodates one standard toilet tissue roll. Flange is 7%" (181 mm) square.

MODEL OPTION:

110-13 Front mounted holder.





110

RECESSED TOILET TISSUE HOLDER—REAR MOUNT

Fabricated of 16 gauge stainless steel, satin finish exterior, glass blasted satin finish interior. 4½" (114 mm) interior depth accommodates one standard toilet tissue roll. Hidden contraband causes roll to project from holder allowing detection. Two "T" nuts welded on back for rear mounting.

MODEL OPTION:

110-A 7¼" (184 mm) DIA.

Overall Dimensions:

71/4" (184 mm) DIA.





SECURITY FRAMED MIRROR—CHASE MOUNT

Frame 14 gauge stainless steel with satin finish, corners welded, and ground smooth. Unit provided with fiberboard backing and six "T" nuts welded on back for rear mounting. Specify wall thickness if greater than 6" (152 mm). 20 gauge stainless steel with #8 mirror polish.

Overall Dimensions:

12" x 16" x 5%" (305 x 406 x 16 mm)





SECURITY FRAMED MIRROR—FRONT MOUNT

Unit consists of wall mounting plate fabricated of 7 gauge stainless steel with four countersunk mounting holes and eight tapped holes. Formed mirror fabricated of 18 gauge stainless steel with #8 mirror polish finish provided with eight dimpled holes through integral frame and $\frac{1}{4}$ -20 x $\frac{1}{4}$ " Torx head screws for securing to wall mounting plate. For 20 gauge No. 8 mirror polish finish use suffix -14.

Overall Dimensions:

10½6" x 11½6" x ½6" (256 x 294 x 11 mm)





105-14

SECURITY FRAMED MIRROR—FRONT MOUNT

Frame 14 gauge stainless steel with satin finish, corners welded, and ground smooth. Front mounting furnished with Torx' vandal-resistant ¼-20" x 2 (150 mm) machine screws. 20 gauge type 304 stainless steel with #8 mirror polish.

Overall Dimensions:

12" x 16" x 5%" (305 x 406 x 16 mm)





107

ONE-PIECE FRAMED MIRROR WITH ROUNDED CORNERS—FRONT MOUNT

One-piece 18 gauge stainless steel formed mirror with #8 mirror polish finish, integral frame, rounded corners, and six mounting holes. For 20 gauge No. 8 mirror polish finish use suffix -14.

Overall Dimensions:

12" x 16" x ½" (305 x 406 x 6 mm)





CLOTHES/TOWEL HOOK STRIP-FRONT MOUNT

Wall plate 14 gauge with beveled edges, 11 gauge brackets, and four 7 gauge hooks. Stainless steel with satin finish. Hooks snap down for safety if excessively loaded. Unit has six mounting holes through back for front mounting.

Overall Dimensions: 18" x 5½" x 3" (457 x 140 x 76 mm)





CLOTHES/TOWEL HOOK STRIP-FRONT MOUNT

Fabricated of 14 gauge stainless steel with satin finish. Hooks snap down for safety if excessively loaded. Six holes through back for front mounting.

Overall Dimensions:

18" x 5½" x 2¼ (457 x 140 x 57 mm)





RECESSED SOAP DISH-REAR MOUNT

Soap dish 16 gauge stainless steel with satin finish. One-piece drawn construction with beveled trim and embossments for air circulation and drainage. Unit has two "T" nuts welded on back for rear mounting.

Overall Dimensions:

7%" x 6" x 3" (187 x 152 x 76 mm)

Wall Opening:

6½" x 5 x 3" min (165 x 127 x 76 mm)





RECESSED SHELF-REAR MOUNT

Shelf 16 gauge type 304 stainless steel, corners welded, and ground smooth. 1" (25 mm) wide beveled satin finish trim. Interior glass blasted finish. Unit has four studs welded on back for rear mounting.

Overall Dimensions:

18" x 7" x 4" (457 x 178 x 102 mm)

Wall Opening:

5½" x 16½" (141 x 419 mm)



Waste Receptacles

ASI offers a wide range of waste receptacles available in fully recessed, semi-recessed, surface mounted, counter mounted, and freestanding with various capacities. Type 304 Stainless Steel fabrication with fully removable waste cans allows contents to be easily discarded for efficient ongoing maintenance and cleanliness.

SHOWN: 20458 ROVAL $^{\text{TM}}$ SEMI-RECESSED REMOVABLE WASTE RECEPTACLE





1000

TRADITIONAL™ CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

MODEL OPTION:

1000A has a 9" (229 mm) outside diameter with a counter opening of 81/8" (206 mm) diameter.

Unit Size: 63/4" (171 mm)

Counter Opening: 53/4" (146 mm)

outside diameter diameter





003

TRADITIONAL™ COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" \times 12" \times 12" (305 \times 305 \times 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size:

14½" x 10" x 3/32" (362 x 254 x 2 mm)

Counter Opening:

8³/₄" x 12¹/₂" (222 x 318 mm)



0815

FLOOR STANDING FOOT OPERATED WASTE RECEPTACLE

Foot operated waste receptacle with satin finish stainless steel body and top. Connected with multi-staked piano hinge and features hemmed edges for safety. Capacity: 8 gal. (30.7 L).

Overall Dimensions:

10³/₄" x 20¹⁵/₁₆" x 10" (273 x 531 x 254 mm)





0834-RE

FREESTANDING 3-BIN RECYCLING STATION

Freestanding 3-Bin Recycling Station constructed of an 18 gauge unified top and individual 22 gauge bins all of stainless steel. Bottoms of each receptacle are equipped with four (4) non-skid rubber feet. Top has shape-coordinated openings and permanent labels "TRASH," "BOTTLES," and "PAPER." Capacity: 42 gal. (159 L).

MODEL OPTION:

0839-RB has 57 gal. (216 L) capacity with 37%" x 31%" x 12½" (943 x 810 x 318 mm).

Overall Dimensions:

371/8" x 311/8" x 121/2" (943 x 810 x 318 mm)



NEW

0834-TWH

FREESTANDING STAINLESS STEEL SANITIZER WIPES DISPENSER AND DISPOSAL STATION

Sanitizer wipes dispenser station constructed of satin finish stainless steel, with 18 gauge top and 22 gauge bin. Holds one standard 9" DIA x 9" tall sanitizer wipes container (by others). Receptacle with top on holds 12 gallons (45L) of waste, and bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-TWH has 17 gal. (64 L) capacity with 12%" x $31^{11}/_{16}$ " x $12\frac{1}{2}$ " (314 x 805 x 318 mm) dimensions.

Overall Dimensions:

12%" x 24³/₁₆" x 12¹/₂" (314 x 614 x 318 mm)



NEW 3

0834

TRADITIONAL™ FREESTANDING WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top is removable for easy maintenance, and bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839 has 19 gal. (72 L) capacity with 12%" x 32" x 121%" (314 x 800 x 318 mm) dimensions.

Overall Dimensions:

12%" x 24" x 12½" (314 x 609 x 318 mm)



NEW



TRADITIONAL™ FREESTANDING WASTE RECEPTACLE WITH DUAL SWING TOP

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top has dual swing door and is removable for easy maintenance. Bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-T has 19 gal. (72 L) capacity with 12%" x 37¼" x 12½" (314 x 946 x 318 mm) dimensions.

Overall Dimensions:

12%" x 29¾" x 12½" (314 x 756 x 318 mm)



Oi

TRADITIONAL™ SEMI-RECESSED WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0458-9 Surface mounted with a stainless steel collar.

nit Size: Wall Opening:

17¼" x 30½" x 8¼" 15¾" x 29" x (variable") (438 x 775 x 210 mm) (400 x 737 mm)

"[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if ½" (13 mm) x 7½" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]



7317

COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION:

7317-S Satin stainless steel finish.

Overall Dimensions:

81/32" DIA x 123/4" (210 DIA x 324 mm)





CORNER WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 16 gal. (60 L) of waste.

Overall Dimensions:

15" x 23" x 141/2" (381 x 584 x 368 mm)



ROVAL™ SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge stainless steel with satin finish. 12.8 gal. (48.4 L) waste capacity.

MODEL OPTION:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.4 L).

Overall Dimensions:

151/8" x 23" x 81/2" (384 x 584 x 216 mm)



ROVAL™ SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance-removable 20 gauge stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Frame and cabinet fabricated of 22 gauge stainless steel with satin finish.

Unit Size:

17³/₈" x 27³/₄" x 8¹⁵/₁₆" (441 x 705 x 227 mm)

Wall Opening:

15³/₄" x 26" x 3¹⁵/₁₆" (400 x 660 x 100 mm)





TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:

0826 has 12 gal. (45.4 L) capacity with 151/4" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions:

15¾" x 21¾" x 11¾" (400 x 556 x 298 mm)





TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions:

10½" x 9" x 4¾" (267 x 229 x 121 mm)





TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

Overall Dimensions:

14" x 18" x 6" (356 x 457 x 152 mm)





SIMPLICITY™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 18 gauge stainless steel door.

Unit Size: 141/4" × 28" × 41/2" (362 x 711 x 114 mm)

Wall Opening: 12³/₄" × 26¹/₂" × 4¹/₄" (324 x 673 x 108 mm)



SIMPLICITY™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 6474-41PC Matte Black 6474-2 Semi-recessed with a stainless steel collar. NEW 6474-2-41PC Matte Black.

Unit Size:

 $17\frac{1}{4}$ " × 40" × $6\frac{3}{4}$ " (438 x 1016 x 171 mm)

Wall Opening:

15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)





6474-00

SIMPLICITY™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.

MODEL OPTION:

6474-2 Semi-recessed with a stainless steel collar.

171/4" × 40" × 69/16" (438 x 1016 x 166 mm)

Finished Wall Opening*:

175/16" x 401/16" x 611/16" (440 x 1018 x 170 mm)





TRADITIONAL™ RECESSED WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

Unit Size:

141/4" x 28" x 41/2"

Wall Opening:

123/4" x 261/2" x 4" (362 x 711 x 114 mm) (324 x 673 x 102 mm)





PROFILE™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a selfclosing panel that covers its opening. 16 gauge stainless steel door.

Unit Size:

 $14\frac{1}{4}$ " x 28" x $4\frac{15}{16}$ " (362 x 711 x 125 mm)

Wall Opening: 12³/₄" × 26¹/₂" × 4¹/₄" (324 x 673 x 108 mm)





PROFILE™ RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials. 16 gauge stainless steel door.

Unit Size: $17\frac{1}{4}$ " × 40" × $7\frac{3}{16}$ " (438 x 1016 x 183 mm)

Wall Opening: 15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)

WHO WE ARE

Only ASI Group designs, engineers, and manufactures fully integrated washroom accessories, partitions, lockers, and visual display products from one source.

The ASI Group is known for innovative products, speed to market, and the widest offering of materials and products

in the industry. Our family of companies work together with one mission in mind—"To make our customers successful by providing value that exceeds price and an excellent service experience."







Perimeter College
Architect: Teeple Architects
ASI Visual Display Products





WE ARE LASER FOCUSED ON DELIVERING EXACTLY WHAT YOU NEED-WHERE AND WHEN YOU NEED IT.

With operating units and offices in the USA, Canada, Australia, Belgium, UK, Middle East, and Mexico, along with sales in more than 50 countries, our ability to serve is not limited by geography.

Our broad scope helps meet the needs of healthcare, education, office, and retail buildings, as well as airports, stadiums, government offices, cultural centers, and hotel/restaurant operations.


SALES IN OVER

INTERNATIONAL SALES 1,000+
REPRESENTATIVES

HIGHLY SKILLED

MILLION SQ. FT. MANUFACTURING & OFFICE FACILITIES







New York-Presbyterian David H. Koch Center Architect: HOK Architects HDPE Plastic Z lockers, Phenolic Z lockers, Metal Z lockers, and Stainless Steel Accessories and Partitions



U.S. Bank Stadium Architect: HKS Washroom Accessories and Solid Plastic Partitions



BABY CHANGIN	NG	3700-W	90	0548-9	108	0661-FM-14	20/76	046926	48
STATIONS		3800-AW	90/108	0551	109	0661-FM-23	20/76	04697	47
Model	Page	3800-W	90	0556	109	0663-1	21/56/67/75	04697-4	47
9012	99	3800-41	90	0557	109	0663-2	21/56/67/75	04697-9	47
		3801-41	17	0558-1	109	0663-T	21/67/75	04697-BL	47
9013	28/96/99	3801-18-41		0559	109	20650	29/72/73/74	1001	53
9013-9	28/99	3801-24-41	17/90	0815	108/120	20650-B	74	204623	24
9014	98	3801-36-41	17/90	0952	106/120	20655	29/73/74	204623-9	24
9015	98								
9016	99	3801-42-41	17/90	0952-B	106	20655-B	74	20469	22/24
9017	98	3801-18AW		0953	106	8026	72/74	20469-9	24
9017-9	98	3801-24AW		3800-AW	90/108	8287	73	204692A	25
9018	98	3801-36AW		3801-18AW	90/108	DARED TOWN		2046921A	25
9018-9	98	3801-42AW		3801-24AW	90/108	PAPER TOWI DISPENSERS		4004	53
9020	99	3801-48AW	90/108	3801-36AW	90/108	DISFENSENS	<u>'</u>	645210A	13/41
		3802-48AW	90/108	3801-42AW	90/108	Model	Page	645210A-00	13
CUSTODIAL		3874	91	3801-48AW	90/108	0210	51	645210A-41	13
ACCESSORIES		3874-M233	7 91	3802-48AW	90/108	0210-41	14/15/51	645210AC	13
Model	Page			8154	106	0215	51	645210AC-00	13
0533-1	103/106	HAND DRY	ERS	8155	106	0245-SS	51	645210AC-41	13
0533-2	103/106	Model	Page	8156	106	0439	51	6462	13/38
0533-3	103/106	0135	40/58	8338	107	0452	50	6462-00	13
0533-4	103/106	0165	40/38 58	8339	107	0452-9	50	6462-41	10/13
0533-4 0533 SERIES	103/106	0184	59	8340	107	0457	50	6462-2	38
1306	103/106	0185	59 59			0457-9	50	6462-9	38
1306	103	0185	59 57	HOSPITALITY	•	045210A	50	64623	13/40
				ACCESSORIE	S	045224	50	64623-00	13
1307-4	102	0196-00	17/54/55/57	Model	Page	1002	53	64623-41	13
1307-5	102	0196-41	17/54/55/57	0259-SS	83/115	20210	27	64623-9	40
1307-6	102	0196-93	54/55/57	0640	73/74/113	20452	27	64623-41PC	15/40
1308-3	102	0197	57	0641	73/74/113	204523A	27	64623-9-41	13/40
1308-4	102	0198-93	58	0712		6452	42	64623-9-41PC	
1315-3	103	0198-MH	40/58/109/116		81/114				15/40
1315-4	103	0199-93	57	1201-A	92/93/115	6452-9	42	6467	13/36/38
1315-6	103	0661-1	20/56/67/75	1201-B	93/115	645210	41	6467-00	13
8215-3	103	0661-2	20/56/67/75	7306	115	645210A	13/41	6467-41PC	15/38
8215-4	103	0663-1	20/56/67/75	7307-18	115	645210AC	13	6467-9	38
8215-5	103	0663-2	20/56/67/75	7307-24	115	6457	12/42	6467-9-41	38
		20199	29/59	7308	112	6457-00	12	6467-9-41PC	15/38
FEMININE HYG		20200	59/29	7312	112	6457-41	12	64672	39
VENDORS AND DISPOSALS		20201	29/59	7313	112	68523A	43	64672-41PC	15/39
DIOI COALO		64672	39	7314	112	68523A-4	43	64672-1	12/39/56
Model	Page	64672-1	12/39/56	7314-H	113	68523AC	43	64672-1-00	12/56
0464	77	64672-2	12/39/56	7315-H	113	68523AC-4	43	64672-1-41	12/56
0468	77/78	64672-41PC	15/39	7316	113	8165	51	64672-2	12/39/56
0468-2	78			7317	112/121	8522	51	64672-2-00	12/56
04684	78	HEALTHCA	RE	7317-S	112/121	8523A	51	64672-2-41	12/56
0472	79	ACCESSOF	RIES	7322	114	8523AC	51	64676	38
0472-1	79	Model	Page	7381	114	9452	34	64676-2	38
0473	79	0198-MH	40/59/109/116	7383	110/114	9457	34	64676-9	38
0473-1	79	0349	107	7387	114			646924A	39
0473-A	79	0350	107	7388	114	PAPER TOWI		64696	41
0473-1A	79	0501-X	109			DISPENSERS	•	64696-6	41
0852	79	0501-1	71/109	MIRRORS		& WASTE RECEPTACLE	.0	64696-9	41
0864	77	0501-1	109	Madal	Dogo	RECEPTACLE	:3	64696A	12/41
	26/79	0501-2		Model	Page	Model	Page	64696A-00	12
20470			109 104/109	0535	72/74	0462-AD	46	64696A-41	12
20470				0537	74	0462-AD-9	46	64696AC	12/41
204684	26/78	0501-4						04030AC	
204684 204684-9	26/78 26/78	0501-4 0503	82/108	0600	73/74	0467	48	6460640.00	
204684 204684-9 20852	26/78 26/78 26/79	0501-4 0503 0504	82/108 82/108	0600-T	73/74	0467 0467-2	48 48	64696AC-00	12
204684 204684-9 20852 6468	26/78 26/78 26/79 43/77	0501-4 0503 0504 0511	82/108 82/108 109	0600-T 0600-1836-41	73/74 16			64696AC-41	12 12
204684 204684-9 20852 6468 64684	26/78 26/78 26/79 43/77 43/77	0501-4 0503 0504 0511 0512	82/108 82/108 109 109	0600-T 0600-1836-41 0600-2436-41	73/74 16 16	0467-2	48	64696AC-41 9462	12 12 32
204684 204684-9 20852 6468 64684 6471	26/78 26/78 26/79 43/77 43/77	0501-4 0503 0504 0511 0512 0515	82/108 82/108 109 109 109	0600-T 0600-1836-41 0600-2436-41 0600-41	73/74 16 16 16/73	0467-2 0467-9	48 48	64696AC-41 9462 94623	12 12 32 34
204684 204684-9 20852 6468 64684 6471 9468	26/78 26/78 26/79 43/77 43/77 43/78 34	0501-4 0503 0504 0511 0512 0515 0533-1	82/108 82/108 109 109 109 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605	73/74 16 16 16/73 72/74	0467-2 0467-9 0469 0469-2	48 48 44/46 46	64696AC-41 9462 94623 9467	12 12 32 34 33
204684 204684-9 20852 6468 64684 6471 9468 94684	26/78 26/78 26/79 43/77 43/77 43/78 34	0501-4 0503 0504 0511 0512 0515	82/108 82/108 109 109 109	0600-T 0600-1836-41 0600-2436-41 0600-41	73/74 16 16 16/73	0467-2 0467-9 0469 0469-2 0469-9	48 48 44/46 46 46	64696AC-41 9462 94623 9467 94676	12 12 32 34 33 33
204684 204684-9 20852 6468 64684 6471 9468	26/78 26/78 26/79 43/77 43/77 43/78 34	0501-4 0503 0504 0511 0512 0515 0533-1	82/108 82/108 109 109 109 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605	73/74 16 16 16/73 72/74	0467-2 0467-9 0469 0469-2 0469-9 0469-BL	48 48 44/46 46 46 46	64696AC-41 9462 94623 9467 94676 9469	12 12 32 34 33 33 30/32
204684 204684-9 20852 6468 64684 6471 9468 94684 9471	26/78 26/78 26/79 43/77 43/77 43/78 34	0501-4 0503 0504 0511 0512 0515 0533-1 0533-2	82/108 82/108 109 109 109 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605 0620	73/74 16 16 16/73 72/74 72/74	0467-2 0467-9 0469 0469-2 0469-9 0469-BL 04692	48 48 44/46 46 46 46 47	64696AC-41 9462 94623 9467 94676 9469 94696	12 12 32 34 33 33 30/32 33
204684 204684-9 20852 6468 64684 6471 9468 94684	26/78 26/78 26/79 43/77 43/77 43/78 34	0501-4 0503 0504 0511 0512 0515 0533-1 0533-2 0533-3	82/108 82/108 109 109 109 103/106 103/106 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605 0620 0625	73/74 16 16 16/73 72/74 72/74 72/74	0467-2 0467-9 0469 0469-2 0469-9 0469-BL 04692 04692A	48 48 44/46 46 46 46 47 47	64696AC-41 9462 94623 9467 94676 9469	12 12 32 34 33 33 30/32
204684 204684-9 20852 6468 64684 6471 9468 94684 9471	26/78 26/78 26/79 43/77 43/77 43/78 34	0501-4 0503 0504 0511 0512 0515 0533-1 0533-2 0533-3 0533-4	82/108 82/108 109 109 109 103/106 103/106 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605 0620 0625 0640	73/74 16 16 16/73 72/74 72/74 73/74/113	0467-2 0467-9 0469 0469-2 0469-9 0469-BL 04692 04692A	48 48 44/46 46 46 46 47 47 47	64696AC-41 9462 94623 9467 94676 9469 94696	12 12 32 34 33 33 30/32 33
204684 204684-9 20852 6468 64684 6471 9468 94684 9471 GRAB BARS	26/78 26/78 26/79 43/77 43/77 43/78 34 34 35/78	0501-4 0503 0504 0511 0512 0515 0533-1 0533-2 0533-3 0533-4	82/108 82/108 109 109 109 103/106 103/106 103/106 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605 0620 0625 0640	73/74 16 16 16/73 72/74 72/74 72/74 73/74/113	0467-2 0467-9 0469 0469-2 0469-9 0469-BL 04692 04692A 046921	48 48 44/46 46 46 46 47 47 49	64696AC-41 9462 94623 9467 94676 9469 94696 94696A SANITIZING	12 12 32 34 33 33 30/32 33
204684 204684-9 20852 6468 64684 6471 9468 94684 9471 GRAB BARS	26/78 26/78 26/79 43/77 43/77 43/78 34 35/78	0501-4 0503 0504 0511 0512 0515 0533-1 0533-2 0533-3 0533-4 0533 SERIE 0546	82/108 82/108 109 109 109 103/106 103/106 103/106 103/106 \$\$ 103/106	0600-T 0600-1836-41 0600-2436-41 0600-41 0605 0620 0625 0640 0641	73/74 16 16 16/73 72/74 72/74 73/74/113 73/74/113 20/56/67/75	0467-2 0467-9 0469 0469-2 0469-9 0469-BL 04692 04692A	48 48 44/46 46 46 46 47 47 47	64696AC-41 9462 94623 9467 94676 9469 94696	12 12 32 34 33 33 30/32 33

Model	Page								
0334-B	63/68	0410-Z	92	0390-6-1AC	61	0484	83	7305-2B	88
0334-Б 0334-S	63/68	1200-SHU	94	0390-6-1AC-4		0484-HC	83	7305-2S	88
0334-3 0335-B	63/68	1200-V	94	0390-ARK	61	0485	83	7305-B	88
0335-B 0335-S	63/68	1201-A	92/93/115	0390-BR	61	0486	83	7305-S	88
0360	62/69	1201-B	93/115	0390-R	61	0487-L	83	7305-41	16
0361	65/69/71	1204	93	0391-1A	61	0487-L-9	83	7305-2-41	16
0362	62/69/71	1214	93	0391-1A-41	61	0487-R	83	7402	87
0362-41	16/62/69/71	1224	93	0391-1AC	61	0487-R-9	83	7402-H	87
0502-41	71	7404-B	93	0391-1AC-41	61	0503	82/108	74022	87
0302 0834-TWH	71/121	7404-S	93	0391-6-1A	61	0504	82/108	74022-H	84/87
0839-TWH		7410-B	93	0391-6-1A-41	61	0712	81/114	7403	88
20364	28/65/68/70/71	7410-S	93	0391-6-1AC	61	0714	80	7403-B	88
20365	28/65/70/71	8202	95	0391-6-1AC-4		0719	80	7403-S	88
DS-0400	71	8203	94	0393-1A	61	0721-Z	81	9030	35/86
FS-0300	71	8204	94	0393-1A-41	61	0735-Z	81	9031	35
FS-0500	70	8205-L	95	0393-1AC	61	0740-Z	80	9477	35
FS-0700	70	8205-R	95	0393-1AC-41	61	0745-Z	80	9477-SM	35
10-0700	70	8206-L	95	0393-6-1A	61	0751	81	R-002	85
SECURITY		8206-R	95	0393-6-1A-41	61	0751-A	81	R-003	85
ACCESSO	RIES	8206-SC-L	95	0393-6-1AC	61	0755-SS	82	R-004	85
Model	Page	8206-SC-R	95	0393-6-1AC-4		0755-Z	82	R-005	85
101-14	118	8207	94	0393-R	61	0760-Z	82	R-009	85
101-14	118	8208-L	94	0394-1A	61	0785-Z	80/81	WASTE	
105-14	118	8208-R	94	0394-1A-41	61	7301-B	81	RECEPTACLE	s
103-14	118	8209	95	0394-1AC	60/61	7301-S	81		
0198-MH	40/58/109/116	8358	94	0394-1AC-41	17/60/61	7310-B	82	Model	Page
110	117	SOAP DISPEN	ISERS	0394-6-1A	61	7310-S	82	0458	50/121
110-1	117			0394-6-1A-41	61	7311-B	82	0458-9	50/121
110-13	89/117	Model	Page	0394-6-1AC	61	7320	81	04733	50/123
110-15 110-A	117	0326	66	0394-6-1AC-4		7335	81	0815	108/120
120	117	0332	64	0397 0397-1A	62 61	7340 7340-41	17/00	0825	52/122
122	116	0332-C	64	0397-1AC		7340-41	17/80 80	0826 0827	52/122
123	116	0332-CD	64	0397-1AC	60/61	7355-24-41		0828	52/122
127	119	0332-D	64		17/61/62	7355-24-41	17/82		52/122
128-1	116	0334-B	63/68	0397-1AC-41 0661-1	17/61/62	7382	17/82 81	0829 0834	52/122
129	119	0334-S	63/68	0661-2	20/56/67/75	7385	80	0834-RB	52/121 121
130	119	0335-B	63/68	0661-T	20/56/67/75 18/20/67/75	7385-41	17/80	0834-RB	52/121
140	119	0335-S	63/68	0663-1	21/56/67/75	8425	80	0834-TWH	71/121
159	117	0336	64	0663-2	21/56/67/75	0423	00	0839	52/121
160	117	0336-D	64	0663-T	21/67/75	TOILET TISSUE		0839-RB	121
161	117	0338	63	20333	64	DISPENSERS		0839-T	52/121
162	117	0339	63	20334	64	Model	Page	0839-TWH	71/121
163	117	0345	16/66	20363	28/65	0030	86	1000	53/120
164	117	0345-41	16/66		3/65/68/70/71	0031	86	1000A	53/120
165	117	0347	16/66	20365	28/65/70/71	0032	86	1003	53/120
166	117	0347-41	16/66	5001-SS	65	0039	87	20458	26/120/122
167	117	0387	61	6326	43	0040	87	20826	26/122
168	117	0388	61	9326	35	0040	87	20826-T	26/122
169	117	0388-1A	61	9343	28/35/66	0042-41	14/16/87	6459	42/123
		0388-1AC	61 61		1/16/28/35/66	0263-1	88	64672-00	12/39/56
SHELVES		0389	61 61		.,,,	0264-1	88	64672-2	12/39/56
Model	Page	0389-1A 0389-1AC	61	SPECIALTY		0266	88	64672-41PC	15/39
0412	101		60/61	ACCESSORIE	S	0267	88	6467-9-41PC	15/38
0690	100	0349	107	-	_	0402-Z	89	6474	12/42/123
0692	100/101	0350	107	Model	Page	0402-2	89	6474-00	12/42/123
0694	100/101	0357 0359	66 67	0002-SM	81	0477-SM	89	6474-2	42/123
0698	100,101		67	0002-ASM	81 92	0477-SM-41	15/89	6474-41PC	15/42/123
20692	29/100/101	0360	62/69 65/60/71	0258-SS	83 92/115	0697-GAL	88	6474-2-41PC	15/42/123
	20/100/101	0361	65/69/71	0259-SS	83/115	0705-Z	89	7317	112/121
SHOWER/	TUB	0362	62/69/71	0481	83	0703-2	88	7317-S	112/121
ACCESSO		0362-41	16/62/69/71	0481-HC	83	0715	88	9459	34/123
Model	Page	0390	61	04813	83	110-13	89/117	94623	34/123
0010	94	0390-1A	61	04813-HC	83	20030	89/117	9474	34/123
0398	92	0390-1A-41	61	0482	83	20030	27 27	34/4	34/123
0399	92 92	0390-1AC	61	04823	83				
	92	0390-1AC-41	61	048234	83	20477-SM 6477	27/89 43		
0400			61	0483	83	04//	4.3	1	
0400 0401	92	0390-6-1A 0390-6-1A-41	61 61	04833	83	7303	89		

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
0002-SM	81	0389	61	045224	50	04813	83	0692	100/101
0002-ASM	81	0389-1A	61	045224-6	50	04813-HC	83	0694	100/101
0010	94	0389-1AC	60/61	045224-9	50	0482	83	0697-GAL	88
0030	86	0390	61	045224A-6	50	04823	83	0698	101
0031	86	0390-1A	61	045224AC	50	048234	83	0705-Z	89
0032	86	0390-1A-41	61	045224AC-6	50	0483	83	0710	88
0039	87	0390-1AC	61	045224AC-9	50	04833	83	0712	81/114
0040	87	0390-1AC-41	61	0457	50	0484	83	0714	80
0042	87	0390-6-1A	61	0457-9	50	0484-HC	83	0715	88
0042-41	14/16/87	0390-6-1A-41	61	0458	50/121	0485	83	0719	80
0135	40/58	0390-6-1AC	61	0458-9	50/121	0486	83	0721-Z	81
0165	58	0390-6-1AC-41	61	0462-AD	46	0487-L	83	0735-Z	81
0184	59	0390-ARK	61	0462-AD-9	46	0487-L-9	83	0740-Z	80
0185	59	0390-BR	61	0464	77	0487-R	83	0745-Z	80
0192	57	0390-R	61	0467	48	0487-R-9	83	0751	81
0196-00	17/54/55/57	0391-1A	61	0467-2	48	0501-X	109	0751-A	81
0196-41	17/54/55/57	0391-1A-41	61	0467-9	48	0501-1	71/109	0755-SS	82
0196-93	54/55/57	0391-1AC	61	0468	77/78	0501-2	109	0755-Z	82
0197	57	0391-1AC-41	61	0468-2	78	0501-3	109	0760-Z	82
0198-93	58	0391-6-1A	61	04684	78	0501-4	104/109	0785-Z	80/81
0198-MH	40/58/109/116	0391-6-1A-41	61	0469	44/46	0502	71	0815	108/120
0199-93	57	0391-6-1AC	61 61	0469-2 0469-9	46 46	0503	82/108	0825 0826	52/122
0210	51	0391-6-1AC-41 0393-1A	61	0469-9 0469-BL		0504	82/108	0826	52/122 52/122
0210-41 0215	14/15/51 51	0393-1A 0393-1A-41	61	0469-BL 04692	46 47	0511 0512	109 109	0827	
0215 0245-SS	51 51	0393-1A-41 0393-1AC	61	04692-6	47	0512	109	0829	52/122 52/122
0245-SS 0258-SS	83	0393-1AC 0393-1AC-41	61	04692-9	47	0515	103/106	0829	52/121
0259-SS	83/115	0393-6-1A	61	04692A	47	0533-1	103/106	0834-RB	121
0263-00	88	0393-6-1A-41	61	04692A-6	47	0533-3	103/106	0834-TD	52/121
0264-1	88	0393-6-1AC	61	04692A-9	47	0533-4	103/106	0834-TWH	71/121
0266	88	0393-6-1AC-41	61	04692AC	47	0533 SERIES	103/106	0839	52/121
0267	88	0393-R	61	04692AC-6	47	0535	72/74	0839-RB	121
0326	66	0394-1A	61	04692AC-9	47	0537	74	0839-T	52/121
0332	64	0394-1A-41	61	046921	49	0546	107	0839-TWH	71/121
0332-C	64	0394-1AC	60/61	046921-6	49	0547	107	0852	79
0332-CD	64	0394-1AC-41	17/60/61	046921-9	49	0548	108	0864	77
0332-D	64	0394-6-1A	61	046921A	49	0548-9	108	0952	106
0334-B	63/68	0394-6-1A-41	61	046921A-6	49	0551	109	0952-B	106
0334-S	63/68	0394-6-1AC	61	046921A-9	49	0556	109	0953	106
0335-B	63/68	0394-6-1AC-41	61	046921AC	49	0557	109	101-14	118
0335-S	63/68	0397	62	046921AC-6	49	0558-1	109	104	118
0336	64	0397-1A	61	046921AC-9	49	0559	109	105-14	118
0336-D	64	0397-1AC	60/61	046924	49	0600	73/74	107	118
0338	63	0397-1A-41	61	046924-9	49	0600-T	73/74	110	117
0339	63	0397-1AC-41	17/61/62	046926	48	0600-1836-41	16	110-1	117
0345	16/66	0398	92	04697	47	0600-2436-41	16/72	110-13	89/117
0345-41	16/66	0399	92	04697-4	47	0600-41	16/73	110-A	117
0347 0347-41	16/66	0400 0401	92 92	04697-9	47	0605 0620	72/74	120 122	117 116
0347-41	16/66 107	0401 0402-Z	89	04697-BL 0472	47 79	0625	72/74 72/74	123	116
0349	107	0402-Z	92	0472	79 79	0640	73/74/113	127	119
0357	66	0410-2	101	0472-1	79 79	0641	73/74/113	128-1	116
0357	67	0439	51	0473	79 79	0661-1	20/56/67/75	129	119
0360	62/69	0452	50	0473-A	79	0661-2	20/56/67/75	130	119
0361	65/69/71	0452-9	50	0473-1A	79	0661-T	18/20/67/75	140	119
0362	62/69/71	045210A	50	04733	50/123	0661-FM-14	20/76	159	117
0362-41	16/62/69/71	045210A-6	50	0477	89	0661-FM-23	20/76	160	117
0387	61	045210A-9	50	0477-SM	89	0663-1	21/56/67/75	161	117
0388	61	045210AC	50	0477-SM-41	15/89	0663-2	21/56/67/75	162	117
0388-1A	61	045210AC-6	50	0481	83	0663-T	21/67/75	163	117
0388-1AC	61	045210AC-9	50	0481-HC	83	0690	100	164	117

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
165	117	2046921AC	25	64623-00	13	7305-S	88	8209	95
166	117	2046921AC-6	25	64623-41	13	7305-41	16	8215-3	103
167	117	2046921AC-9	25	64623-41PC	15/40	7305-2-41	16	8215-4	103
168	117	20470	26/79	64623-9-41PC	15/40	7306	115	8215-5	103
169	117	20477-SM	27/89	64623-9-41	13	7307-18	115	8287	73
1000	53/120	20650 29	/72/73/74	6467	13/36/38	7307-24	115	8338	107
1000A	53/120	20650-B	74	6467-41PC	15/38	7308	112	8339	107
1001	53	20655	29/73/74	6467-9	38	7310-B	82	8340	107
1002	53	20655-B	74	6467-9-41PC	15/38	7310-S	82	8358	94
1003	53/120		9/100/101	6467-00	13	7311-B	82	8425	80
1200-SHU	94	20826	26/122	6467-41	13	7312	112	8522	51
1200-V	94	20826-T	26/122	64672	39	7313	112	8523A	51
1201-A	92/93/115	20852	26/79	64672-41PC	15/39	7314	112	8523AC	51
1201-B	93/115	3400 SERIES	90	64672-1	12/39/56	7314-H	113	9012	99
1204	93	3500 SERIES	90	64672-1-00	12/56	7315-H	113	9013	28/96/99
1214	93	3700 SERIES	90	64672-1-41	12/56	7316	113	9013-9	28/99
1224	93	3700-W	90	64672	39	7317	112/121	9014	98
1306	103	3800 SERIES	90	64672-00	12/39/56	7317-S	112/121	9015	98
1307-3	102	3800-41	90	64672-2	12/39/56	7320	81	9016	99
1307-4	102	3800-AW SERIES		64672-2-00	12/56	7322	114	9017	98
1307-5	102	3800-W	90	64672-2	12/39/56	7335	81	9017-9	98
1307-6	102	3801-41	17	64672-2-41	12/56	7340	80	9018	98
1308-3	102	3801-18-41	17/90	64676	38	7340-41	17/80	9018-9	98
1308-4	102	3801-24-41	17/90	64676-2	38	7345	80	9020	99
1315-3	103	3801-36-41	17/90	64676-9	38	7355	82	9030	35/86
1315-4	103	3801-42-41	17/90	6468	43/77	7355-24-41	17/82	9031	35
1315-6	103	3801-18AW	90/108	64684	43/77	7381	114	9326	35
20030	27	3801-24AW	90/108	646924A	39	7382	81	9343	28/35/66
20031	27	3801-36AW	90/108	646924A-9	39	7383	110/114	9343-41	14/16/28/35/66
20199	29/59	3801-42AW	90/108	646924AC	39	7385	80	9452	34
20200	29/59	3801-48AW	90/108	646924AC-9	39	7385-41	17/80	9457	34
20201	29/59	3802-48AW	90/108	64696	41	7387	114	9459	34/123
20210	27	3874	91	64696-6	41	7388	114	9462	32
20333	64	3874-M2337	91	64696-9	41	7402	87	94623	34
20334	64	4004	53	64696A	12/41	7402-H	87	9467	33
20363	28/65	5001-SS	65	64696A-6	41	74022	87	94676	33
20364	28/65/68/70/71	6326	43	64696A-9	41	74022-H	84/87	9468	34
20365	28/65/70/71	6452	42	64696A-00	12	7403	88	94684	34
20452	27	6452-9	42	64696A-41	12	7403-B	88	9469	30/32
204523A	27	645210	41	64696AC	12/41	7403-S	88	94696	33
204523A-6	27	645210A	13/41	64696AC-6	41	7404-B	93	94696A	33
204523A-9	27	645210A-6	41	64696AC-9	41	7404-S	93	94696AC	33
204523AC	27	645210A-9	41	64696AC-00	12	7410-B	93	9471	35/78
204523AC-		645210A-00	13	64696AC-41	12	7410-S	93	9474	34/123
204523AC-		645210A-41	13	6471	43/78	8026	72/74	9477	35
20458	26/120/122	645210AC	13/41	6474	12/42/123	8154	106	9477-SM	35
204623	24	645210AC-6	41	6474-41PC	15/42/123	8155	106	DS-0400	71
204623-9	24	645210AC-9	41	6474-2	42/123	8156	106	FS-0300	71
204684	26/78	645210AC-00	13	6474-00	12/123	8165	51	FS-0500	70
204684-9	26/78	645210AC-41	13	6474-2-41PC	15/42/123	8202	95	FS-0700	70
20469	22/24	6457	12/42	6477	43	8203	94	R-002	85
20469-9	24	6457-00	12	68523A	43	8204	94	R-003	85
204692A	25	6457-41	12	68523A-4	43	8205-L	95	R-004	85
204692A-6	25	6459	42/123	68523AC	43	8205-R	95	R-005	85
204692A-9	25	6462	13/38	68523AC-4	43	8206-L	95	R-009	85
204692AC	25	6462-2	38	7301-B	81	8206-R	95		
204692AC-		6462-9	38	7301-S	81	8206-SC-L	95		
204692AC-		6462-00	13	7303	89	8206-SC-R	95		
2046921A	25	6462-41	10/13	7305-2B	88	8207	94		
2046921A-6		64623	13/40	7305-2S	88	8208-L	94		
2046921A-9		64623-9	40	7305-B	88	8208-R	94		
	-	'		'			-	'	



441 Saw Mill River Rd. Yonkers, NY 10701 Phone: 914.476.9000 Fax: 914.476.0688

Web: americanspecialties.com

© 2022 American Specialties, Inc., an ASI Group Company