Washroom Accessories

n



٥



FORGET EVERYTHING YOU KNOW ABOUT WASHROOM DESIGN

Welcome to the new standard for basis of design in washrooms. So what makes ASI so unique? For starters, we are the world's leading manufacturer of commercial washroom accessories. Welcome to choice, welcome to innovations, welcome to ASI.

How to use this brochure:

This brochure offers three ways to navigate our comprehensive portfolio of washroom accessories:

Navigate by collections—a family of complementary-designed products, see pages 6 & 7.

Navigate by specific product category, see pages 8 & 9.

Navigate the index by product category or model number, see pages 126-129.



WE ARE LASER FOCUSED ON DELIVERING EXACTLY WHAT YOU NEED—WHERE AND WHEN YOU NEED IT.

ASI Group's Global Reach see how on pages 124-125.

WELCOME TO THE NEW STANDARD FOR BASIS OF DESIGN.

٥



1 WASHROOM ACCESSORIES

6

The world's leading manufacturer of commercial washroom accessories. We offer the most comprehensive selection of washroom accessories available anywhere.



2 PARTITIONS

6

3)

A wide range of partitions designed to enhance any interior.

Welcome to the ASI Group—the world's leading manufacturer of partitions, washroom accessories, lockers, and visual display products.

•

ŀ

3

4

•

•

6

2

•

•

ŀ

What makes ASI Group so unique? Only ASI Group designs, engineers, and manufactures fully integrated solutions—all of our products work together seamlessly. We offer the greatest experience in the industry with the largest product breadth delivered when and where you need them.



3 LOCKERS + BENCHES

Available to be built in any configuration matrix with multiple base options, tiers, and styles to choose from.



4 VISUAL DISPLAY PRODUCTS

1

Through constant research, innovation, and development, we design and manufacture high quality visual display products that are easy to install and require little maintenance.



OUR COLLECTIONS

SEVEN DISTINCT COLLECTIONS CURATED TO WORK IN ANY WASHROOM DESIGN

While ASI offers hundreds of individual accessories, we have simplified the specifying process with our seven distinct collections to serve your project's individual needs. And each of our seven collections was designed as a suite of products that complement one another. Welcome to aesthetics and function in perfect harmony. Welcome to the new standard for basis of design in washrooms.



Piatto[™] Collection P.10

ASI's distinctive new collection of washroom accessories is designed to stand apart by not standing out—making it integral with your washroom design. Each washroom accessory is designed to be completely recessed with concealed hinges and hardware.

NEW Matte Black Collection P.14

ASI's Matte Black Collection provides a chic alternative for modern washrooms. Carefully curated to be versatile and powder coated for added durability, these accessories are ready to make a statement in any setting. The boldness of black creates an air of sophistication, while the subtlety of the matte finish exudes warmth.






Velare[™] Collection P.18

An elegant space-saving solution, designed to tuck away clutter, this wall mounted stainless steel cabinet conceals an automatic soap dispenser, and your choice of a paper towel dispenser or high-speed hand dryer.

6



Roval[™] Collection P.22

This elegant, durable, exceptionally functional collection features subtle curves, one-piece seamless doors, and flush tumbler locks, along with fully removable waste cans, strong hinges, and integral locking system.

Profile[™] Collection P.30

Manufactured with highly durable 16 gauge stainless steel doors and 20 gauge cabinets. Concealed heavyduty piano hinges ensure smooth and long-lived operation, and rimless keyed-alike flush tumbler locks offer strong security with an elegant look.






Simplicity[™] Collection [P.36]

This elegant collection combines seamless construction and crisp design lines to provide strength and comfort, beauty and durability, form and function. 18 gauge doors and 20 gauge cabinets conceal heavyduty piano hinges.

Traditional[™] Collection P.44

This high-value collection features 22 gauge doublepan doors incorporating a "no-flex" structural fiberboard core. 22 gauge cabinets, heavy-duty piano hinges, and keyed-alike tumbler locks complete this broad product line.





BALLROOM?

NO, IT'S YOUR LOCKER ROOM.

ASI just gave the locker room a makeover—you can too. Visit **asi-storage.com/bod** to explore the new standard for basis of design in locker rooms. **Featured above are** ASI phenolic Z-lockers, ASI Alpaco[™] phenolic partitions, Piatto[™] completely recessed phenolic accessories, and our exclusive Velare[™] concealing mirror cabinet.

THE LARGEST PRODUCT BREADTH WITH OVER 3,000 WASHROOM ACCESSORIES

Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered, and manufactured everything you need from one source? Welcome to integrated solutions. Welcome to ASI.



Feminine Hygiene

Shower/Tub

Accessories

Vendors and Disposals

P. 77

P. 92

P. 104

Hand Dryers



Soap Dispensers

Specialty

Accessories



Sanitizing (NO) Touch Accessories






Grab Bars

P. 84

P. 100



Custodial Accessories



Waste Receptacles



Healthcare

Accessories

Our Paper Towel Dispensers and Combination Units can be found within our collections on pages 10–53.

Hospitality

Accessories



P. 80



Shelves

Toilet Paper

Dispensers

Security Accessories




SHOWN: 6462-41 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



$\textbf{PIATTO}^{\mathsf{T}} \complement \ 0 \ L \ L \ E \ C \ T \ I \ 0 \ \mathsf{N}$

ASI's distinctive new collection of washroom accessories is designed to stand apart by not standing out—making it integral with your washroom design. Each washroom accessory is designed to be completely recessed, lying perfectly in the plane of the washroom wall without any protrusion. The high-end door hinges, used to achieve this precise coplanar fit, are easily adjusted in the field. ¹/₂" (13 mm) Phenolic doors in matte black or white, close silently and effortlessly, and add an air of sophistication.

WHAT MAKES THE PIATTO™ COLLECTION UNIQUE?





THREE-WAY ADJUSTABLE HINGE

An innovative hinge technology allows cabinet and doors to be completely recessed, with no protrusions from the plane of the wall surface. Doors can be adjusted in the field.

- Phenolic Doors
- Completely Recessed Mounting
- Concealed Internal Spring-Loaded Latch
- No Visible Hardware







PIATTO™ WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Stainless steel receptacle holds 12 gal. (46 L) of washroom waste materials. For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

17¼" x 40" x 6% (438 x 1016 x 166 mm)

Finished Wall Opening*: $175/_{16}$ " x $401/_{16}$ " x $6^{11}/_{16}$ " (440 x 1018 x 170 mm)



ð 64672-1

PIATTO™ COMPLETELY RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER, AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Features a <15 second automatic hand dryer, dispenses 400 standard C-fold or 500 standard multi-fold paper towels with a waste capacity of 6.8 gal. (26 L). Dryer has 5-year warranty. 110-120 V. Available in 208-240 V (-2). For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 153/8" x 553/8" x 717/32"

Finished Wall Opening*: 15⁷/₁₆" x 55⁷/₁₆" x 7⁵/₈" (392 x 1408 x 194 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M

(391 x 1407 x 191 mm)





PIATTO™ PAPER TOWEL DISPENSER

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Well-suited for smaller washroom with less space and traffic. Dispenses 350 C-fold or 475 multi-fold paper towels. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 12¾" x 17¼" x 4%16" (324 x 438 x 116 mm)

Finished Wall Opening*: 12¹³/₁₆" x 17⁵/₁₆" x 4³/₄" (325 x 440 x 121 mm)





64696A/AC PIATTO™ AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. No-touch unit dispenses a pre-set length per cycle from 8" (203 mm) wide, 800 ft. (244 m) long rolls. Includes 9.9 gal. (37.3 L) stainless steel waste receptacle. Battery powered. Available in AC Powered (AC). For matte black phenolic door use suffix -41, for white use -00.

Unit Size: $16^{1}/_{16}$ " x $41^{1}/_{4}$ " x $9^{1}/_{16}$ " (408 x 1048 x 246 mm)

Finished Wall Opening*: 161/8" x 415/16" x 10" (410 x 1049 x 254 mm)

ALL STAINLESS STEEL IS TYPE 304 WITH SATIN FINISH. UNLESS OTHERWISE NOTED.

*All Piatto™ models require finished wall openings for installation. The edges of the finished wall opening are meant to be visible after installation, hence edges must be flat, square, straight, and plumb-no rough or unsightly edges.

PIATTO™ COLLECTION





PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Dispenses 600 C-fold, 800 multi-fold, or 1,100 single-fold towels. 9 gal. (34 L) stainless steel waste receptacle. Towel dispensing slot has hemmedin rolled edge for snag-free dispensing and user safety. For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

17¼" x 54" x 6%16" (438 x 1372 x 166 mm) Finished Wall Opening*: $17^{5}/_{16}$ " x $54^{1}/_{16}$ " x $6^{1}/_{16}$ " (440 x 1373 x 170 mm)





PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Dispenses 600 C-fold or 800 multi-fold paper towels. Towel dispensing slot has hemmed-in rolled edge for snag-free dispensing and user safety. Includes 4.24 gal. (16 L) stainless steel waste receptacle. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 13" x 55" x 4% (330 x 1397 x 116 mm)

Finished Wall Opening*: 13¹/₁₆" x 55¹/₁₆" x 4¹¹/₁₆" (332 x 1399 x 119 mm)



ð 64623 PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Well-suited for the smaller washroom with less space and traffic. Dispenses 350 C-fold or 475 multi-fold paper towels. Includes 2.2 gal. (8.4 L) stainless steel waste receptacle. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 14¼" x 28" x 4%16" (362 x 711 x 116 mm)

Finished Wall Opening*: 14⁵/₁₆" x 28¹/₁₆" x 4¹¹/₁₆" (364 x 713 x 119 mm)





PIATTO™ AUTOMATIC ROLL PAPER TOWEL DISPENSER

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Proximity sensing no-touch unit dispenses an owner-adjustable length per cycle from 8" (203 mm) wide, 800 ft. (244 m) long rolls. Battery powered. Available in AC Powered (AC). For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 16¹/₁₆" x 28" x 9¹³/₁₆" (408 x 711 x 248 mm)

Finished Wall Opening*: 16¹/₈" x 28¹/₁₆" x 10" (410 x 713 x 254 mm)





SHOWN: 0042-41 JUMBO ROLL TOILET TISSUE DISPENSER, 0210-41 SURFACE MOUNTED PAPER TOWEL DISPENSER, AND 9343-41 LIQUID SOAP DISPENSER



NEW MATTE BLACKCOLLECTION

ASI's Matte Black Collection provides a chic alternative for modern washrooms. Carefully curated to be versatile and powder coated for added durability, these accessories are ready to make a statement in any setting. The boldness of black creates an air of sophistication, while the subtlety of the matte finish exudes warmth. Born out of the desire for something new and contemporary without sacrificing reliability that comes from the proven, this collection is easily paired with a wide variety of washroom accessories and toilet partitions, ranging from phenolic and plastic laminate to powder coated or stainless steel.



64672-41PC

ð

SIMPLICITY[™] IN MATTE BLACK **RECESSED 3-IN-1 CABINET-PAPER** TOWEL DISPENSER, WASTE **RECEPTACLE, AND HIGH-SPEED** HAND DRYER

Cabinet dispenses 500 standard multi-fold or 400 standard C-fold paper towels and has a waste capacity of 6.8 gal. (26 L). 18 gauge stainless steel door, with matte black powder coated finish.

*Hand Dryer sold separately.

Unit Size: 15%" x 55%" x 7½" (391 x 1407 x 191 mm)

Wall Opening:

143/32" x 543/8" x 71/4" (358 x 1381 x 184 mm)



6467-41PC

SIMPLICITY[™] IN MATTE **BLACK RECESSED PAPER TOWEL DISPENSER & WASTE** RECEPTACLE

This recessed matte black powder coated stainless steel unit dispenses 600 C-fold or 800 multi-fold paper towels and has a 4.2 gal. (16 L) waste receptacle. 18 gauge door held closed with two (2) tumbler locks. Waste receptacle has a rolled edge finger hole for easy servicing.

Unit Size: 13" x 55" x 4¾"

(330 x 1397 x 121 mm) (292 x 1359 x 102 mm)

Wall Opening:

11½" x 53½" x 4

MODEL OPTION:

6467-9-41PC Surface mounted with a matte black powder coated stainless steel collar.



6474-41PC SIMPLICITY[™] IN MATTE BLACK RECESSED WASTE RECEPTACLE

Matte black powder coated stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials. 18 gauge door is held closed with two (2) tumbler locks to prevent unauthorized access or removal.

Unit Size:

ð

 $17\frac{1}{4} \times 40^{\circ} \times 6\frac{3}{4}$ (438 x 1016 x 171 mm)

Wall Opening: 15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)

MODEL OPTION:

6474-2-41PC Semi-recessed with a matte black powder coated stainless steel collar.



ð

64623-41PC SIMPLICITY[™] IN MATTE BLACK **RECESSED PAPER TOWEL DISPENSER AND WASTE** RECEPTACLE

Dispenses 350 C-fold or 475 multifold paper towels. Includes 2.2 gal. (8.4 L) stainless steel waste receptacle. 18 gauge door is held closed with tumbler lock.

Unit Size: 14¼" x 28" x 4¾" (362 x 711 x 121 mm) (324 x 673 x 108 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄"

MODEL OPTION:

64623-9-41PC Surface mounted with a matte black powder coated stainless steel collar.



MATTE BLACK SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with matte black powder coated finish, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with a tumbler lock and heavy-duty stainless steel piano hinge.

Overall Dimensions:

111/8" x 145/8" x 4" (282 x 371 x 101 mm)





This surface mounted unit dispenses 250 single or half-fold seat covers and is fabricated of 22 gauge stainless steel with a matte black powder coated finish.

Unit Size: 15¾" x 11" x 1⁷%" (400 x 279 x 48 mm)





0362-41

AUTOMATIC LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Stainless steel soap and gel hand sanitizer dispenser in matte black finish has a capacity of 27 oz. (.8 L) and includes a tamper-resistant sight gauge.

Overall Dimensions: 4¹³/₁₆" x 10⁵/₈" x 4¹/₈" (122 x 270 x 105 mm)



ී 0347-41

VERTICAL SOAP DISPENSER 0345-41 HORIZONTAL SOAP DISPENSER

40 fl. oz. (1.2 L) capacity liquid soap dispenser in stainless steel with matte black powder coated finish comes with an all-purpose valve and a tamper-resistant sight gauge.

0347 Unit Size: 4¹³/₁₆" x 8³/₁₆" x 3¹⁵/₁₆" (122 x 208 x 100 mm)

Spout projection: 15/16" (24 mm)



3 9343-41 LIQUID SOAP DISPENSER

Matte black powder coated stainless steel liquid soap dispenser has a capacity of 48 fl. oz. (1.4 L). Includes a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions: 7¹⁄₄" x 6¹⁄₂" x 3¹¹⁄₁₆" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



0042-41 JUMBO ROLL TOILET TISSUE DISPENSER

Holds one roll up to 10" (254 mm) diameter of 15%" or 21/4" (41 or 57 mm) diameter core. Constructed of stainless steel with a matte black powder coated finish. Unit has viewing slot and tumbler lock.

Overall Dimensions: 105%" x 105%" x 4¹/2" (270 x 270 x 114 mm)







7305-2-41 DOUBLE TOILET TISSUE HOLDER

Fabricated of stainless steel with matte black powder coated finish. Includes chrome plated rollers and holds one (or two for -2 model) 1800 sheet standard core roll. Heavy gauge concealed bracket mounts on wall.

7304-41 Dimensions: 7³/₄" × 2" × 3⁷/₆" (207 × 51 × 98 mm)

7305-2-41 Dimensions: 13¹/₂" x 2" x 3⁷/₈" (343 x 51 x 98 mm)



0600-41 INTER-LOK ANGLE FRAME MIRROR

3/4" x 5/6" (19 x 16 mm) roll formed 18 gauge stainless steel angle frame has corners heliarc welded, ground and polished smooth. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamperproof set screws.

MODEL OPTIONS:

0600-1836-41 – 18" wide x 36" high (457 x 914 mm)

0600-2436-41 – 24" wide x 36" high (610 x 914 mm)



0196-41 TURBO-PRO™ HIGH-SPEED ADA HAND DRYER

Elegant ADA-compliant, high-speed, automatic hand dryer. A HEPA filter is used to purify the air before it dries hands. The dryer provides operating flexibility-the owner controls air temperature as well as air speed. Fast drying, <15 seconds. Available in 110-120 V (-1) and 208-240 V (-2).

Overall Dimensions: 85/8" x 139/16" x 4" (219 x 345 x 102 mm)

Decibel Level: 68-73.8 dB-A @ 2M



0397-1AC-41 EZ FILL™ WATER FAUCET

0394-1AC-41 EZ FILL™ FOAM SOAP DISPENSER

EZ Fill™ Top Fill Multi-Feed Soap Dispensing System allows for refill of up to 6 liquid or foam soap dispensers with one pour. The 6L (203 oz.) tank is ideal for high-traffic environments.

Complete the look with the matching EZ Fill™ Water Faucet.

See all EZ Fill™ model options on page 61.



3801-41 STRAIGHT GRAB BAR

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 31/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel.

MODEL OPTIONS: **3801-18-41** – 18" (457 mm) **3801-24-41** – 24" (610 mm) 3801-36-41 - 36" (914 mm) 3801-42-41 - 42" (1067 mm)



ð 7385-41 TOWEL RING

For bath and hand towels. Support post is ½" x 1" (13 mm x 25 mm) rectangular tubing with formed mounting flange and bracket welded on end. Ring formed from 1/4" diameter (Ø6.4 mm) stainless steel rod with matte black powder coated finish.

Unit Size:

4½" x 5" x 2½" (114 x 127 x 64 mm)



ð 7355-24-41 TOWEL BAR - 24"

3/4" (19 mm) diameter towel bar and mounting bracket are fabricated of stainless steel with a matte black powder coated finish. Extends 31/4" (83 mm) from wall.

Unit Size: 24" x 2" x 3¹/4" (106 x 51 x 83 mm)



ð 7340-41 SINGLE ROBE HOOK

Hook extends 2" (51 mm) from wall and is suitable for a robe or clothing and small carry bags. Fabricated from stainless steel with a matte black powder coated finish.

Unit Size:

2" x 2" x 2" (51 x 51 x 51 mm)



SHOWN: 0661-T VELARE™ BTM SYSTEM – STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER



VELARE[™]COLLECTION

An elegant space-saving solution, designed to tuck away clutter, this wall mounted stainless steel cabinet conceals an automatic soap dispenser, and your choice of a paper towel dispenser or highspeed hand dryer (Dryer Model 0196—equipped with a HEPA filter). The sophisticated design is ideal for iconic buildings—the dispensing capacity makes it ideal for any high-traffic environment. Another reason to specify ASI!

WHAT MAKES THE VELARE™ COLLECTION UNIQUE?



ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP DISPENSER, AND YOUR CHOICE OF PAPER TOWEL DISPENSER OR HAND DRYER—NOW AVAILABLE WITH MIRROR FILLERS FOR FLEXIBILITY.

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The $\frac{1}{4}$ " thick tempered glass mirror, supported by twin, damped gas springs, opens up to 90° for easy maintenance.







0661-1

VELARE[™] STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

Designed with elegance and safety in mind, this wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare[™] Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208-240 V).

Overall Dimensions:

23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192)



0661-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions: $23\frac{5}{8}$ " x $35\frac{7}{16}$ " x $7\frac{9}{16}$ " (600 x 900 x 192)



0661-FM-14 VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted stainless steel cabinet filler module provides spacing between other Velare[™] BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

14¾" x 35½6" x 7%6" (375 x 900 x 192)



0661-FM-23 VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

23¹/₄" x 35⁷/₁₆" x 7⁹/₁₆" (591 x 900 x 192)

VELARE™ COLLECTION



0663-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare™ Stainless Steel Cabinet with Foam Soap and Hand Dryer (208-240 V).

Overall Dimensions:

23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192)



0663-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192)

Aptly named **Velare**[™], which means to veil, this elegant, space-saving mirror cabinet lives up to its name by concealing a soap dispenser (liquid or foam) and your choice of a high-speed hand dryer or paper towel dispenser.

Velare[™] minimizes the hazards of water spilling on the floor by housing soap and drying components directly above the sink. The mirror, made of ¼" thick tempered glass with pencil edges, is supported by twin damped gas springs, which allow the cabinet to be opened up to 90° for easy maintenance.

Backlit icons etched into the mirror intuitively indicate soap and drying options, making this cabinet both elegant and easy to use. This marriage of elegance, safety, and functionality makes Velare™ ideal for a wide range of building types, from sophisticated corporate headquarters to high-traffic washrooms in entertainment centers and airports.





SHOWN: 20469 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



ROVAL[™]COLLECTION

Engineered for high-profile settings, this collection adds elegance, durability, and exceptional functionality to any washroom without becoming the focal point. This collection is ideal for the most aesthetically demanding applications. All features are functionally superior, quickly installed, and easily maintained.

WHAT MAKES THE ROVAL™ COLLECTION UNIQUE?



STAINLESS STEEL CONSTRUCTION

Our collection is constructed of stainless steel, which is tough, durable, stainresistant, and easy to clean.



INTEGRAL LOCKING SYSTEM

Our durable, integral locking system prevents tampering and theft.



STAKED PIANO HINGES

Our heavy-duty, staked piano hinges provide security and a neat appearance, and they stand up to heavy use.



REMOVABLE WASTE RECEPTACLE

Fully removable waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.



MANUAL AND AUTOMATIC PAPER TOWEL/ TOILET TISSUE DISPENSERS



MIRRORS



AUTOMATIC HAND DRYERS





204623

ROVAL™ RECESSED PAPER TOWEL DISPENSER AND REMOVABLE WASTE RECEPTACLE

Dispenses 350 C-fold, 475 multi-fold paper towels. 3.0 gal. (11.2 L) removable stainless steel waste receptacle with a tumbler lock. 22 gauge stainless steel door in a satin finish with a flush lock and a heavy-duty $3/6^{\circ}$ staked piano hinge on door.

MODEL OPTION:

204623-9 Surface mounted with a stainless steel collar.

Unit Size:

12³/₄" x 28" x 6¹/₂" (325 x 710 x 165 mm)

Wall Opening: 111¼" x 267/16" x 315/16" (286 x 672 x 100 mm)



20469

ROVAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 14.8 gal. (56 L) removable waste receptacle. Door made of 18 gauge stainless steel with a heavy-duty $3\!\!\!/_{16}$ " staked piano hinge.

MODEL OPTION:

20469-9 Surface mounted with a stainless steel collar.

Unit Size: 17³/₈" x 56¹/₁₆" x 9" (441 x 1424 x 228 mm) **Wall Opening:** 15%" x 54%" x 4" (397 x 1381 x 102 mm)



204692A

ROVAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge stainless steel. 17.8 gal. (67.2 L) removable waste receptacle. Towel length is determined by owner by setting length, delay, and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with a stainless steel collar.
-9: Surface mounted with a stainless steel collar.

Unit Size: 17³/₈" x 56¹/₁₆" x 11¹¹/₁₆" (441 x 1424 x 297 mm) **Wall Opening:** 15¹³/₁₆" x 54¹¹/₁₆" x 10" (402 x 1389 x 254 mm)



ROVAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADA COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows unit to be ADA compliant. Cabinet and frame fabricated of 22 gauge stainless steel. Internal shelf is ideal for paper towel storage. Towel length is determined by owner by setting length, delay, and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with a stainless steel collar.
-9: Surface mounted with a stainless steel collar.

Unit Size: 17³/₈" x 56¹/₁₆" x 11¹¹/₁₆" (441 x 1424 x 296 mm) Wall Opening: 15¹³/₁₆" x 54¹¹/₁₆" x 10" (402 x 1389 x 254 mm)





20826

ROVAL™ SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge stainless steel with satin finish. 12.8 gal. (48.4 L) waste capacity.

MODEL OPTION:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.4 L).

Overall Dimensions:

15½" x 23" x 8½" (384 x 584 x 216 mm)



20458

ROVAL[™] SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance-removable 20 gauge stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Frame and cabinet fabricated of 22 gauge stainless steel with satin finish.

Unit Size: 17³/₈" x 27³/₄" x 8¹⁵/₁₆" (441 x 705 x 227 mm) Wall Opening: 15³/₄" x 26" x 3¹⁵/16" (400 x 660 x 100 mm)





SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty %4" multi-staked concealed piano hinge. Cabinet top and body fabricated of 22 gauge stainless steel. 1 gal. (3.7 L) waste capacity.

Overall Dimensions:

7¼" x 10" x 3½" (185 x 253 x 89 mm)





ROVAL™ RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty %4" staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge stainless steel with a satin finish. 1.0 gal. (3.7 L) waste capacity.

Unit Size: $12^{13}/_{16}$ " x 11" x $5^{7}/_{16}$ " (325 x 280 x 138 mm)

Wall Opening: 15¾" x 26" x 3¹⁵⁄16" (400 x 660 x 100 mm)



204684 ROVAL™ RECESSED DUAL SANITARY NAPKIN AND TAMPON VENDOR

Dispenses 31 napkins and 22 tampons. Door has 18 gauge satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION:

204684-9 Surface mounted with a stainless steel collar.

Unit Size:

17⁵/₁₆" x 27³/₄" x 5⁵/₈" (440 x 705 x 143 mm) Wall Opening:

15¾" x 261/8" x 4" (397 x 664 x 102 mm)

ROVAL[™] COLLECTION



20452

ROVAL[™] RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Door fabricated of 18 gauge drawn one-piece stainless steel with satin finish. Door secured with 3/16" staked piano hinge and flush tumbler lock.

Overall Dimensions: 12³/₄" x 28" x 5⁷/₁₆

(324 x 711 x 137 mm)



204523A

ROVAL[™] AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish. Towel length is determined by owner by setting length, delay, and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless steel collar. -9: Surface mounted with a stainless steel collar.

Unit Size:

17³/₈" x 27³/₄" x 11¹¹/₁₆" (441 x 705 x 297 mm)

Wall Opening: 15¾" × 26" × 10" (400 × 660 × 254 mm)



20210 ROVAL[™] SURFACE MOUNTED PAPER TOWEL DISPENSER

Dispenses 400 C-fold or 525 multi-fold paper towels. Fabricated of 22 gauge stainless steel with satin finish. Fitted with tumbler lock and heavy-duty stainless steel staked piano hinge.

Overall Dimensions: 11¹/₁₆" x 13⁹/₁₆" x 4⁷/₈" (281 x 345 x 124 mm)



20030 **ROVAL™ SURFACE MOUNTED** TWIN HIDE-A-ROLL TOILET TISSUE DISPENSER

Holds 2 rolls up to 5.25" (133 mm) diameter (double roll capacity 3600 sheets); top roll automatically drops in place when bottom roll is used up. Fabricated of 22 gauge satin finish stainless steel. Theft-resistant spindles with integral plated steel endpins.

MODEL OPTION:

20031 With flange for semi-recessed mounting.

Overall Dimensions: 6¹/₁₆" x 12¹/₈" x 6¹/₂" (154 x 308 x 165 mm)





20477-SM ROVAL[™] SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge stainless steel with a satin finish.

Overall Dimensions: 15¾" x 11" x 2¾" (400 x 280 x 60 mm)





9013 RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is fungus-, bacteria-, and high-impact-resistant plastic for easy cleaning. Its two-part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with a stainless steel collar.

Closed:

37" x 25½" x 3/8"

(940 x 648 x 10 mm)

Overall Dimensions:

Open: 37" x 25½" x 17¾" (940 x 648 x 451 mm)

Wall Opening:

34¼" x 22¾" x 3¾" (870 x 578 x 95 mm)



ි් 9343

HORIZONTAL SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid soaps with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

MODEL OPTION: NEW 9343-41 Matte Black.

Overall Dimensions: 7¼" x 6½" x 3½"6" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)





20365 ROVAL[™] AUTOMATIC SURFACE MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free foam soap and hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).

Overall Dimensions: 51/2" x 103/4" x 4"

(140 x 273 x 102 mm)



ð

20364 ROVAL[®] AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). d.

Overall Dimensions: 5½" × 10%" × 4" (140 × 276 × 102 mm)



20363 ROVAL[™] SURFACE MOUNTED LIQUID SOAP DISPENSER

Push button operation, valve needs no more than 5 lbs. of pressure to actuate. Dispenses liquid soap Capacity: 57 oz. (1.7 L).

Overall Dimensions:

5½" x 10¹%₁₆" x 4" (139 x 274 x 102 mm) Spout Projection: ¹⁵%" (24 mm)







ROVAL[™] SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Unit Size: 11" x 15¹/₂" x 5²³/₃₂" (279 x 394 x 145 mm)

Decibel Level: 69 dB-A @ 2M

Wall Opening: 10¹⁄₂" x 145%" x 3¹⁄₄" (267 x 371 x 83 mm)







TRI-Umph[™] HIGH-SPEED HAND DRYER

Satin look cover: ABS plastic with silver ions. Ergonomic no need to bend over or bend knees. Air blows down and back from vents above. No water splash-back. Ultra hygienic—over 99% of airborne bacteria is eliminated with the removable Triple HEPA Filter System. 5-year warranty. Optional voltages available.

Overall Dimensions:

12¹/₁₆" x 231⁄₆" x 7¾" (322 x 588 x 196 mm)

Decibel Level: 62.9-67.2 dB-A @ 2M





20655 ROVAL[™] STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

The gently radiused edges provide added strength and complement the curves of the ASI Roval[™] Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Choice of sizes.

MODEL OPTION: 20650 Mirror without shelf.



20692 ROVAL[™] SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel, the 6" wide shelf has a ¾" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval™ Collection. Choice of sizes.

Overall Dimensions: 6" x 12"-72" (152 x 305-1829 mm)




SHOWN: 9469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



PROFILE[™]COLLECTION

Manufactured with highly durable stainless steel doors and cabinets, this visually appealing collection with rounded edges stands the test of time. Its concealed hinges ensure smooth and long-lived operation, and its locks offer strong security.









ී 9469

PROFILE[®] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. Door and 13 gal. (49 L) waste receptacle fabricated of 16 gauge stainless steel.

Unit Size: 17¹/₄" x 56" x 5³/₁₆" (438 x 1422 x 132 mm) **Wall Opening:** 15¾" x 54½" x 4" (400 x 1384 x 102 mm)



PROFILE[®] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 16 gauge stainless steel door. 9 gal. (34 L) stainless steel waste receptacle.

Unit Size: 17¹⁄₄" x 54" x 6¹⁵⁄₁₆" (438 x 1372 x 176 mm)

ð

9462

Wall Opening: 15¾" x 52½" x 6" (400 x 1334 x 152 mm)





PROFILE[®] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.5 gal. (17 L) stainless steel waste receptacle. 16 gauge stainless steel door.

MODEL OPTIONS:

94676 dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold towels and has push door. 8 gal. (30 L) waste capacity.

9467

Unit Size: 13" x 55" x 5³/₁₆" (330 x 1397 x 132 mm) Wall Opening: 11½" × 53½" × 4¼" (292 × 1359 × 108 mm)

94676 Unit Size: 13" x 55" x 7³/₁₆" (330 x 1397 x 183 mm)

Wall Opening: 11¹/₂" x 53¹/₂" x 6¹/₄" (292 x 1359 x 159 mm)





PROFILE[®] AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 16 gauge stainless steel door. 10 gal. (37.8 L) stainless steel waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A]

A: Powered by 4 D-size batteries (not included). 94696: Mechanical lever dispenser.

Unit Size: 16¹/₁₆" × 41¹/₄" × 10¹¹/₁₆" (408 × 1048 × 272 mm) **Wall Opening:** 145%" x 3934" x 10" (371 x 1010 x 254 mm)





94623

PROFILE[®] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels and has a built-in 2 gal. (7.6 L) stainless steel waste receptacle. 16 gauge stainless steel door.

Unit Size:

14¹/₄" x 28" x 4¹⁵/₁₆" (362 x 711 x 125 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)



9452 PROFILE[™] RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. 16 gauge stainless steel door.

Unit Size: $14\frac{1}{4} \times 28 \times 4\frac{15}{16}$ (362 x 711 x 125 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)



9457 **PROFILE[™] RECESSED PAPER** TOWEL DISPENSER

Dispenses 350 C-fold or 475 multi-fold paper towels. 16 gauge stainless steel door.

Unit Size: $12\frac{3}{4}$ x $17\frac{1}{4}$ x $4\frac{15}{16}$ (324 x 438 x 125 mm)

Wall Opening: 111/4" x 153/4" x 41/4" (286 x 400 x 108 mm)



9459 PROFILE[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a selfclosing panel that covers its opening. 16 gauge stainless steel door.

Unit Size:

ð

14¼" x 28" x 4¹⁵/₁₆" (362 x 711 x 125 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)

ð 9474 PROFILE" RECESSED WASTE RECEPTACLE Stainless steel waste receptacle holds 12 gal. 45.4L) of washroom waste materials. 16 gauge stainless steel door. Unit Size 17¹/₄" x 40" x 7³/₁₆" (438 x 1016 x 183 mm)

Wall Opening: 15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)



9468 **PROFILE[™] RECESSED DUAL** NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons using 25¢, 50¢, or free operation. Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock. 16 gauge stainless steel door.

MODEL OPTION:

94684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17¹/₄" x 27¹/₄" x 6¹⁵/₁₆" (438 x 692 x 176 mm)

Wall Opening: 16" x 26" x 6¹/₄" (406 x 660 x 159 mm) 6



PROFILE[™] RECESSED SANITARY NAPKIN DISPOSAL

Stainless steel unit features a self-closing push door that covers the disposal opening along with a removable 1.8 gal. (7 L) waste receptacle and 16 gauge stainless steel door.

Unit Size:

10⁵/₈" x 19⁵/₈" x 4¹⁵/₁₆" (270 x 498 x 125 mm)

Wall Opening: 91/8" x 181/8" x 41/4" (232 x 460 x 108 mm)



9326 PROFILE[™] RECESSED LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid soap, with a capacity of 52 fl. oz. (1.5 L).

Unit Size: 10¹⁄₄" x 6" x 7³⁄₁₆" (260 x 152 x 183 mm)



9343 PROFILE[™] SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid soap, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

MODEL OPTION: NEW 9343-41 Matte Black.

Overall Dimensions: 7¹⁄₄" x 6¹⁄₂" x 3¹¹⁄₁₆" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



ී 9477

PROFILE[™] RECESSED TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers. Fabricated of 16 gauge stainless steel.

MODEL OPTION: 9477-SM Surface mounted. Dispenses 250 seat covers.

Overall Dimensions: 171/4" x 123/4" x 35/16" (438 x 324 x 84 mm)

Wall Opening: 15¾" x 11½" x 2½" (400 x 292 x 64 mm)



9030 PROFILE[™] SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to $5^{1/4''}$ (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions: 6" x 12" x 6¹/₄" (152 x 305 x 159 mm)



9031 PROFILE[™] RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to $5^{1/4''}$ (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Unit Size:

8" x 14" x 6¼" (203 x 356 x 159 mm) with flange for recessing

Wall Opening:

6¹/₄" x 12¹/₄" x 3³/₈" (159 x 311 x 86 mm)




SHOWN: 6467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



SIMPLICITY[™]COLLECTION

Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty, and durability.

All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.





.



SIMPLICITY[™] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 800 multi-fold or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS: 6462-2 Semi-recessed with a stainless steel collar. 6462-9 Surface mounted with a stainless steel collar.

Unit Size: 17¹⁄₄" x 54" x 6¹⁄₂" (438 x 1372 x 165 mm)

Wall Opening: 15¾" x 52½" x 6" (400 x 1335 x 152 mm)



SIMPLICITY[™] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

0

0

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.24 gal. (16 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 6467-41PC Matte Black 6467-9 Surface mounted with a stainless steel collar. NEW 6467-9-41PC Surface mounted with a matte black stainless steel collar.

Unit Size: 13" x 55" x 4¾" (330 x 1397 x 121 mm)

Wall Opening: 11¹/₂" x 53¹/₂" x 4" (292 x 1359 x 102 mm)

ී 64676

SIMPLICITY[®] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-Fold, 800 multifold, or 1100 single-fold towels. 7 gal. (26.5 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

64676-2 Semi-recessed with a stainless steel collar. **64676-9** Surface mounted with a stainless steel collar.

Unit Size: 13" x 55" x 6½" (330 x 1397 x 165 mm)

Wall Opening: 11½" x 53½" x 6" (292 x 1359 x 152 mm)







646924A

SIMPLICITY™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 mm) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-9, AC, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -9: Surface mounted with a stainless steel collar.

Unit Size: 17¼" x 56" x 10¼" (438 x 1422 x 260 mm) Wall Opening: 15¾" x 54½" x 4" (400 x 1384 x 102 mm)





64672-1 SIMPLICITY™ RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER AND WASTE RECEPTACLE

Paper towel dispenser with waste receptacle and < 15 second automatic hand dryer. Dispenses 500 multi-fold or 400 C-fold paper towels, and has a waste capacity of 6.8 gal. (26 L). 18 gauge stainless steel door. Dryer has 5-year warranty. 110-120 V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240 V Dryer. 64672 Cabinet only—no hand dryer included. NEW 64672-41PC Cabinet Only—Matte Black.

Unit Size: 15³/₈" x 55³/₈" x 7¹/₂" (391 x 1407 x 191 mm)

Wall Opening: 14³/₃₂" x 54³/₈" x 7¹/₄" (358 x 1381 x 184 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





39



ð

0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments angled top, welded corners and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Optional voltages available.

Unit Size: 12⁵/₈" x 15³/₄" x 5⁴/₁₆" (320 x 400 x 140 mm)

Wall Opening: 11⁷/₈" x 14³/₄" x 5¹/₈" (303 x 376 x 130 mm)

Decibel Level: 66 dB-A @ 2M





TURBO-TUFF RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, operates automatically using infrared sensor with auto-resetting thermostat. Owneradjustable air speed and temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Unit Size: 12¹/₃₂" x 15³/₄" x 4¹/₁₆" (320 x 400 x 103 mm)

Wall Opening: 12⁵/₁₆" x 15³/₁₆" x 3⁷/₈" (313 x 386 x 98 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M







SIMPLICITY[™] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multifold paper towels. 2.2 gal. (8.4 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 64623-41PC Matte Black. 64623-9 Surface mounted with a stainless steel collar. NEW 64623-9-41PC Surface mounted with a matte black stainless steel collar.

Unit Size: 14¼" × 28" × 4¾" (362 × 711 × 121 mm)

Wall Opening: 12¾" x 26½" x 4¼" (324 x 673 x 108 mm)

GreenSpec





Proximity sensing no-touch recessed unit dispenses an owner-adjustable length per cycle from 8" (205 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 20 gauge stainless steel with satin finish.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless steel collar. -9: Surface mounted with a stainless steel collar.

Unit Size: 16³/₅₀" x 28" x 9" (408 x 711 x 229 mm)

Wall Opening: 15³/₄" x 26¹/₂" x 10¹/₄" (400 x 673 x 260 mm)



ී 64696

SIMPLICITY" RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in pre-set lengths per stroke. 9.2 gal. (34.8 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS: 64696-6 Semi-recessed with a stainless steel collar. 64696-9 Surface mounted with a stainless steel collar.

Unit Size: 16¹⁄₁₆" x 41¹⁄₄" x 9⁵⁄₈" (408 x 1048 x 245 mm)

Wall Opening: 14%" x 39¾" x 9¼" (371 x 1010 x 235 mm)



ð

64696A SIMPLICITY[™] AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 9.9 gal. (37.3 L) stainless steel waste receptacle. 18 gauge stainless steel door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless steel collar. -9: Surface mounted with a stainless steel collar.

Unit Size: 16¹/₁₆" x 41¹/₄" x 10¹/₄" (408 x 1048 x 261 mm)

Wall Opening: 145%" × 393/4" × 10" (371 × 1010 × 254 mm)





6457 SIMPLICITY[™] RECESSED PAPER TOWEL DISPENSER

Well-suited for the smaller washroom with less space and traffic, this unit dispenses 350 C-fold or 475 multi-fold paper towels. 18 gauge stainless steel door.

Unit Size: 12¾" x 17¼" x 4½" (324 x 438 x 114 mm)

Wall Opening: 111/4" x 153/4" x 41/4" (286 x 400 x 108 mm)



6452

ð

SIMPLICITY[™] RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. 18 gauge stainless steel door.

MODEL OPTION: 6452-9 Surface mounted with a stainless steel collar.

Unit Size: 14¹⁄₄" x 28" x 4¹⁄₂" (362 x 711 x 114 mm)

Wall Opening: 12¾" x 26½" x 4¼" (324 x 673 x 108 mm)



645224AC SIMPLICITY™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/ MOUNTING: [A, A-6, AC, AC-6, AC-9]

AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless steel collar.

-9: Surface mounted with a stainless steel collar.

645224: Mechanical lever dispenser. Unit Size: Wall Openin

17¼" x 30½" x 10¼" (438 x 775 x 260 mm) **Wall Opening:** 15¾" x 29" x 4" (400 x 737 x 102 mm)





SIMPLICITY[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 18 gauge stainless steel door.

Unit Size: 14¼" × 28" × 4½" (362 × 711 × 114 mm) Wall Opening: 12¾" x 26½" x 4¼" (324 x 673 x 108 mm)



SIMPLICITY[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.

MODEL OPTIONS:

NEW 6474-41PC Matte Black. 6474-2 Semi-recessed with a stainless steel collar. NEW 6474-2-41PC Matte Black.

Unit Size: 17¹/₄" × 40" × 6³/₄" (438 × 1016 × 171 mm) Wall Opening:

15¾" x 38½" x 6¼" (400 x 978 x 159 mm)

SIMPLICITY[™] COLLECTION





SIMPLICITY[™] RECESSED DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or –F). Door has 2 tumbler locks, inside coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17¹/₄" × 27¹/₄" × 6¹/₂" (438 × 692 × 165 mm) **Wall Opening:** 16" x 26" x 6¹/₄" (406 x 660 x 159 mm)





SIMPLICITY" AUTOMATIC SEMI-RECESSED ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" standard towel roll up to 800 ft. (244 m) long and has stub roll capability for continuous dispensing.

MODEL OPTION:

68523A battery operated, surface mounted. 68523AC roll towel dispenser, 110-240 VAC, surface mounted.

68523AC-4 roll towel dispenser, 110-240 VAC, semirecessed.

Unit Size:

17⁵/₁₆" x 20³/₈" x 9¹/₂" (440 x 518 x 241 mm) Wall Opening: 15%" x 19" x 4" (391 x 483 x 102 mm)



6471 SIMPLICITY[™] RECESSED SANITARY NAPKIN DISPOSAL

ð

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle. 18 gauge stainless steel door.

Unit Size: 10⁵/₈" x 19⁵/₈" x 4¹/₂" (270 x 498 x 114 mm)

Wall Opening: 91%" x 181%" x 4" (232 x 460 x 102 mm)



ී 6477

SIMPLICITY[™] RECESSED TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers. 18 gauge stainless steel door.

Unit Size: 17¹/₄" x 12³/₄" x 2⁷/₈" (438 x 324 x 73 mm)

Wall Opening: 15¾" × 11½" × 2¾" (400 × 292 × 60 mm)





SHOWN: 0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



TRADITIONAL[™]COLLECTION

This time-honored collection provides exceptional value, offering a broad array of items for wellequipped washrooms. Double-pan doors incorporate a "no-flex" structural fiberboard core. Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty, and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE TRADITIONAL[™] COLLECTION UNIQUE? MMM Θ GAUGE STAINLESS STEEL EASY LIFT OUT **DOUBLE-PAN DOORS** SAFE EASY CONSTRUCTION DISPENSING RECEPTACLE The double-pan doors incorporate a "no-flex" structural fiberboard Fabricated with 22 gauge Towel dispensers have Fully removable stainless stainless steel with hemmed opening for steel waste cans allow safe, easy dispensing, face trim, the recessed core, adding strength and contents to be easily cabinet features one-piece endurance for long-term use. minimizing waste, and discarded for efficient construction with no miters ongoing maintenance ensuring hygienic use. or welding for durability. and cleanliness. MULTI-PURPOSE PAPER TOWEL WASTE DISPENSERS CABINETS RECEPTACLES







TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle. Door and cabinet fabricated of 22 gauge stainless steel.

MODEL OPTION:

0462-AD-9 Surface mounted with a stainless steel collar.

Unit Size: 14¹/₁₄" x 28" x 4¹/₄" (362 x 711 x 108 mm) Wall Opening: 12¾" x 26½" x 4" (324 x 673 x 102 mm)





TRADITIONAL[™] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

0469-2 Semi-recessed with a stainless steel collar. **0469-9** Surface mounted with a stainless steel collar. **0469-BL** 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

Unit Size:

17¹/₄" x 56" x 4¹/₄" (438 x 1422 x 108 mm) Wall Opening:

15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)





TRADITIONAL[™] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 singlefold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

Unit Size:

04697-4 Semi-recessed with a stainless steel collar. 04697-9 Surface mounted with a stainless steel collar. 04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

> V 1/4" 1

17¼" x 56" x 7¼" (438 x 1422 x 184 mm) **Wall Opening:** 15³⁄₄" x 54¹⁄₂" x 7¹⁄₄" (400 x 1384 x 184 mm)





TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel,18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with a stainless steel collar.
-9: Surface mounted with a stainless steel collar.
04692: Mechanical lever dispenser.

Unit Size: 17¹/₄" x 56" x 10¹/₄" (438 x 1422 x 260 mm) Wall Opening: 15¾" x 54½" x 10" (400 x 1384 x 254 mm)





ී 0467

TRADITIONAL[™] RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 singlefold paper towels. 7 gal. (26 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

0467-2 Semi-recessed with a stainless steel collar. **0467-9** Surface mounted with a stainless steel collar.

Unit Size: 13" x 55" x 6½" (330 x 1397 x 165 mm) Wall Opening: 11½" x 53½" x 6¼" (292 x 1359 x 159 mm)



ී 046926

TRADITIONAL[™] SEMI-RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses single full width cut towel 12" (305 mm) long from pull-towel autocut dispenser. With manual override feed wheel on the side of the cabinet. 13.5 gal. (52 L) waste receptacle. Door and back fabricated of 18 gauge stainless steel.

Unit Size: 17¹/₄" × 56" × 9¹/₄" (438 × 1422 × 235 mm) Wall Opening: 15¾" x 54½" x 4" (400 x 1384 x 102 mm)





046921A

TRADITIONAL[™] AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless steel collar. -9: Surface mounted with a stainless steel collar. 046921: Mechanical lever dispenser.

Unit Size: 17¹/₄" × 56" × 10¹/₄" (438 × 1422 × 260 mm)

Wall Opening: 15³⁄₄" x 54¹⁄₂" x 10¹⁄₄" (400 x 1384 x 260 mm)





TRADITIONAL[™] RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Unit mechanically dispenses 8" or 9" wide standard towel roll up to 800 ft. (244 m) long and has stub roll capability for continuous dispensing. 12 gal. (46 L) disposal capacity. A lever operated dispensing mechanism also supplied. Surface mounted with 9" stainless steel collar.

MODEL OPTIONS:

046924-9 Surface Mounted with a stainless steel collar.

Unit Size: 17¹⁄₄" × 56" × 10¹⁄₄" (438 x 1422 x 260 mm) Wall Opening: 15¾" x 54½" x 4" (400 x 1384 x 102 mm)





ð 0457

TRADITIONAL[™] RECESSED PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 500 multi-fold paper towels; wellsuited for smaller washrooms with less space and traffic. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0457-9 Surface mounted with a stainless steel collar.

Unit Size: 12¾" x 17¼" x 4¼" (324 x 438 x 108 mm)

Wall Opening: 1111/4" x 153/4" x 4" (286 x 400 x 102 mm)





TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Fabricated of 22 gauge stainless steel.

MODEL OPTION: 0452-9 Surface mounted with a stainless steel collar.

Unit Size: 14¼" x 28" x 4¼" (326 x 711 x 108 mm) Wall Opening: 12³/₄" x 26¹/₂" x 4" (324 x 673 x 102 mm)



045210A TRADITIONAL[™] AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

ċ.

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

Unit Size: 17¹/₄" x 28" x 10"

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with a stainless steel collar. -9: Surface mounted with a stainless steel collar.

Wall Opening: 15³/₄" × 26¹/₂" × 10¹/₄" (400 x 673 x 260 mm) (438 x 711 x 254 mm)



TRADITIONAL[™] SEMI-RECESSED WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing. Fabricated of 22 gauge stainless steel.

MODEL OPTION: 0458-9 Surface mounted with a stainless steel collar.

Unit Size:

ð

0458

Wall Opening: 17¹/₄" x 30¹/₂" x 8¹/₄" 15³/₄" x 29" x (variable") (438 x 775 x 210 mm) (400 x 737 mm)

*[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if ${}^{1\!/_2}$ " (13 mm) x $7{}^{1\!/_2}$ " (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]

ð 04733

TRADITIONAL[™] RECESSED WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

Wall Opening: Unit Size: 14¹/₄" x 28" x 4¹/₂" (362 x 711 x 114 mm) (324 x 673 x 102 mm)

12³/₄" x 26¹/₂" x 4"

TRADITIONAL[™] COLLECTION



0210 TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.

MODEL OPTION:

NEW 0210-41 Matte Black. Overall Dimensions:

111/8" x 145%" x 4" (282 x 371 x 101 mm)



0215 TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER – PETITE

Dispenses 200 C-fold or 275 multi-fold paper towels; well-suited for low-traffic areas. Fabricated of 22 gauge stainless steel.

Overall Dimensions: 11" x 8" x 4" (279 x 203 x 102 mm)



0439 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible. Fabricated of 22 gauge stainless steel.

Note for Designers: Leave 6" min. (152 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.

Overall Dimensions: 11½" x 18" x 4½" (292 x 457 x 108 mm)



8522

TRADITIONAL[™] SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel, 18 gauge door. Product allows for modular retrofit into a variety of standard size cabinets.

MODEL OPTIONS:

8523A Powered by 4 D-size batteries (not included).

8523AC Powered by AC plug-in adapter.

Overall Dimensions:

14" x 16" x 9½" (356 x 406 x 241 mm)





8165 TRADITIONAL™ SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Holds standard paper towel roll up to 6" (152 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

Overall Dimensions:

ď

Unit measures 13" (330 mm) wide; projects 6" (152 mm) from wall.

.

0245-SS

TRADITIONAL[™] SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

Overall Dimensions: 11¹⁄₄" x 6¹⁄₄" x 5⁵⁄₈" (285 x 160 x 143 mm)







Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 16 gal. (60 L) of waste.

Overall Dimensions: 15" x 23" x 14¹/₂" (381 x 584 x 368 mm)





0834 TRADITIONAL™ FREESTANDING WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top is removable for easy maintenance and bottom is equipped with four (4) nonskid rubber feet.

MODEL OPTION:

0839 has 19 gal. (72 L) capacity with 12%" x 32" x 12%" (314 x 800 x 318 mm) dimensions.

Overall Dimensions: 123%" x 24" x 12¹/2" (314 x 609 x 318 mm)





Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top has dual swing door and is removable for easy maintenance. Bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-T has 19 gal. (72 L) capacity with 12%" x 37¼" x 12½" (314 x 946 x 318 mm) dimensions.

Overall Dimensions: 12%" x 2934" x 12½" (314 x 756 x 318 mm)





TRADITIONAL[™] SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions: 10¹/₂" x 9" x 4³/₄" (267 x 229 x 121 mm)



ී 0828

TRADITIONAL[™] SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

Overall Dimensions: 14" x 18" x 6" (356 x 457 x 152 mm)



ී 0825

TRADITIONAL[™] SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:

0826 has 12 gal. (45.4 L) capacity with 151/4" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions: $15^{3}/_{4}$ " x $21^{7}/_{8}$ " x $11^{3}/_{4}$ "

(400 x 556 x 298 mm)

TRADITIONAL[™] COLLECTION





1000 TRADITIONAL™ CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

MODEL OPTION:

1000A has a 9" (229 mm) outside diameter with a counter opening of $8\frac{1}{2}$ " (206 mm) diameter.

Unit Size: 6¾" (171 mm) outside diameter **Counter Opening:** 5³⁄₄" (146 mm) diameter



1001 TRADITIONAL™ COUNTER TOP MOUNTED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Capacity of 1 package of C-fold paper towels for loading by pushing through hinged dispensing flaps. Loose waste receptacle to be placed directly below waste door on the vanity floor is provided. Capacity is 7.5 gal. (28 L).

Unit Size: 14¹/₄" x 15" x ³/₃₂" (362 x 381 x 2 mm)

Counter Opening: 12½" x 13½" (318 x 343 mm)



ී 1002

TRADITIONAL™ COUNTER TOP MOUNTED PAPER TOWEL DISPENSER

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

Unit Size: 14¹/₄" x 6" x ³/₃₂" (362 x 152 x 2 mm) **Counter Opening:** 12¹⁄₂" x 4¹⁄₄" (318 x 108 mm)





TRADITIONAL™ COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" x 12" x 12" (305 x 305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size: 14¼" × 10" × ¾2" (362 × 254 × 2 mm) **Counter Opening:** 8³/₄" x 12¹/₂" (222 x 318 mm)



SHOWN FROM LEFT: 0196-00 TURBO-PRO[®] – WHITE 0196-41 TURBO-PRO[®] – MATTE BLACK 0196-93 TURBO-PRO[®] – STAINLESS STEEL HIGH-SPEED ADA HAND DRYERS



TURBO-PRO[™] AUTOMATIC HAND DRYER

Introducing ASI's Elegant ADA-Compliant, High-Speed, Automatic Hand Dryer. A HEPA filter is used to purify the air before it dries hands. The replaceable filter is housed in a separate chamber, which allows it to be easily accessed for removal without the need to disconnect the dryer. The dryer provides operating flexibility—the owner controls air temperature as well as air speed to suit their needs and a 5-year warranty provides peace of mind. Available in Matte Black, White, or Satin finish Stainless Steel in 110-120 V or 208-240 V.

WHAT MAKES TURBO-PRO™ UNIQUE?



HIGH-SPEED YET QUIETER

The TURBO-Pro™ highspeed hand dryers offer quieter operation and faster drying time.

Low Decibel Level: 68 to 73.8 dB-A @ 2M



ADA ACCESSIBILITY STANDARD COMPLIANT

Our TURBO-Pro[™] hand dryers are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



ADJUSTABLE AND FAST

The dryer provides operating flexibility the owner controls air temperature as well as air speed to suit their needs.



HEPA FILTER

A HEPA filter is used to purify the air before it dries hands.

Control Contr

VARIABLE SETTINGS

Save energy

Reduce noise

• Air flow can be lowered

Gain operating flexibility

• Heat can be turned on or off

FEATURES

- ADA compliant ultra slim
- Ultra-hygienic HEPA filter
- Energy efficient
- Quieter
- Fast drying
- Easy to maintain

ELECTRIC

Different models for operating voltage 110-120 V (50/60 Hz), 220-240 V (50/60 Hz) ON/OFF Heat Option Nichrome Wire

325 - 500 W

DECIBEL LEVEL

68 to 73.8 dB-A @ 2M

DIMENSIONS

8⁵%" x 13⁹/16" x 4" (219 x 345 x 102 mm)





0661-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a handsfree automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter. Available in 208-240 V (0661-2).

Overall Dimensions:

235/8" x 357/16" x 79/16 (600 x 900 x 192 mm)

Decibel Level: 68-73.8 dB-A @ 2M



0663-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER ,AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter. Available in 208-240 V (0663-2).

Overall Dimensions: 235/8" x 357/16" x 79/16

(600 x 900 x 192 mm)

Decibel Level: 68-73.8 dB-A @ 2M





64672-1 SIMPLICITY[™] 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER, AND WASTE RECEPTACLE

Paper towel dispenser with waste receptacle and <15 second automatic hand dryer, dispenses 500 standard multi-fold or 400 standard C-fold paper towels with a waste capacity of 6.8 gal. (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. 110-120 V. Available in 208-240 V (64672-2).

Unit Size: 15³/₈" x 55³/₈" x 7¹/₂" (391 x 1407 x 191 mm) Wall Opening: 14³/₃₂" x 54³/₈" x 7¹/₄" (358 x 1381 x 184 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





64672-1

PIATTO™ COMPLETELY RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER, AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Features a <15 second automatic hand dryer, dispenses 400 standard C-fold or 500 standard multi-fold paper towels with a waste capacity of 6.8 gal. (26 L). Dryer has 5-year warranty. 110-120 V. Available in 208-240 V (-2). For matte black phenolic door use suffix -41, for white use -00.

Unit Size:

153/8" x 553/8" x 717/32"



157/16" x 557/16" x 75/8" (391 x 1407 x 191 mm) (392 x 1408 x 194 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



ALL STAINLESS STEEL IS TYPE 304 WITH SATIN FINISH. UNLESS OTHERWISE NOTED.

*All Piatto™ models require finished wall openings for installation. The edges of the finished wall opening are meant to be visible after installation, hence edges must be flat, square, straight, and plumb-no rough or unsightly edges.





TURBO Swift™ ADA HIGH-SPEED HAND DRYER

High-speed ADA-compliant automatic hand dryer has one-piece stainless steel cover with satin finish and delivers eco-friendly and cost-saving performance. Includes adjustable infrared sensor, and LED indicates power status and guides user toward air flow. Fast drying, <12 seconds. 110-120 V.

Overall Dimensions: 6²⁷/₃₂" x 10¹/₁₆" x 4" (174 x 256 x 102 mm)

Decibel Level: 74 dB-A @ 2M





0196-41

TURBO-PRO™ HIGH-SPEED ADA HAND DRYER

Elegant ADA-compliant, high-speed, automatic hand dryer. A HEPA filter is used to purify the air before it dries hands. The dryer provides operating flexibility—the owner controls air temperature as well as air speed. Fast drying, <15 seconds. Available in 110-120 V (-1) and 208-240 V (-2).

Overall Dimensions:

85%" x 139/16" x 4" (219 x 345 x 102 mm)

Decibel Level: 68-73.8 dB-A @ 2M







ASITURBO-ADA ACCESSIBILITY COMPLIANT HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and automatic operation using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed and temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Available in 110-120 V (-1), 208-240 V (-2), and 277 V (-3).

Overall Dimensions: 10⁵/₈" x 8¹⁵/₃₂" x 4" (270 x 215 x 102 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





0197 TURBO-DRI™ HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish, or white porcelain enamel coated steel. Available in 115-120 V (-1) and 208-240 V (-2).

Overall Dimensions: 8¹/₁₆" x 11¹⁹/₆₄" x 7⁵/₆₄" (205 x 287 x 180 mm)

ð

Decibel Level: 61.2-65.2 dB-A @ 2M

*ADA Compliant using Semi-Recessed Kit #0119











PROFILE[™] COMPACT HAND DRYER

Operates automatically from IR sensor that activates dryer when hands are placed in sensor zone. Motor and heating element have internal resetting automatic thermal protection. Fabricated of one-piece, heavy-duty cast aluminum with white enamel coating. Quick drying, <30 seconds. 115-240 V.

Overall Dimensions: 11³/₈" x 11⁷/₃₂" x 3⁷/₈" (289 x 285 x 99 mm)

Decibel Level: 66 dB-A @ 2M



0198-93

TURBO-DRI™ Jr. HIGH-SPEED HAND DRYER

Powerful, fast drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Cover fabricated of heavy-duty, one-pieceformed steel with white enamel, or satin finish stainless steel. Available in 110-120 V and 220-240 V.

Overall Dimensions:

9²⁵/₃₂" x 6⁵/₈" x 5¹³/₃₂" (248.3 x 168.2 x 137.5 mm)

Decibel Level: 66 dB-A @ 2M









PROFILE[™] HAND DRYER

Universal voltage; automatically adjusts to voltages of 100-240 V. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable. Cover available in one-piece steel with porcelain enamel coating, or stainless steel in bright or satin finish.

MODEL OPTION:

 ${\bf 0184}$ Surface mounted no-touch hand dryer, 277 V.

Overall Dimensions:

14⁷/₁₆" x 10¹³/₁₆" x 3¹⁵/₁₆" (367 x 275 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M





ROVAL[™] SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel. Available in 120 V (-1) and 240 V (-2).

Unit Size: 11" x 15¹/₂" x 5²³/₃₂" (279 x 394 x 145 mm) Wall Opening: 10½" x 145%" x 3¼" (267 x 371 x 83 mm)

Decibel Level: 69 dB-A @ 2M





AS



Top Fill Multi-Feed Soap Dispensing System

SHOWN FROM LEFT: 0394-1AC-41 EZ FILL™ FOAM SOAP DISPENSER – MATTE BLACK, 0397-1AC EZ FILL™ WATER FAUCET – CHROME, 0394-1AC EZ FILL™ FOAM SOAP DISPENSER – CHROME, AND 0389-1AC TOP FILL MULTI-FEED FOAM SOAP DISPENSER – SATIN FINISH

WHAT MAKES OUR TOP FILL SOAP DISPENSING SYSTEMS UNIQUE?



MULTI-FEED SYSTEM

EZ Fill™ up to 6 dispensers.

0388 & 0389 up to 12 dispensers.

,
\smile

EASY REFILL

Using a single soap reservoir, this top fill system allows refill of soap dispensers with 1 pour—for easy ongoing maintenance.



FOAM OR LIQUID SOAP

Dispensers available for both foam and liquid soap.




LITER CAPACITY

RANGE OF SIZES FOR ALL NEEDS

Holds 6 L of soap to supply up to 6 EZ Fill[™] or 12 0388 & 0389 vanity mounted automatic soap dispenser units.





*Max 6 dispensers on each side of tank. For proper installation refer to owner's manual.

EZ FILL™ INDIVIDUAL					EZ FILL™ MULTI-FEED SYSTEM (UP TO 6)					
		Å	Individual vanity i automatic soap c is refilled by rem liter bottle from E bracket under the	lispenser oving 1 EZ FILL™	Refill up to six soap dispensers with one pour.					
Soap Heads	Individual Chrome	6 Pack SKU¹	Individual Matte Black	6 Pack SKU ¹	Soap Heads		Multi- Feed Chrome	6 Pack SKU¹	Multi-Feed Matte Black	6 Pack SKU ¹
\Diamond	9 0391-1AC	0391-6-1AC	0391-1AC-41	0391-6-1AC-41	\Diamond	7 2	0390-1AC	0390-6-1AC	0390-1AC-41	0390-6-1AC-41
LIQUID	0391-1A	0391-6-1A	0391-1A-41	0391-6-1A-41	LIQUID	Û	0390-1A	0390-6-1A	0390-1A-41	0390-6-1A-41
B	9 0394-1AC	0394-6-1AC	0394-1AC-41	0394-6-1AC-41	B	7 2	0393-1AC	0393-6-1AC	0393-1AC-41	0393-6-1AC-41
FOAM	0394-1A	0394-6-1A	0394-1A-41	0394-6-1A-41	FOAM	Û	0393-1A	0393-6-1A	0393-1A-41	0393-6-1A-41
Faucets		TOP FILL, MULTI-FEED SYSTEM REQUIRES (A) AND (B)								
CHROME	9 0397-1AC	(A) 0390 - Multi-Feed Kit ³ – Kit ³ includes a 6 Liter Soap Container, (B) Multi-Feed – Soap Dispenser Head(s) ⁴ Top Fill Tube and Counter Fill Port with Cover								
CHKUME	• 0397-1A	EZ FILL™ ACCESSORIES								
MATTE	9 0397-1AC-41	0390-BR- Op 6 L 0390-B- Berr	0393-R- Remote Control ¹ to adjust foam dispensing settings					ings		
BLACK	• 0397-1A-41	 0390-R- Remote Control¹ to adjust liquid dispensing setti 				Stand Alone Dispensers come standard with 1 Liter soap container				

1 Liter soap container

¹ One Remote Control provided at no charge, with the 6 Pack SKU ² Powered by 6 D-size batteries (not included)

³ Kit does not include soap dispenser heads
 ⁴ Soap Dispenser Heads do not come with Multi-Feed Kit



0

0362-41 AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND **GEL HAND SANITIZER DISPENSER – MATTE BLACK**

Stainless steel liquid soap and gel hand sanitizer dispenser with matte black finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L).

Overall Dimensions: 4¹³/₁₆" x 10⁵/₈" x 4¹/₈" (122 x 270 x 105 mm)



0397 EZ FILL™ WATER FAUCET – CHROME

Matching water faucet for EZ Fill™ Top Fill Multi-Feed soap dispensing system. Battery or AC power operated, hands-free sensor housing with a highly polished chrome or matte black (-41) finish over all surfaces.

MODEL OPTION: 0397-1AC-41 Matte Black.



0362 AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND **GEL HAND SANITIZER DISPENSER – SATIN**

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AAsize batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L).

MODEL OPTION: 0362-41 Matte Black.

Overall Dimensions: 4¹³/₁₆" x 10⁵%" x 4¹%" (122 x 270 x 105 mm)



AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge, removable lid with special lock and key. Capacity: 34 fl. oz. (1 L).

Overall Dimensions:

4¹⁷/₃₂" x 9¹/₄" x 4⁷/₈" (115 x 235 x 124 mm)

🔿 = LIQUID (B) = FOAM



Products with this icon can dispense hand sanitizer.



0 0334-S

AUTOMATIC VANITY MOUNTED LIQUID SOAP AND **GEL HAND SANITIZER DISPENSER**

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a satin finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:

0334-B Stainless steel with bright finish.

Unit Size:

11/2" x 313/16" (38 x 97 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)





AUTOMATIC VANITY MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a bright finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION: 0335-S Stainless steel with satin finish.

Unit Size:

1½" x 3¹³/₁₆" (38 x 97 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)





TOP FILL AUTOMATIC VANITY MOUNTED LIQUID SOAP DISPENSER

Anti-theft top opens with funnel that has built-in key for neat and easy maintenance. LED ring indicates low liquid soap levels and incorrect soap. Smart Sensor prevents messy overfilling by beeping and flashing LED ring. AC Powered, 51 oz. (1.5 L) capacity.

Unit Size:

1½" x 5¾ " (38 x 137 mm) (dispenser body only)

Spout projection: 31/8" (98 mm)





TOP FILL AUTOMATIC VANITY MOUNTED FOAM SOAP DISPENSER

Anti-theft top opens with funnel that has built-in key for neat and easy maintenance. LED ring indicates low foam soap levels and incorrect soap. Smart Sensor prevents messy overfilling by beeping and flashing LED ring. AC Powered, 51 oz. (1.5 L) capacity.

Unit Size: 1½" x 5¾ " (38 x 137 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)





20333 AUTOMATIC VANITY MOUNTED LIQUID SOAP DISPENSER

Unit has chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition, and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of liquid soap.

Overall Dimensions:

4" x 211/2" (102 x 546 mm) Spout Projection: 37%" (99 mm)



20334 AUTOMATIC VANITY MOUNTED FOAM SOAP DISPENSER

Unit has chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition, and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of foam soap.

Overall Dimensions:

6¾" x 16" (172 x 407 mm) Spout Projection: 3⁷%" (99 mm)



VANITY MOUNTED MANUAL LIQUID SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

MODEL OPTIONS:

	Capacity	Spout
0332	34 oz. (1.0 L)	4" (102 mm)
0332-C	20 oz. (0.6 L)	4" (102 mm)
0332-CD	20 oz. (0.6 L)	6" (152 mm)
0332-D	34 oz. (1.0 L)	6" (152 mm)

Unit Size:

 \bigcirc

0332

3⁷/₁₆" x 10²¹/₃₂" (87 x 271 mm)



() 0336

VANITY MOUNTED MANUAL FOAM SOAP DISPENSER

Plunger cap, stem and body, spout, escutcheon, and base sleeve fabricated of stainless steel. Soap container is translucent, shatter-resistant HDPE with 34 oz. (1 L) capacity.

MODEL OPTION:

0336-D 6" (152 mm) spout projection.

Unit Size: 3½" x 15¾ " (87 x 271 mm)

Spout projection: 4" (102 mm)



Products with this icon can dispense hand sanitizer.

SOAP DISPENSERS



ROVAL™ SURFACE MOUNTED LIQUID SOAP DISPENSER

Push button operation, valve needs no more than 5 lbs. of pressure to actuate. Dispenses liquid soap Capacity: 57 oz. (1.7 L).

Overall Dimensions: 5½" x 10¹³/₁₆" x 4" (139 x 274 x 102 mm)

ර ඊ

Spout Projection: 15/16" (24 mm)



ROVAL™ AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AAsize batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).

Overall Dimensions: 5½" x 10⁷/₈" x 4" (140 x 276 x 102 mm)

 With the second sec

ROVAL[™] AUTOMATIC SURFACE MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free foam soap and hand sanitizer dispenser powered by 6 AAsize batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-toview level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).

Overall Dimensions: 5½" × 10⁷/8" × 4" (140 × 276 × 102 mm)

1S





5001-SS DISPOSA-VALVE SURFACE M

DISPOSA-VALVE SURFACE MOUNTED LIQUID SOAP DISPENSER

Soap is forced through disposable valve by pulling a lever forward. Disposable cartridges are available to dispense soap, hand lotion, heavy-duty cleaner, waterless cleaner, and antiseptic soap and are typically good for 1500 washings. Typical soap cartridges are super-concentrated cleansing formula approved for medical and food handling facilities. Fabricated of stainless steel.

Overall Dimensions:

4¹/₄" x 11" x 4" (108 x 279 x 102 mm)



0361

AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

White, high-impact plastic, proximity sensor, and powered by one 9 V or 6 AA-size batteries (not included). Tamper-resistant sight gauge, swing open body with special lock and key. Capacity: 28 fl. oz. (0.8 L).

Overall Dimensions:

45%" x 105/16" x 47/16" (118 x 262 x 113 mm)





0
ð
0326

RECESSED HORIZONTAL LIQUID SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 57 fl. oz. (1.7 L) liquid soap capacity. Includes tamper-resistant sight gauge.

Unit Size: $10\frac{1}{4}$ x 6" x $4\frac{1}{2}$ " (260 x 152 x 115 mm)

Wall Opening: 9" x 4⁷/₈" x 4"

(229 x 124 x 102 mm) Spout Projection: 21/2" (64 mm)





PROFILE™ SURFACE MOUNTED LIQUID SOAP DISPENSER

All-purpose valve dispenses liquid soap, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant sight gauge with concealed fastening and vandal-resistant hinged filler-top.

MODEL OPTION: NEW 9343-41 Matte Black.

Overall Dimensions: 71/4" x 61/2" x 311/16" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)





SURFACED MOUNTED VERTICAL LIQUID SOAP DISPENSER 034 SURFACED MOUNTED HORIZONTAL

LIQUID SOAP DISPENSER

40 fl. oz. (1.2 L) capacity liquid soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant sight gauge.

MODEL OPTIONS: NEW 0347-41 Matte Black. NEW 0345-41 Matte Black.

0347 Unit Size:

 $4^{13}\!/_{16}" \ge 8^{3}\!/_{16}" \ge 3^{15}\!/_{16}"$

0345 Unit Size: 8^{3}_{16} " x 4^{13}_{16} " x 3^{15}_{16} " (122 x 208 x 100 mm) (208 x 122 x 100 mm)

Spout projection: 11/2" (38 mm)





NEW

B

0357 SURFACED MOUNTED HORIZONTAL FOAM SOAP DISPENSER 03

SURFACED MOUNTED VERTICAL FOAM SOAP DISPENSER

40 fl. oz. (1.2 L) capacity foam soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant sight gauge.

14

0357 Unit Size: 8³/₁₆" x 4¹³/₁₆" x 4¹/₂" (208 x 122 x 114 mm)

0359 Unit Size:

4¹³/16" x 8³/16" x 4¹/2" (122 x 208 x 114 mm) Spout projection: 11/2" (38 mm)



Products with this icon can dispense hand sanitizer.

SOAP DISPENSERS





VELARE™ STAINLESS STEEL CABINET WITH LIQUID SOAP DISPENSER AND HIGH-SPEED HAND DRYER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare™ Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208-240 V).

Overall Dimensions: 23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192 mm)





VELARE™ STAINLESS STEEL CABINET WITH FOAM SOAP DISPENSER AND HIGH-SPEED HAND DRYER

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare™ Stainless Steel Cabinet with Foam Soap and Hand Dryer (208-240 V).

Overall Dimensions:

23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192 mm)






VELARE[™] STAINLESS STEEL CABINET WITH FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions: 235%" x 357/16" x 79/16" (600 x 900 x 192 mm)









VELARE™ STAINLESS STEEL CABINET WITH LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions: 235%" x 357/16" x 79/16" (600 x 900 x 192 mm)



Sanitizing (NO) Touch Accessories

ASI offers a variety of (NO) Touch soap and hand sanitizer dispensers that can be placed where and when needed.

SHOWN: 20364 ROVAL™ AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

ASI (NO) Touch Automatic paper towel dispensers, combination units, and hand dryers can be found throughout this catalog.





0334-S

AUTOMATIC VANITY MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a satin finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:

0334-B Stainless steel with bright finish.

Unit Size: 1½" x 3¹³/₁₆" (38 x 97 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)





0335-B

AUTOMATIC VANITY MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a bright finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:


0335-S Stainless steel with satin finish.

Unit Size: 1½" x 3¹³/₁₆" (38 x 97 mm)

(dispenser body only)

Spout projection: 37/8" (98 mm)





SANITIZING (NO) TOUCH ACCESSORIES

15







AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge, removable lid with special lock and key. Capacity: 34 fl. oz. (1 L).

Overall Dimensions: 4¹⁷/₃₂" x 9¹/₄" x 4⁷/₈" (115 x 235 x 124 mm)



AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

White, high-impact plastic, proximity sensor, and powered by one 9 V or 6 AA-size batteries (not included). Tamper-resistant sight gauge, swing open body with special lock and key. Capacity: 28 fl. oz. (0.8 L).

Overall Dimensions: 45%" x 105/16" x 47/16" (118 x 262 x 113 mm)







0362 AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND **GEL HAND SANITIZER DISPENSER – SATIN**

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L).

Overall Dimensions: 4¹³/₁₆" x 10⁵/₈" x 4¹/₈" (122 x 270 x 105 mm)





AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND **GEL HAND SANITIZER DISPENSER – MATTE BLACK**

Stainless steel liquid soap and gel hand sanitizer dispenser with matte black finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L).

Overall Dimensions: 4¹³/₁₆" x 10⁵%" x 4¹%" (122 x 270 x 105 mm)



69



Constructed of red exterior with white core ½" Solid Plastic (HDPE) with antimicrobial properties. All edges and corners are radiised for safev, and bottom is equipped with rubber feet to prevent sliding. Door on back is held closec with a keyed lock and provides access to dispenser components. Hand sanitizer dispenser (0390 HSD, included) is mounted to podium on site. A single shot of gel or liquid hand sanitizer is automatically dispensed by a battery or AC powered mechanism. Unit has a polished chrome finish on all exposed surfaces and capacity of 1.6 gal. 16 L).

Overall Dimensions: 13½" x 36¾" x 14" (343 x 980 x 356 mm)

NEW FS-0700

FREESTANDING PLASTIC AMINATE SANITIZING

Constructed of ⁵/₈" Plastic Laminate with antimicrobial properties in a Cosmic Strandz finish. All edges and corners are radiused for safety, and bottom is equipped with rubber feet to prevent sliding. Door on back is held closed with a keyed lock and provides access to disperser components. Hand sanitizer dispenser (0390-HSD, included) is mounted to podium on site. A sincle shot of gel or liquid hand sanitizer is automatically dispensed by a battery of AC powered mechanism. Unit has a polished chroma finish on all exposed surfaces and capacity of 1.6 gal. (6 L).

Overall Dimensions: 13½" × 36¾" × 14" (343 × 330 × 356 mm)

°⊜∘ 🦻 🍽

<mark>20364</mark> ROVAL[™] AUT

ROVAL[™] AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).

Overall Dimensions:

5½" x 10%" x 4" (140 x 276 x 102 mm)





ROVAL[™] AUTOMATIC SURFACE MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free foam soap and hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).

Overall Dimensions: 5½" x 10%" x 4" (140 x 276 x 102 mm)

= LIQUID

()



Products with this icon can dispense hand sanitizer.

SANITIZING (NO) TOUCH ACCESSORIES



DS-0400 STAINLESS STEEL HAND SANITIZER DISPENSER DESKTOP STAND

Freestanding stainless steel desktop stand for dispensing attachments. /4 gauge stand is designed with rounded edges and has heavy-outy polyurethane feet to prevent sliding. Universal mounting plate has mounting holes/space for double-sided tape placement to accommodate mounting the following products:

Hand Sanitizer Dispensers: 20364, 20365, 0367, 0362, and 0362-41 Stainless Steel Single Box Glove Dispenser: 0501-1 Stainless Steel Sanitizer Wipes Dispenser: 0502

Overall Dimensions: 5½" x 18¼" x 3¼4" (140 x 463 x 204 mm)



FS-0300

FREESTANDING STAINLESS STEEL HAND SANITIZER DISPENSER FLOOR STAND

Freestanding stainless steel door stand for dispensing attachments. 11 gauge stard with counded edges and 18 gauge mounting plate and tube. Stand sold individually with no dispensers/attachments. Universal mounting plate has mounting holes/space for double sided tape placement to accommodate mounting the following products:

Soap Dispensers/Hand Sanitizer Dispensers: 20364, 20365, 0360, 0361, 0362, and 0362-41 Stainless Steel Single Box Glove Dispense: 0501-1 Stainless Steel Sanitizer Wipes Dispenser: 0502

Overall Dimensions:

56⁶¹/₆₄" (1446 mm) H Tube: 1½" (38 mm) DIA Base: 16" x 15" (406 x 406 mm)



Sanitizer wipes dispenser station constructed of satin finish stainless steel, with 18 gauge top and 22 gauge bin. Holds one standard 9" DIA × 9" tall saniturer wipes container (by others). Receptacle with top on holds 12 gallons (45 L) of waste and bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-TWH has 17 gal. (64 L) capacity vith 12%" x 311¹/16" x 121⁄2" (314 x 805 x 318 mm) dimensions.

Overall Dimensions: 12%" x 247/16" x 12½" (314 x 614 x 318 mm)





NEW 0502

WIPES DISPENSER HOLDER – ATTACHMENT FOR STANDS

Wipes dispenser holder mounts to stainless steel stands (sold separately) with self-threading pan head screws (by others) through holes provided or with double-sided tape with top of holder no higher than 46" above finished floor for ADA compliance. Constructed of 16 gauge stainless steel with satin finish. Holds one standard sized wipes tub (by others).

Overall Dimensions: 5²%4" x 8" x 5" (139 x 203 x 127 mm)





Mirrors

ASI provides mirrors for every location, application, and budget—in virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

SHOWN: 20650 ROVAL[™] STAINLESS STEEL MIRROR

OPTIONAL REFLECTIVE SURFACES

SUFFIX DESCRIPTION:

- polished to a #8 mirror finish D Lexan Dura-Mir[™] Fabricated of ¼" (6 mm)
- polycarbonate sheet **E Plexiglas®** ¼" (6 mm) acrylic plastic, lightweight and shatter-resistant
- L Laminated Glass ¹/₄" (6 mm) thick

Note for Designers: All of the above glazing options are particularly suited to applications where frequent breakage and/or security problems exist. These surfaces are best specified for use in prisons, schools, police stations, psychiatric wards, etc., where shards of broken glass might possibly be used as weapons. The reflective quality of these types of mirrors is not as true as plate glass.



Öi 0620 CHANNEL FRAME MIRROR

1/2" x 1/2" (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theftresistant screws.



0605 ANGLE FRAME MIRROR WITH SHELF

0625 CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) deep.



0535

FIXED TILT MIRROR

(25 mm) at bottom.

Offers visibility for wheelchair

patients. Frame fabricated of 20 gauge stainless steel with a

satin finish. Mirror is tapered

from 4" (102 mm) at top to 1"



8026 FRAMELESS STAINLESS STEEL MIRROR

Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a 5/re'' (8 mm) return. Provided with 1/4'' (6 mm) thick concealed tempered masonite backing and 4 mounting holes.

MIRRORS



FRAMELESS MIRROR WITH FROSTED

with integral mounting frame and frosted glass border LED halo lighting

is made of \$/32" (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by

an external wall switch (by others). Unit can be mounted horizontally or

adaptations to mounting provisions.

vertically without additional brackets or

BORDER AND LED BACKLIGHT

Frameless polished edge mirror

0641

0600

ANGLE FRAME MIRROR

3/4" x 5/8" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one-piece, attached to frame with theft-resistant locking device.

MODEL OPTION:

NEW 0600-41 Matte Black.



NEW

0640

FRAMELESS MIRROR WITH LED BACKLIGHT

Frameless polished edge mirror

with integral mounting frame and border LED halo lighting is made of

 5^{3} (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external

wall switch (by others). Unit can be

adaptations to mounting provisions.

mounted horizontally or vertically

without additional brackets or

ROVAL™ STAINLESS STEEL MIRROR

ð

20655 ROVAL[™] STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

Gently radiused edges match the ASI Roval[™] design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror.



8287 FRAMELESS MIRROR

Frameless mirrors offer clean lines to complement every type of interior design and are easy to care for. Onepiece can be up to 28 sq. ft. (2.6 m²), as long as either H or W dimension is less than 84" (2134 mm). Mirrors larger than 28 sq. ft. (2.6 m²) or with either linear H or W dimension larger than 84" (2134 mm) shall be supplied as multiple pieces. Made of 1/4" polished plate glass.



0600-T ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.



					STAN	IDARD MII	RROR SIZ	ES						
Width x Height	0535	0537	0600	0600-T	0605	0620	0625	0640	0641	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)										-				
16" x 24" (41 x 61 cm)										-				
16" x 30" (41 x 76 cm)			-											
18" x 24" (46 x 61 cm)			-	=	-		-			=				
18" x 30" (46 x 76 cm)														
18" x 36" (46 x 91 cm)	-	-	-	-	-	-	-				-	-	-	-
20" x 60" (51 x 152 cm)			-											
24" x 24" (61 x 61 cm)														
24" x 30" (61 x 76 cm)			-											
24" x 36" (61 x 91 cm)			-	-			-		-	-	-	-	-	
24" x 42" (61 x 107 cm)			-											
24" x 48" (61 x 122 cm)			-											
24" x 60"(61 x 152 cm)			-											
24" x 72" (61 x 183 cm)			-											
30" x 36" (76x 91 cm)			-											
30" x 48" (76x 122 cm)														
36" x 36" (91x 91 cm)			-											
36" x 48" (91 x 122 cm)														
48" x 30" (122 x 76 cm)														
48" x 36" (122 x 91 cm)			-											
60" x 24" (152 x 61 cm)														
60" x 36" (152 x 91 cm)														
72" x 36" (183 x 91 cm)														

Custom sizes available upon request. Standard glazing is glass. See optional reflective surfaces on page 72.

MIRRORS



0661-1

VELARE[™] STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare[™] Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208-240 V).

Overall Dimensions:

23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192 mm)



0663-1

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare[™] Stainless Steel Cabinet with Foam Soap and Hand Dryer (208-240 V).

Overall Dimensions: 235%" x 357/16" x 79/16" (600 x 900 x 192 mm)



0661-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

235%" x 357/16" x 79/16" (600 x 900 x 192 mm)



0663-T

VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions: 23⁵/₈" x 35⁷/₁₆" x 7⁹/₁₆" (600 x 900 x 192 mm)



MIRRORS



0661-FM-14 VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare[™] BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions: 14³/₄" x 35⁷/₁₆" x 7⁹/₁₆" (275 x 900 x 192 mm)

(375 x 900 x 192 mm)



0661-FM-23 VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare[™] BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions: 23¹/₄" x 35⁷/₁₆" x 7⁹/₁₆" (591 x 900 x 192 mm)

VELARE[™] COLLECTION

ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP DISPENSER, AND YOUR CHOICE OF PAPER TOWEL DISPENSER OR HAND DRYER—NOW AVAILABLE WITH MIRROR FILLERS FOR FLEXIBILITY.

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The 1/4" thick tempered glass mirror, supported by twin, damped gas springs, opens up to 90° for easy maintenance.





Feminine Hygiene

ASI offers a wide range of feminine hygiene vendors and disposal units, available as recessed, semi-recessed, or surface mounted with various capacities. Type 304 stainless steel fabrication with satin finish on exposed surfaces and 18 gauge doors secured with concealed full length stainless steel hinges. Coin boxes are keyed separately from door lock for maximum security. Available for 25¢, 50¢, or free operation.

SHOWN: 0468 RECESSED SANITARY NAPKIN/TAMPON VENDOR





SEMI-RECESSED SANITARY NAPKIN & TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm). Universal coin mechanism allows for 25ϕ , 50ϕ , and free (no coin) operation. Choose appropriate suffix (-25, -50, or –F). Coin box has a separately keyed locked.

MODEL OPTION:

0864 Surface mounted.

Unit Size:	Wall Opening:
13¾" x 28½" x 6½"	121/2" x 261/2" x 1" to 6"
(349 x 714 x 165 mm)	(318 x 673 x 25 to 152 mm)





SIMPLICITY™ RECESSED SANITARY NAPKIN & TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25ϕ , 50ϕ , and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F). Its door has 2 tumbler locks. Coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17¹⁄₄" x 27¹⁄₄" x 6¹⁄₂" (438 x 692 x 165 mm) Wall Opening: 16" x 26" x 6¹/₄" (406 x 660 x 159 mm)





0468

RECESSED SANITARY NAPKIN & TAMPON VENDOR

Dispenses 30 napkins and 27 tampons. Fabricated of 18 gauge stainless steel. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F).

MODEL OPTIONS:

0468-2 Semi-recessed with a stainless steel collar. 04684 Designed for 4" (102 mm) wall. Dispenses 15 napkins, 23 tampons.

Unit Size: 17¼" x 27¼" x 6½"

Wall Opening: 16" x 26" x 6" (438 x 692 x 165 mm) (406 x 660 x 152 mm)



204684 **ROVAL[™] RECESSED SANITARY NAPKIN &** TAMPON VENDOR

Dispenses 31 napkins and 22 tampons. Door is 18 gauge satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F).

MODEL OPTION:

204684-9 Surface mounted with a stainless steel collar.

Unit Size: Wall Opening: 17⁵/16" x 27³/4" x 5⁵/8" 15%" x 261/8" x 4" (440 x 705 x 143 mm) (397 x 664 x 102 mm)





SIMPLICITY[™] RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing 20 gauge stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/₈" x 19⁵/₈" x 4¹/₂" (270 x 498 x 114 mm)

Wall Opening: 91/8" x 181/8" x 4" (232 x 460 x 102 mm)





PROFILE[™] RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing 16 gauge stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size:

Wall Opening: 10⁵/₈" x 19⁵/₈" x 4¹⁵/₁₆" 9¹/₈" x 18¹/₈" x 4¹/₄" (270 x 498 x 125 mm) (232 x 460 x 108 mm)

FEMININE HYGIENE VENDORS AND DISPOSALS



0472 PARTITION MOUNTED DUAL ACCESS NAPKIN DISPOSAL

Unit serves two compartments mounted in partitions. Receptacle removable from one side for servicing and locks to back of cabinet by means of stainless steel clips. Self-closing doors on each side are mounted to cabinet with heavy-duty full length piano hinge. 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION:

0472-1 Waste receptacle unit with lock.

 Unit Size:
 Partition Opening:

 13" x 17¹/₄" x 4"
 11%" x 15%"

 (330 x 438 x 102 mm)
 (290 x 400 mm)



0473 RECESSED SANITARY NAPKIN DISPOSAL

Unit features self-closing door and is fabricated of 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION: 0473-1 Waste receptacle unit with lock.

 Unit Size:
 Wall Opening:

 13" x 17¹/₄" x 4¹/₄"
 11¹/₄" x 15³/₄" x 4"

 (330 x 438 x 108 mm)
 (285 x 400 x 102 mm)



0473-A SURFACE MOUNTED END STALL SANITARY NAPKIN DISPOSAL

Unit features self-closing door and is fabricated of 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION: 0473-1A Waste receptacle unit with lock.

Overall Dimensions: 11" x 15¹/₄" x 4" (279 x 387 x 102 mm)



0852 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Sloping cover has full length piano hinge. Fabricated of 22 gauge stainless steel. Capacity: 1.2 gal. (4.5 L).

Overall Dimensions: 7⁷/₈" x 9¹¹/₁₆" x 4" (200 x 246 x 102 mm)

ð





Heavy-duty $\frac{9}{64}$ " staked piano hinge adds to the robust construction. Drawn, one-piece seamless door of 22 gauge stainless steel with a satin finish. 1.0 gal. (3.8 L) waste capacity.

Overall Dimensions: 12¹³/₁₆" x 11" x 5⁷/₁₆" (325 x 280 x 138 mm)



20852 ROVAL[®] SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn, one-piece construction and is secured to the cabinet with a heavy-duty $\frac{4}{4}$ multi-staked concealed piano hinge. Fabricated of 22 gauge stainless steel. Capacity: 1 gal. (3.8 L).

Overall Dimensions: 7¼" x 10" x 3½" (185 x 253 x 89 mm)





Specialty Accessories

With an extensive portfolio of washroom accessories, ASI can provide whatever you need to promote the neat and orderly use of your facilities. These designs reflect our attention to detail for durability and easy maintenance.

SHOWN: 0785-Z TOWEL RING



37385TOWEL RING

For bath and hand towels. Ring is $4\frac{1}{2}$ " (114 mm) wide, made of $\frac{1}{4}$ " (6 mm) diameter stainless steel bar. Projects $2\frac{1}{2}$ " (64 mm) from wall. 5" (127 mm) high.

MODEL OPTION: NEW 7385-41 Matte Black.





Heavy-duty 11 gauge stainless steel with satin finish. Hook projects 1¹/₄" (32 mm) from wall and is 2¹/₄" (57 mm) high.

ං 0714

COAT AND BUMPER HOOK

Fabricated from chrome plated brass, 3" (76 mm). Neoprene bumper protects wall surface.

0719 DOOR BUMPER

Chrome plated Zamac 2³/16" (56 mm) diameter flange. Projects 1⁷/₈" (48 mm).





Fabricated from triple chrome plated rust-resistant Zamac.

MODEL OPTION: 0740-Z Single robe hook.

Overall Dimensions: 2³/₁₆" x 1⁷/₁₆" x 1²/₆₄" (56 x 37 x 37 mm)





mm) from wall.

Fabricated from stainless steel. Hook extends 2" (51

MODEL OPTION: NEW 7340-41 Matte Black.





4" (102 mm) wide stainless steel bar forms hook at each end. Unit extends 2" (51 mm) from wall.



HAT AND COAT HOOK Double hook made from

stainless steel for both coats and hats.

Overall Dimensions: 2" x 7" x 3" (51 x 178 x 76 mm).



0751 HEAVY-DUTY ROBE HOOK

Concealed mounting satin chrome plated brass, projects 3¹/₄" (84 mm). MODEL OPTION:

0751-A Exposed mounting, satin chrome plated brass, projects 3¹/₄" (83 mm).



0785-Z TOWEL RING

Bracket formed of Zamac and towel ring formed of triple chrome plated corrosion-resistant steel.

Overall Dimensions: 6%" x 1%" (162 x 41 mm)



OT7301-BTOWEL PIN

Fabricated from stainless steel with bright finish.

Extends 3½" (89 mm) from wall.

MODEL OPTION: 7301-S Towel pin with satin finish.

Overall Dimensions: 2" x 2" x 3¹/₂" (51 x 51 x 89 mm)



0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.



0002-SM STAINLESS STEEL PAPER CUP DISPENSER

3

Dispenses 100 flat bottom cups. Adjustable for 3 oz. through 6 oz. cups. Stainless steel with bright finish.

MODEL OPTION: 0002-ASM A square version of the unit.

Overall Dimensions: 3" Diameter x 15" (76 x 381 mm)





Drawn, one-piece stainless steel soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap.

MODEL OPTION: 0721-Z Fabricated from triple

chrome plated rust-resistant Zamac.

Overall Dimensions: 4¹⁄₄" × 2" × 4" (108 × 51 × 102 mm)



7335 TOOTHBRUSH AND TUMBLER HOLDER

Drawn, one-piece toothbrush holder is made of stainless steel. Has 2¼" (60 mm) diameter hole in center of unit to hold tumbler. Accommodates 6 toothbrushes.

MODEL OPTION: 0735-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions: $4\frac{1}{4}$ " $\times 2$ " $\times 4$ "

(108 x 51 x 102 mm)



E



34" (19 mm) diameter stainless steel towel bar and stainless steel mounting bracket. Available in 18", 24", and 30" (457, 610, and 762 mm) lengths in bright (-B) and satin (-S) finishes. Extends 31/4" (83 mm) from wall

MODEL OPTION: NEW 7355-24-41 24" Matte Black.



ð	
0755-SS	
HEAVY-DUTY STAINLESS	

STEEL TOWEL BAR Towel bar fabricated of 1" (25 mm) O.D. x 20 gauge, stainless steel with a satin finish and designed not to turn in support posts.

to turn in support posts. Support posts fabricated of heavy solid cast brass plated to have stainless steel satin finish to match stainless steel. Available in 18"and 24" (457, and 610 mm) lengths.





0760-Z SQUARE TOWEL BAR

%" (19 mm) square 21 gauge triple chrome plated rustresistant Zamac. Available in 18", 24", and 30" (457, 610, and 762 mm) lengths.

Fabricated from triple chrome plated rust-resistant Zamac.



7310-B TOWEL SHELF WITH TOWEL BAR

8" (203 mm) deep consisting of four %" (10 mm) diameter bright finish stainless steel tubes, with ¼" (6 mm) diameter bright finish stainless steel towel bar below shelf, available in 24" (610 mm). Overall height: 4¼" (110 mm).

MODEL OPTION:

7310-S Towel shelf with satin finish.



7311-B TOWEL SHELF WITH TOWEL BAR

Heavy-duty unit with ¾" (19 mm) diameter drying rod and ¾" (10 mm) diameter cross tubes in stainless steel. Bright finish only. Available 20" (508 mm) and 24" (610 mm). Overall height: 6½" (165 mm); projects 8" (203 mm).



0755-Z ROUND TOWEL BAR

Triple chrome plated rust proof Zamac brackets. Triple chrome plated steel tubing 18", 24", and 30" (457, 610, and 762 mm) long.



HANDS-FREE ARM GRIP DOOR PULL

Hands-free arm grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at standard mid-door height, or no higher than 40" above finished floor for ADA compliance, to allow placing the forearm to pull door open. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions: 1¾" × 2⅛" × 3" (44 × 54 × 76 mm)



NEW 0504 HANDS-FREE FOOT GRIP DOOR PULL

Hands-free foot grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at base of door aligned with bottom edge or slightly above, and as close to opening side as possible. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions: $3" \times 3" \times 2^{9}/_{64}"$ (76 x 76 x 54 mm)

SPECIALTY ACCESSOBLES



0258-SS SURFACE MOUNTED FACIAL TISSUE DISPENSER

Fabricated of stainless steel with satin finish. Dispenses 300 single-ply or 150 two-ply sheets.



MODEL OPTION:

0259-SS A recessed version of the unit.

Overall Dimensions: 101/4" x 55/16" x 23/16" (260 x 135 x 55 mm)





RECESSED MULTI-ROLL TOILET TISSUE DISPENSER

Holds and dispenses 4 rolls or 1800 sheets of standard toilet tissue.

Unit Size: Wall Opening: 17%" x 20" x 4¼" 15¾" x 18¾" x 4" (441 x 508 x 108 mm) (400 x 467 x 102 mm)



0484

PARTITION MOUNTED DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER

Mounts centered through partition. Internal baffles prevent line of sight view from either side through unit at any time. Holds and dispenses 1000 seat covers and 4 rolls or 1800 sheets of standard toilet paper.

MODEL OPTIONS:

0484-HC Mounts flush to partition. 0485 For end-stall installation. 0486 Surface mounted with a stainless steel collar.

Unit Size: 17%" × 30%" × 4½" (441 x 778 x 114 mm)

Partition Opening: 15½" × 28%" × ½" to 2" (394 × 733 × 13 to 51 mm)



ð 04813

PARTITION MOUNTED DUAL ACCESS TOILET TISSUE DISPENSER WITH NAPKIN DISPOSAL

Mounts through partition, usable by both sides but serviced from one side. Holds 4 rolls of toilet tissue.

MODEL OPTIONS:

04813-HC One side mounts flush. 04823 Holds two rolls, for end-stall installation. 04833 Surface mounted with a stainless steel collar.

 Unit Size:
 Partition Opening:

 17%" x 20" x 4¼"
 15½" x 18¼"

 (441 x 508 x 108 mm)
 (394 x 464 mm)
 adjustable for partitions in thickness from 1/2" to 2" (13 to 51 mm)



ð 0481

PARTITION MOUNTED DUAL ACCESS SEAT COVER AND TOILET TISSUE **DISPENSER WITH SANITARY DISPOSAL**

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS:

0481-HC One side mounts flush. 0482 For end-stall installation. 0483 Surface mounted with a stainless steel collar.

Unit Size: **Partition Opening:** 17%" x 30%" x 4¼" 15½" x 28%" (441 x 778 x 108 mm) (394 x 733 mm) adjustable for partitions in thickness from 1/2" to 2" (13 to 51 mm)





0487-R

RECESSED ADA-COMPLIANT TOILET TISSUE AND SEAT COVER DISPENSER WITH WASTE DISPOSAL

Recessed seat cover and toilet paper dispenser with sanitary napkin disposal. Holds 500 seat covers and 2 rolls of toilet tissue.

MODEL OPTIONS:

0487-L All components on opposite side. 0487-R-9 Surface mounted with a stainless steel collar. 0487-L-9 Surface mounted with a stainless steel collar, with all components on opposite side.

Unit Size:	Wall Opening:
28" x 14¼" x 4¼"	261/2" x 127/8" x 41/4"
(711 x 362 x 108 mm)	(673 x 327 x 108)




83



SHOWN: 74022-H TOILET TISSUE DISPENSER

TOILET TISSUE D | S P E N S E R S

ASI offers many different designs and styles to complement the features of your washroom setting. Engineered for heavy-duty use and easy maintenance, these units stand the test of time. Choose from a wide range of features, based on your own washroom needs. All of these options are easy to install, easy to use, durable, and affordably priced.







ð 9030

PROFILE[™] SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theftresistant spindles holds 2 rolls up to 51/4" (133 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions: 6" x 12" x 61/4"

(152 x 305 x 159 mm)





SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Holds two rolls up to $51\!\!/\!_4$ " (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Stainless steel cabinet and mechanism. Theft-resistant spindles.

Unit Size: 6" x 12" x 6¹/₂" (152 x 305 x 165 mm)





PARTITION MOUNTED DUAL ACCESS DUAL ROLL TOILET TISSUE DISPENSER

Serves two toilet compartments by mounting through partition. Dispenses 4 toilet tissue rolls. Adjustable to accommodate partitions from 1/2" to 1¼" thick (13 to 32 mm).

Unit Size: 14" x 141/8" x 10"

Partition Opening: 12¹/₈" x 12¹/₄" x ¹/₂-2¹/₂" (356 x 359 x 255 mm) (308 x 311 x 13-64 mm)





RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Holds two rolls up to $51\!\!/\!_4$ " (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Stainless steel cabinet and mechanism. Theft-resistant spindles. Includes stainless steel flange for recess mounting.

Unit Size: 8" x 14" x 6½"

Wall Opening: 6¼" × 12¼" × 3¾" (203 x 356 x 165 mm) (159 x 311 x 86 mm)



රා 0039

SURFACE MOUNTED LOW PROFILE TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 2¹/4" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge stainless steel with a satin finish. Door is hung on heavy-duty stainless steel pivot hinges. Equipped with tumbler lock.

Overall Dimensions: 20¹/₂" x 11³/₁₆" x 4¹¹/₁₆"

(521 x 284 x 119 mm)



ී 0040

SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 2¼" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge stainless steel with a satin finish. Two viewing slots reveal toilet tissue rolls inside. Equipped with tumbler lock.

Overall Dimensions:

20¹³/₁₆" x 11³%" x 6³/₁₆" (529 x 289 x 157 mm)





SURFACE MOUNTED JUMBO ROLL TOILET TISSUE DISPENSER

Holds one roll up to 10" (254 mm) diameter of 15" or 2¼" (41 or 57 mm) diameter core. Outer cabinet is stainless steel with a satin finish. Unit has viewing slot and tumbler lock.

MODEL OPTION: NEW 0042-41 Matte Black.

Overall Dimensions: 10⁵⁄⁄₈" x 10⁵⁄₈" x 4¹⁄₂" (270 x 270 x 114 mm)





RECESSED DOUBLE TOILET TISSUE HOLDER WITH HOOD

Recessed dual roll toilet paper holder with hood is fabricated of stainless steel. Rollers are made of chrome plated ABS and spring-loaded.

MODEL OPTIONS:

74022 Same as 74022-H but without hood. 7402 Single roll unit. 7402-H Single roll unit with hood.

Overall Dimensions: 125%" x 65/16" (320 x 160 mm)







SURFACE MOUNTED SINGLE ROLL TOILET TISSUE DISPENSER

Single roll toilet tissue dispenser with controlled-delivery spindle. Holds and dispenses all standard core roll tissue up to 6° (152 mm) diameter. Fabricated of heavy-duty aluminum casting with satin-matte, silver-grey powder coated finish.

MODEL OPTION: 0264-1 Double roll toilet tissue dispenser.

Overall Dimensions: 6½" x 1¾" x 4" (165 x 45 x 102 mm)



0267 VANDAL-RESISTANT HOOD

14 gauge satin finish stainless steel for use only with 0264-1 (specified and purchased separately).

Unit Size: 14¹/₈" x 7³/₄" x 6¹/₂" (359 x 197 x 175 mm)

MODEL OPTION: 0266 Hood for single roll toilet tissue dispenser.

Unit Size: 7¼" × 7¾" × 6½" (184 × 197 × 175 mm)

Ó

0715

0710

PLATED STEEL

Overall Dimensions:

12³/₈" x 2³/₄" x 4¹/₄" (314 x 70 x 108 mm)

Overall Dimensions: 6" x 2³/₄" x 4¹/₄" (152 x 70 x 108 mm)



0697-GAL SURFACE MOUNTED STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge stainless steel satin finish with front edge hemmed. Holds two 1500 sheet toilet tissue rolls.

Overall Dimensions: 18" x 4¹³/₁₆" x 5" (457 x 106 x 127 mm)





SURFACE MOUNTED TOILET TISSUE HOLDER

Bright finish stainless steel with chrome plated roller. Heavy gauge concealed bracket mounts on wall. Holds standard core roll.

ð

MODEL OPTIONS: 7305-S Satin finish stainless steel. 7305-2S/2B Holds 2 rolls.

7305-S/B Overall Dimensions: 7³/₄" x 2 x 3⁷/₈" (207 x 51 x 98 mm)

7305-2S/2B Overall Dimensions: 13½" x 2 x 3%" (343 x 51 x 98 mm)



SURFACE MOUNTED DOUBLE

Provided with vandal-resistant

locking device and mechanism to

provide controlled delivery. High

or 1800 sheet toilet tissue rolls.

SURFACE MOUNTED SINGLE

TOILET TISSUE HOLDER

polish finish. Dispenses two standard

TOILET TISSUE HOLDER CHROME



7403 RECESSED EXTRA ROLL TOILET TISSUE HOLDER

Spring-loaded chrome roller. Extra roll stored behind roll in use.

MODEL OPTIONS: 7403-B Rec., bright stainless steel. 7403-S Rec., satin stainless steel.

NOTE: If drywall installation is required, add suffix "D" to model number. If wetwall installation is required, add suffix "W" to model number (no clamp is required for wetwall).

Overall Dimensions: $6^{5}/_{16}$ " $\times 6^{1}/_{4}$ "

(160 x 159 mm)

TOILET TISSUE DISPENSERS



0402-Z RECESSED SINGLE TOILET TISSUE HOLDER

Holds any standard core roll tissue up to 5" (127 mm) diameter. Die-cast of Zamac in seamless one-piece construction.

Wall Opening: 5¼" x 5¼" x 2" (133 x 133 x 51 mm)

đ





SURFACE MOUNTED TOILET SEAT COVER DISPENSER

Dispenses 250 single or half-fold seat covers. Fabricated of 22 gauge stainless steel with satin finish.

MODEL OPTION: NEW 0477-SM-41 Matte Black.

Overall Dimensions: 15¾" x 11" x 1¼" (400 x 279 x 32 mm)

0477 RECESSED TOILET SEAT COVER DISPENSER

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

Unit Size: 17¹/₄" x 12³/₄" x 2³/₈" (438 x 324 x 60 mm) Wall Opening: 15¾" x 11¼" x 25%" (400 x 285 x 67 mm)





20477-SM ROVAL[™] SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge stainless steel with a satin finish.

Overall Dimensions: 15¾" x 11" x 2¾" (400 x 280 x 60 mm)



6 0705-Z SURFACE MOUNTED TOILET TISSUE HOLDER

Fabricated from triple chrome plated rust-resistant Zamac. Dispenses one standard core roll tissue up to 5" (127 mm).

Overall Dimensions: 5⁷/₈" x 1⁷/₁₆" x 2³/₄" (149 x 37 x 70 mm)



7303 EXTRA ROLL TOILET TISSUE HOLDER

đ

Extra roll of toilet tissue is placed over the horn type holder. Stainless steel set screw on bottom of flange locks unit to mounting plate.



110-13

RECESSED TOILET TISSUE HOLDER-FRONT MOUNT, SQUARE

Fabricated of 14 gauge type 304 stainless steel with satin finish exterior, glass blasted satin finish interior 41/2" (114 mm) deep accommodates one standard toilet tissue roll. Flange is 7" (179 mm) square. Includes front mounting holes.

Additional security toilet tissue holders are available at americanspecialties.com.



Grab Bars

All ASI grab bars are made in compliance with ADA guidelines for strength requirements. Various configurations are available in satin finish 18 gauge type 304 stainless steel (peened or smooth), powder coated matte black or white, and antimicrobial finishes. These single structure units are heliarc welded, and mandrel bending ensures uniform bar diameters.

SHOWN: 3801-24AW ANTIMICROBIAL GRAB BAR, 3701-24 STAINLESS STEEL GRAB BAR, AND 3801-24-41 GRAB BAR IN MATTE BLACK



Features include flange of 3" (76 mm) diameter, ¹⁄₄" (3 mm) thick type 304 stainless steel with a satin finish; exposed mounting screw holes are drilled and countersunk.



SNAP FLANGE 3700 Series - 1¼" (32 mm) O.D. 3800 Series - 1½" (38 mm) O.D.

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3%'' (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; %''(3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, $3\%_6'''$ (81 mm) diameter.

MODEL OPTIONS: 3700-W White. 3800-W White. NEW 3800-41 Matte Black. NEW 3801-18-41 18" Matte Black. NEW 3801-24-41 24" Matte Black. NEW 3801-36-41 36" Matte Black. NEW 3801-42-41 42" Matte Black. GERM GUARD



ANTIMICROBIAL GRAB BAR WITH SNAP FLANGE

3800-AW Series - 11/2" (38 mm) O.D.

ASI's Germ Guard[™] grab bars are designed to suppress the growth of mold, bacteria, fungus, algae, mildew, and yeasts. They are made from stainless steel and are finished with an electrostatically applied powder coating. This powder coating is custom formulated to incorporate slow release silver ions (Ag+), the most powerful and long-lasting natural antimicrobial agent known.

3801-18AW 18"	3801-42AW 42"
3801-24AW 24"	3801-48AW 48"
3801-36AW 36"	3802-48AW* 48"
	(*with intermediate
	support)


GRAB BAR CONFIGURATIONS

The following standard shapes are typical configurations. Grab bars can be custom designed and manufactured to meet any specific architectural requirement.

Designers Note:

For a non-slip surface, specify suffix "P" (peened). When specifying grab bars insert the configuration type numbers listed below into the double zeros at the end of the grab bar series number.

Example 1: A $1\frac{1}{2}$ " (38 mm) concealed 18" x 33" (460 x 840 mm) horizontal grab bar has a model number—3874. When a special size is needed, add suffix "M" plus the size, to the closest standard bars. Example 2: A $1\frac{1}{2}$ " (38 mm) concealed 23" x 37" (585 x 940 mm) horizontal grab bar has a model number 3874-M2337.





Shower/Tub Accessories

ASI provides a full range of shower and tub accessories that show attention to details to address the safety and comfort needs of users. All items—including shower seats and benches, tub seats, soap dishes, and shower curtain rods—are designed to ensure secure installation and easy use.

SHOWN: 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS



0398

RECESSED HEAVY-DUTY SOAP DISH AND BAR

Stainless steel unit with bright polished finish exterior and sand blasted finish interior. Includes mounting clamp for stud walls.

Overall Dimensions: $7\frac{1}{8}$ " x 5" x 4" (181 x 127 x 102 mm) **Wall Opening:** 6¹/₈" × 4¹/₈" × 4" (156 × 105 × 102 mm)

MODEL OPTIONS:

0399 Same as 0398, but includes kit for installing in cement wall.

0400 Without bar.

 ${\bf 0401}$ Same as 0400, but includes kit for installing in cement wall.



0410-Z RECESSED SOAP DISH WITH BAR

Die-cast of Zamac in seamless one-piece construction. A plastic soap tray with drying ribs interlocks with housing for retention.

Overall Dimensions: 6¼" x 6¼" x 3¾" (181 x 127 x 86 mm) Wall Opening: 5¼" x 5¼" x 2" (133 x 133 x 51 mm)

SHOWER/TUB ACCESSORIES



7404-S RECESSED SOAP DISH

Seamless one-piece construction fabricated of 22 gauge stainless steel with satin finish. Provided with a raised lip to retain soap.

MODEL OPTION: 7404-B Bright stainless steel.

Overall Dimensions: 61/4" x 65%" x 2" (159 x 160 x 51 mm) Wall Opening: 5½" × 5½" × 2" (140 × 140 × 51 mm)

7410-B RECESSED SOAP DISH AND BAR

One-piece construction soap dish fabricated of 22 gauge stainless steel with bright finish. Includes a bar, held permanently between two posts at top of unit.

MODEL OPTION: 7410-S Satin stainless steel.

Overall Dimensions: 6⁵/₁₆" × 6¹/₄"× 3" (160 × 159 × 76 mm) Wall Opening: 5½" x 5½" x 2" (140 x 140 x 51 mm)



1204 EXTRA HEAVY-DUTY SHOWER CURTAIN ROD

3%" (81 mm) diameter flanges of 20 gauge type 304 stainless steel with satin finish and 1%" (32 mm) diameter rod of 18 gauge type 304 stainless steel tubing with satin finish. Available in lengths up to 96" (2438 mm); special order on longer lengths.

MODEL OPTION:

1214 20 gauge, 1" (25 mm) diameter rod. Available in lengths up to 72" (1829 mm).

1201-A

CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.

1224 CONCEALED MOUNTING SHOWER CURTAIN ROD

Chrome plated brass with satin finish flanges and 1" (25 mm) diameter rod of 20 gauge type 304 stainless steel with satin finish. One flange has set screw to lock rod and prevent rotation. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.





1200-SHU SHOWER CURTAIN HOOK

Stainless steel hook for rods 1" (25 mm) and 11⁄4" (32 mm) diameter.

Overall Dimensions: 1⁹/₁₆" x 2⁵/₈" (40 x 67 mm)



1200-V VINYL SHOWER CURTAIN

Flame-resistant, anti-bacterial, 10 gauge white vinyl fabric with standard height of 72" (1829 mm). Curtain should be 6" (152 mm) wider than opening up to 42" (1067 mm) and 12" (305 mm) wider than opening exceeding 42" (1067 mm).



3 8203 COMPACT FOLDING SEAT

5%6" (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges, and bracket are satin finish stainless steel. Features a self-locking mechanism. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall. Additional width options are available in 20", 28", and 33" (order with suffix -20, -28, and -33).

MODEL OPTIONS:

8204 Seat is sponge cushion covered with off-white Naugahyde' mounted on ½" (13 mm) thick marine grade plywood. 8207 Seat is fabricated of stainless steel, satin finish, slatted design.





(Right hand) Slats are fabricated with stainless steel in satin finish. Requires only one hand operation to manually lower to horizontal position for use or raise for departure and arrival. Guide bracket with spring detent prevents seat from dropping and provides positive support in usage position as well as spring locked storage position. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 33" (838 mm) wide and projects 23" (584 mm) from wall.

MODEL OPTION: 8208-L Left hand seat.



0010 CORNER SHOWER SEAT

Seat, support brackets, and retainer clip are satin finish stainless steel. Seat is secured to one wall with full length piano hinge and support on other wall by bracket. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.

Overall Dimensions: 15¾" x 15¾" (400 x 400 mm)

8358 FOLDING TUB SEAT

1/2" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 15" (387 mm) wide and projects 33³/4" (860 mm) from wall.



8206-L

FOLDING SHOWER SEAT

(Left hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22⁷/₆" (581 mm) from wall.

MODEL OPTIONS:

8206-R Right hand seat. 8205-L Left hand seat with cushion covered in off-white Naugahyde^{*}. 8205-R Right hand seat with cushion covered in off-white Naugahyde^{*}.



NEW 8206-SC-L

ð

8202

SLOW CLOSE FOLDING SHOWER SEAT

Slow Close Phenolic L-Shaped Fold Up Shower Seat provides added safety and ease of use. Gas charged struts assist one-handed opening by allowing the slowly lowering seat to its operating position and also assists in partial closing. (Left hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22½" (581 mm) from wall.

MODEL OPTION: 8206-SC-R Right hand seat.



RECTANGULAR PHENOLIC FOUR-LEG FOLD-UP SHOWER BENCH

Seat is ½" (13 mm) thick solid phenolic, with white top and bottom surfaces, and black edges. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is 22½" (572 mm) deep and 48" (1219 mm) wide, projecting 24" (610 mm) from the wall when in the open position. When retracted, legs fold up to provide low profile against wall.



L-SHAPED PHENOLIC FOUR-LEG FOLD-UP SHOWER SEAT

Seat is ½" (13 mm) thick solid phenolic, with white top and bottom surfaces, and black edges, and is field reversible for left or right hand. Rear load feet remain on floor with rear frame mounted to wall and never need adjustment after correct installation. Front legs fold up automatically when seat is raised. Gravity prevents seat from dropping. Seat measures 33½" (851 mm) wide and projects 15¹⁷/₅₂" (395 mm) from wall. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.





BABY CHANGING STATIONS

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable, and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?



LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight in excess of 350 lbs.



ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



FUNGUS- AND BACTERIA-**RESISTANT PLASTIC**

Our baby changing stations are made with FDA-approved fungus- and bacteria-resistant plastic.

FEATURES

- Easy to install
- Sanitary, safe, and strong
- All units fold up; no obstruction when not in use
- Easy to clean



DISPENSERS See our



SANITIZING (NO) TOUCH ACCESSORIES

See our Sanitizing (NO) Touch Accessories on pages 68-71.





9014 SURFACE MOUNTED HORIZONTAL PLASTIC BABY CHANGING STATION

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteriaresistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 35⁵/₃₂" x 24¹/₄" x 3⁷/₈" (893 x 616 x 98 mm) Open: 35⁵/₃₂"x 24¹/₄" x 22¹/₃₂" (893 x 616 x 560 mm)



9015 SURFACE MOUNTED VERTICAL PLASTIC BABY CHANGING STATION

This vertical unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteriaresistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 24¼" x 355/32" x 37/8" (616 x 893 x 98 mm) Open: 24¹/4" x 35⁵/₃₂" x 32¹⁵/₁₆" (616 x 893 x 837 mm)





RECESSED HORIZONTAL STAINLESS STEEL BABY CHANGING STATION

Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg). Fabricated of FDAapproved fungus- and bacteria-resistant plastic. Door facing and collar fabricated of stainless steel.

MODEL OPTION:

9018-9 Surface mounted with a stainless steel collar.

Overall Dimensions: Closed: 39⁵/₃₂" x 28¹/₄" x ³/₈" (995 x 718 x 10 mm)

Open: 39⁵/₃₂" x 28¹/₄" x 18¹/₈" (995 x 718 x 460 mm)

Wall Opening:

351/2" x 241/2" x 4" min (902 x 622 x 102 mm)



9017

RECESSED VERTICAL STAINLESS STEEL BABY CHANGING STATION

This vertical station has a door facing and collar made from 18 gauge stainless steel. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

MODEL OPTION:

9017-9 Surface mounted with a stainless steel collar.

Overall Dimensions:

Closed: Open: 28¹/4" x 39⁵/₃₂" x ³/₈" (718 x 994 x 10 mm)

28¹/₄" x 39⁵/₃₂" x 29³/₈" (718 x 994 x 746 mm)

Wall Opening: 241/2" x 351/2" x 4" min (622 x 902 x 102 mm)



ð 9012

SURFACE MOUNTED PLASTIC BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of FDA-approved fungus- and bacteria-resistant plastic. Easy opening/closing pneumatic mechanism has oversized hinge and safety stop system. The built-in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Unit shall support a static load of 300 lbs. (136 kg). Surface mounted. Only 4" (102 mm) deep when closed.

Overall Dimensions:

Closed: 36" x 22" x 4" (914 x 559 x 102 mm) Open: 36" x 22" x 20⁷/16" (914 x 559 x 519 mm)





RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact, fungus-, and bacteriaresistant plastic for easy cleaning. Its two-part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013

9013-9 Surface mounted with a stainless steel collar.

Overall Dimensions:

Closed: Open: 37" x 25¹/₂" x 17³/₄" 37" x 25½" x 3/8" (940 x 648 x 451 mm) (940 x 648 x 10 mm)

Wall Opening: 34½" x 22¾" x 3¾" min (870 x 578 x 95 mm)





SURFACE MOUNTED TODDLER SAFETY SEAT

This plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit shall support a static load of 50 lbs. (23 kg). Fabricated of FDA approved plastic.

Overall Dimensions:

Closed: 12½" x 21¾" x 5½" (318 x 552 x 140 mm) Open: 12¹/₂" x 21³/₄" x 11¹/₈" (318 x 552 x 283 mm)





RECESSED BABY CHANGER BED LINER DISPENSER

Holds and dispenses up to 30 paper liners. Fabricated of stainless steel.

Unit Size: 10" x 18" x 4" (254 x 457 x 101 mm)

Wall Opening: 81/4" x 161/4" x 33/4" (210 x 413 x 95 mm)



Shelves

ASI offers various configurations, sizes, and styles, including platform, recessed, and folding utility shelving—all sturdy, durable, and constructed of stainless steel.

SHOWN: 20692 SURFACE MOUNTED SHELF



0690 SHELF WITH RAISED EDGES

Entire unit is formed of one piece of 18 gauge stainless steel having a %" (10 mm) depression with a satin finish.

See chart for standard sizes.

		Model Numbers		
	0690	0692	0694	20692
Standard Sizes:	6" depth (152 mm)	5", 6" or 8" depth (127,152, 203 mm)	5" depth (127 mm)	6" depth (152 mm)
Length				
12" (305 mm)				
16" (406 mm)				
18" (457 mm)		-		
24" (610 mm)				
30" (762 mm)				
36" (914 mm)				
48" (1219 mm)				
60" (1524 mm)				
72" (1829 mm)				



0692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel with a satin finish. Front edge is hemmed for maximum rigidity and safety. See chart for standard sizes.



0698

FOLDING UTILITY SHELF FOR TOILET COMPARTMENTS

Fabricated of 18 gauge satin finish stainless steel with raised rim. Shelf automatically returns to upright position when not in use.

Overall Dimensions: 14%" x 5¹³/16" (371 x 148 mm)



0412 RECESSED SHELF

This unit is fabricated of 22 gauge, all welded construction, stainless steel with a satin finish.

Overall Dimensions: 18" x 8" x 4¼" min (457 x 203 x 108 mm)

Wall Opening: 16¹/₂" x 6¹/₂" x 4" min (419 x 165 x 102 mm)



0694 SURFACE MOUNTED SHELF WITH BACKSPLASH

Fabricated of 18 gauge stainless steel with a satin finish on exposed surfaces with 5" (127 mm) depth.



20692 ROVAL™ SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel, the 6" wide shelf has a ³/₄" (19 mm) gently radiused edge. Choice of sizes.

Overall Dimensions: 6" x 12"-72" (152 x 305-1829 mm)





Custodial Accessories

Fabricated of type 304 satin finish stainless steel, our one-piece constructed custodial accessories—with various configurations of mop and broom holders and utility hooks—help keep necessary cleaning tools and supplies organized and accessible.

SHOWN: 1307-3 UTILITY HOOK STRIP WITH 3 HOOKS 26" (660 mm)



1307-3 UTILITY HOOK STRIP WITH 3 HOOKS

Fabricated of stainless steel with satin finish, this strip is 4" (102 mm) high with edges returning $\frac{1}{2}$ " (13 mm) to the wall. Measures 26" (660 mm) long.

MODEL OPTIONS:

1307-4 With 4 hooks 36" (914 mm) long. **1307-5** With 5 hooks 46" (1168 mm) long. **1307-6** With 6 hooks 56" (1422 mm) long.



1308-3 SHELF WITH 4 UTILITY HOOKS AND 3 MOP HOLDERS STRIP

Fabricated of satin finish stainless steel, this shelf is 8" (203 mm) deep with $\frac{1}{4}$ " (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Unit is $14\frac{1}{2}$ " (368 mm) high. Measures 34" (860 mm) long.

MODEL OPTION:

1308-4 4 mop holders/5 utility hooks, 44" (1118 mm) long.

CUSTODIAL ACCESSORIES



1 (16 Gauge) or 2 (18 Gauge)

Ex: 0533-3-2 straight edges with adhesive mounting, 18 gauge



8215-5 MOP AND BROOM RACKS

5 holders, 46" (1168 mm) long. Fabricated from one-piece hi-hat channel stainless steel.

MODEL OPTIONS: 8215-3 3 holders, 26" (660 mm) long. 8215-4 4 holders, 36" (914 mm) long.



1315-4

UTILITY SHELF WITH DRYING ROD, 4 MOP HOLDERS, AND 3 RAG HOOKS

Fabricated of satin finish stainless steel, this shelf is 8" (203 mm) deep with %" (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Rod and hooks for wet rags are included. Measures 36" (914 mm) long.

MODEL OPTIONS:

1315-3 3 mop holders/2 rag hooks, 30" (762 mm) long. 1315-6 6 mop holders/5 rag hooks, 48" (1219 mm) long.



SHOWN: 0501-4 SURFACE MOUNTED SURGICAL GLOVE DISPENSER




HEALTHCARE A C C E S S O R I E S

ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers. From innovative products like new antimicrobial

grab bars and a slow close shower seat, to glove dispensers, security cabinets, and hazardous waste disposals—ASI healthcare accessories are designed for ease of use, safety, durability, and peace of mind.

WHAT MAKES OUR HEALTHCARE ACCESSORIES UNIQUE?









RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is stainless steel with satin finish. Mirror is 1/4" (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

$\begin{array}{l} \textbf{Overall Dimensions:} \\ 18\frac{1}{4}" \times 24\frac{1}{4}" \times 4\frac{1}{2}" \\ (464 \times 616 \times 114 \text{ mm}) \end{array}$

MODEL OPTION: 0952-B Larger than 0952.

Overall Dimensions: 24" x 26" x 4⁷/₈" (610 x 660 x 124 mm) **Wall Opening:** 16" x 22³/4" x 3¹/2" (406 x 578 x 89 mm)

Wall Opening: 21¾" x 24½" x 3½" (550 x 620 x 89 mm)




ී 0953

SURFACE MOUNTED STAINLESS STEEL MEDICINE CABINET

Surface mounted cabinet is made from 20 gauge stainless steel with a satin finish. Mirrored door is hung on cabinet with a full length $\frac{3}{6}$ " staked piano hinge. Cabinet has three adjustable stainless steel shelves.

Overall Dimensions: 18¹/₄" × 24¹/₄" × 4³/₄"

(464 x 616 x 121 mm)





RECESSED PASS-THROUGH SPECIMEN CABINET

Provides a convenient passage from patient area into laboratory. Fabricated of 18 gauge satin finish stainless steel. Internal latch prevents simultaneous door opening. Stainless steel tray is removable. Mounts in wall thickness of 134° to $51/2^{\circ}$ (44 to 140 mm).

8155 Extension sleeve and flange for recessed specimen pass-through cabinet.

8156 Same as 8154 including 8155 extension sleeve.





RECESSED POWDER COATED MEDICINE CABINET

One-piece, drawn cold rolled steel with white powder coated steel finish. Stainless steel channel framed mirrored door with ¼" (6 mm) thick plate glass, has continuous piano hinge and magnetic catch. Three removable white enamel steel shelves.

Overall Dimensions: 18¼" x 24¼" x 4%" (465 x 615 x 120 mm) **Wall Opening:** 16" x 22¾" x 3½" (406 x 578 x 89 mm)

 $\begin{array}{l} \textbf{MODEL OPTIONS:}\\ \textbf{8338} Smaller and has two adjustable white baked enamel steel shelves.\\ 14\%^* x 20\%\%^* x 5^*\\ (359 x 513 x 125 mm) \end{array}$

8339 Larger than 8338. 16% x 22% x 5" (411 x 564 x 127 mm)





SECURITY MEDICINE CABINET

Stainless steel satin finish shelves are 20 gauge with hemmed edges and are easily adjusted by owner using track clips provided. Two (2) shelves and eight (8) clips are provided.

Overall Dimensions:

30" x 30" x 12" (762 x 762 x 305 mm)



0547 NARCOTICS CABINET -COMBINATION LOCK/DUAL DOORS

Security cabinet for controlled narcotic substances is surface mounted and constructed from stainless steel with double wall all welded construction. Cabinet is 22 gauge and doors are 18 gauge.

Overall Dimensions: 11¹/₄" x 15" x 8¹/₄" (286 x 381 x 210 mm)





Dispenses liquid antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

Overall Dimensions: 3³/₈" x 6¹/₂" x 5¹/₈" (86 x 165 x 130 mm)





0349 FOOT OPERATED SURGICAL SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (0.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (2438 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses liquid surgical soaps, antiseptic solutions, and synthetic detergents.

Overall Dimensions: $4^{1}\!\!/_{4}^{"} \times 12^{3}\!\!/_{4}^{"} \times 9^{"}$

(108 x 324 x 229 mm)

Spout Projection: 9" (229 mm) from wall





0815

FLOOR STANDING FOOT OPERATED WASTE RECEPTACLE

Foot operated waste receptacle with satin finish stainless steel body and top. Connected with multi-staked piano hinge and features hemmed edges for safety. Capacity: 8 gal. (30.7 L).

Overall Dimensions: 10³/₄" x 20¹⁵/₁₆" x 10"

(273 x 531 x 254 mm)





ANTIMICROBIAL GRAB BAR WITH SNAP FLANGE 3800-AW Series - 11/2" (38 mm) O.D.

ASI's Germ GuardTM grab bars are designed to suppress the growth of mold, bacteria, fungus, algae, mildew, and yeasts. They are made from stainless steel and are finished with an electrostatically applied powder coating. This powder coating is custom formulated to incorporate slow release silver ions (Ag+), the most powerful and long-lasting natural antimicrobial agent known.

MODEL OPTIONS: 3801-18AW 18" 3801-24AW 24" 3801-36AW 36"

3801-42AW 42" 3801-48AW 48" 3802-48AW* 48" (*with intermediate support)



NEW 0503

HANDS-FREE ARM GRIP DOOR PULL

Hands-free arm grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at standard mid-door height, or no higher than 40" above finished floor for ADA compliance, to allow placing the forearm to pull door open. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions: 1¾" x 2½" x 3" (44 x 54 x 76 mm)



NEW 0504

HANDS-FREE FOOT GRIP DOOR PULL

Hands-free foot grip door pull provides an alternative to open doors without having to use hands. Grip is surface mounted with self-threading flat head screws (by others) through holes provided, at base of door aligned with bottom edge or slightly above, and as close to opening side as possible. Constructed of 11 gauge stainless steel with satin finish and fully deburred edges for user safety.

Overall Dimensions:

3" x 3" x 2%4" (76 x 76 x 54 mm)



0548 RECESSED SHARPS DISPOSAL CABINET

Satin finish stainless steel. Marked with graphic label indicating Biohazard. Holds one Becton, Dickinson and Company (BD) brand Sharps Collector model #305443 (not included).

 Overall Dimensions:
 Wall Opening:

 13¾" x 19½6" x 5½"
 12½8" x 17¾" x 5"

 (349 x 486 x 133 mm)
 (308 x 451 x 127 mm)

MODEL OPTION:

0548-9 Surface mounted with a stainless steel collar.



0501-X SURFACE MOUNTED SURGICAL GLOVE DISPENSER

Satin finish stainless steel holds and dispenses gloves from one standard surgical glove box. Fully hemmed-in rolled edges for snag-free dispensing and user safety.

MODEL OPTIONS:

0501-1 Dispenser for 1 box. 0501-2 Dispenser for 2 boxes. 0501-3 Dispenser for 3 boxes. 0501-4 Dispenser for 4 boxes.



0511 SURFACE MOUNTED BULK DISPENSER, SMALL

Satin finish stainless steel. Dispenses various personal protection equipment such as gloves, caps, and shoe covers (not supplied).

Overall Dimensions: 12⁵⁄₆₄" x 11" x 5¹⁄₂" (307 x 279 x 140 mm)

MODEL OPTION: 0512 Large bulk dispenser.

Overall Dimensions: 12⁵/₆₄" x 17" x 5¹/₂" (307 x 431 x 140 mm)



0515 TURNTABLE SPECIMEN PASS BOX

Fabricated of 18 gauge satin finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with $10\frac{1}{2}$ " x 6" (267 x 152 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (178 mm) thick.



0551 RECESSED BEDPAN AND URINAL BOTTLE CABINET

Recessed cabinet is 22 gauge satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with $\frac{1}{2}$ " (13 mm) open space across top and bottom of door to allow air circulation.

Overall Dimensions: 15" x 28" x 5¹⁄₄" (381 x 711 x 133 mm)

ð

Wall Opening: 13%" x 26½" x 5%" (340 x 670 x 140 mm)

MODEL OPTION: 0558-1 Recessed bedpan and wash basin cabinet.





SURFACE MOUNTED BEDPAN RACK

Surface mounted rack provides convenient storage for one conventional sized bedpan. **Overall Dimensions**:

12" x 11" x 4⁷/₈" (305 x 279 x 124 mm)

MODEL OPTIONS:

0556 Surface mounted bedpan and urinal rack.

0559 Surface mounted double bedpan rack. Similar to 0556, but designed to hold two conventional sized bedpans.



<mark>∂i</mark> 0198-MH SAFE-DRI™

SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments – angled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Available in 115-120 V and 208-240 V.

Unit Size: 125⁄8" x 153⁄4" x 54⁄16" (320 x 400 x 140 mm)

Decibel Level: 66 dB-A @ 2M Wall Opening: 12¼" x 15¾6" x 5¼" (311 x 386 x 133 mm)






SHOWN: 7383 TOWEL SHELF WITH HANGER ROD

HOSPITALITY A C C E S S O R I E S

ASI offers a wide range of options to accessorize the washroom setting. These items include towel bars and racks, clothes hooks, shelving and holders. All items are easy to install and easy to clean. These items add a special touch and convenience for washroom users.













SOAP DISH WITH GLASS HOLDER

Clear glass holder has raised ribs to elevate soap slightly above surface to promote drying. May be removed for cleaning. All other parts of the unit are fabricated of satin finish stainless steel.

Overall Dimensions:

45%" DIA x 4%" (110 DIA x 124 mm)





SINGLE ROBE HOOK

Extends $2^{5/16"}$ (59 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel hook.





Two hooks, set apart at 90° on center, extend 2¾" (60 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel.





The toilet paper placed on this bailtype holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish stainless steel. Paper bar is reversible to change handing.

Overall Dimensions:

5³/₁₆" x 3³/₈" x 2³/₁₆" (131 x 86 x 56 mm)



7317 COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION: 7317-S Satin stainless steel finish.

Overall Dimensions: 8%2" DIA x 12¾" (210 DIA x 324 mm)

HOSPITALITY ACCESSORIES



7314-H SINGLE TOILET PAPER ROLL HOLDER WITH HOOD

Satin finish stainless steel hood. Hood adds weight for easy tear and also protects paper roll from water droplets.

$\begin{array}{l} \textbf{Overall Dimensions:} \\ 5\%" \times 5" \times 2\%_{16}" \\ (133 \times 127 \times 65 \text{ mm}) \end{array}$



7315-H DOUBLE TOILET PAPER ROLL HOLDER WITH HOOD

Double Toilet Paper Roll Holder with Hood is fabricated of stainless steel. All exposed surfaces have a satin finish. Roll holder bail is retained in post with concealed set screw. Hoods are captive on rod. Post is 22 gauge tubing with formed 18 gauge threaded bracket welded inside end.

Overall Dimensions: 12⁵/₃₂" x 3" x 5" (309 x 76 x 128 mm)



7316 SPARE TOILET PAPER HOLDER

Holds one roll of toilet paper. Extends 4" (102 mm) from wall. All exposed surfaces have a satin finish stainless steel.

Overall Dimensions:

3³⁵/₆₄" DIA x 6⁵/₈" (90 DIA x 167 mm)



0640 FRAMELESS MIRROR WITH LED BACKLIGHT

Frameless polished edge mirror with integral mounting frame and border LED halo lighting is made of $\frac{5}{32}$ " (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external wall switch (by others). Unit can be mounted horizontally or vertically without additional brackets or adaptations to mounting provisions.



FRAMELESS MIRROR WITH FROSTED BORDER AND LED BACKLIGHT

Frameless polished edge mirror with integral mounting frame and frosted glass border LED halo lighting is made of $\frac{5}{52}$ " (4 mm) thick plate glass. Hard wired, concealed LED lighting system operates on 100/240 VAC 50/60 Hz and is turned on-off by an external wall switch (by others). Unit can be mounted horizontally or vertically without additional brackets or adaptations to mounting provisions.





ð 7387

SURFACE MOUNTED TOILET BRUSH AND HOLDER

Tube handle, round splash guard, and storage cylinder of this wall mounted unit are fabricated of satin finish stainless steel. Includes a drip cup at the bottom for easy cleaning. Brush is made of PVC with a polypropylene shaft. 151/2" (394 mm) from bottom of base to top of handle and extends 51/8" (131 mm) from wall. Allows for easy cleaning while maintaining an elegant washroom.

MODEL OPTION:

7388 Freestanding. 15" (381 mm) from bottom of base to top of handle.



0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.



ð

SURFACE MOUNTED TOWEL SHELF WITH HANGER ROD

Heavy-duty unit with 3/4" diameter stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 235/8" x 31/2" x 815/16 (600 x 89 x 227 mm)



7381 SURFACE MOUNTED SUNDRIES SHELF

Stainless steel formed round wire construction and has 25/64" (10 mm) diameter. Solid retainer cross bar as front rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 12⁷/₈" x 4⁷/₁₆" x 3³⁵/₆₄ (372 x 114 x 90 mm)



7322

SURFACE MOUNTED SOAP BASKET

Stainless steel formed round wire construction and fabricated with heavy gauge solid rectangular cross section formed bar top rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 11¹⁵/₃₂" x 2⁹/₃₂" x 6¹/₂"

(291 x 58 x 165 mm)





Designed for hand towels, this 7" DIA (178 mm) towel ring is formed from a %" DIA (9.5 mm) satin finish stainless steel tube. Extends 21/2" (64 mm) from wall.

1201-A

CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.



0259-SS RECESSED FACIAL TISSUE DISPENSER

Dispenses 300 single-ply or 150 double-ply tissues. Faceplate constructed of stainless steel with satin finish.

Overall Dimensions: 11⁷/₈" x 6³/₈" x 2¹/₄" (302 x 162 x 57 mm)





Satin finish stainless steel tube and posts with round mounting brackets on ends. Extends 25%" (67 mm) from wall. 18" (457 mm) in length.

MODEL OPTION:

7307-24 Same as 7307-18, but 24" (610 mm) in length, ⁵/₈" (16 mm) DIA.





Security Accessories

ASI offers many different items that are specifically designed for settings with high security requirements. Features include design for contraband detection and clothes hooks that release when excessively loaded to deter self-harm actions.

SHOWN: 128-1 BOOK SHELF/CLOTHES HOOK - FRONT MOUNTING



ී 122

SQUARE CLOTHES HOOK-REAR MOUNT

Fabricated of 12 gauge stainless steel with a satin finish. Back plate is fabricated of 14 gauge stainless steel. If hook is excessively loaded, it will snap down for safety. Unit has four studs welded on back for rear mounting.

MODEL OPTION: 123 Front mounted hook.

Overall Dimensions: $4\frac{1}{4}$ " $\times 4\frac{1}{4}$ " $\times 2\frac{1}{4}$ " (108 \times 108 \times 57 mm)





SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Available in 115-120 V and 208-240 V.

Unit Size: 12⁵/₈" × 15³/₄" × 5⁴/₁₆" (320 × 400 × 140 mm)

Wall Opening: 121⁄4" x 153⁄16" x 51⁄4" (311 x 386 x 133 mm)

Decibel Level: 66 dB-A @ 2M







Shelf and back plate are 14 gauge stainless steel with satin finish. Hooks are 12 gauge stainless steel, and back plate is 14 gauge stainless steel. Seams are welded and ground smooth. Hooks snap down for safety if excessively loaded. Unit has six holes through back for front mounting.

Overall Dimensions:

18" x 11" x 8" (457 x 279 x 203 mm)






CLOTHES HOOK-FRONT MOUNT

Bracket 11 gauge, hook 7 gauge stainless steel with satin finish. If hook is excessively loaded, it will snap down for safety. Unit has four holes through flange for front mounting.

Overall Dimensions:

3" x 5" x 3½16" (76 x 127 x 78 mm)





GRAB BAR

Tubing 18 gauge and flanges $\frac{3}{3}$ (3 mm) thick stainless steel with satin finish. Closure plate is $\frac{3}{3}$ (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.

MODEL OPTIONS:

Rear		Front	
Mounted	Length	Mounted	Length
160	24" (610)	159	18" (457)
161	30" (762)	162	30" (762)
163	36" (914)	164	36" (914)
166	42" (1067)	165	24" (610)
168	48" (1219)	167	42" (1067)
		169	48" (1219)





SQUARE RECESSED TOILET TISSUE HOLDER-REAR MOUNT

Fabricated of 14 gauge stainless steel with satin finish exterior, glass blasted satin finish interior 4" (102 mm) deep accommodates one standard toilet tissue roll. Flange is 7%" (181 mm) square.

MODEL OPTION: 110-13 Front mounted holder.






RECESSED TOILET TISSUE HOLDER-REAR MOUNT

Fabricated of 16 gauge stainless steel, satin finish exterior, glass blasted satin finish interior. $4^{1}\!/_2^{"}$ (114 mm) interior depth accommodates one standard toilet tissue roll. Hidden contraband causes roll to project from holder allowing detection. Two "T" nuts welded on back for rear mounting.

MODEL OPTION: 110-A 7¼" (184 mm) DIA.

Overall Dimensions: 71/4" (184 mm) DIA.









CLOTHES/TOWEL HOOK STRIP-FRONT MOUNT

Wall plate 14 gauge with beveled edges, 11 gauge brackets, and four 7 gauge hooks. Stainless steel with satin finish. Hooks snap down for safety if excessively loaded. Unit has six mounting holes through back for front mounting.

Overall Dimensions: 18" x 5½" x 3" (457 x 140 x 76 mm)





CLOTHES/TOWEL HOOK STRIP-FRONT MOUNT

Fabricated of 14 gauge stainless steel with satin finish. Hooks snap down for safety if excessively loaded. Six holes through back for front mounting.

Overall Dimensions: 18" x 5½" x 2¼" (457 x 140 x 57 mm)





Soap dish 16 gauge stainless steel with satin finish. One-piece drawn construction with beveled trim and embossments for air circulation and drainage. Unit has two "T" nuts welded on back for rear mounting.

Overall Dimensions:

7%" x 6" x 3" (187 x 152 x 76 mm)

Wall Opening: 6½" x 5 x 3" min (165 x 127 x 76 mm)





RECESSED SHELF-REAR MOUNT

Shelf 16 gauge type 304 stainless steel, corners welded, and ground smooth. 1" (25 mm) wide beveled satin finish trim. Interior glass blasted finish. Unit has four studs welded on back for rear mounting.

Overall Dimensions: 18" x 7" x 4" (457 x 178 x 102 mm)

Wall Opening: 5½" x 16½" (141 x 419 mm)





Waste Receptacles

ASI offers a wide range of waste receptacles available in fully recessed, semi-recessed, surface mounted, counter mounted, and freestanding with various capacities. Type 304 Stainless Steel fabrication with fully removable waste cans allows contents to be easily discarded for efficient ongoing maintenance and cleanliness.

SHOWN: 20458 ROVAL[™] SEMI-RECESSED REMOVABLE WASTE RECEPTACLE



1000 TRADITIONAL[™] CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

MODEL OPTION:

1000A has a 9" (229 mm) outside diameter with a counter opening of 81/8" (206 mm) diameter.

Unit Size: 6³/₄" (171 mm)

Counter Opening: 5³/₄" (146 mm) outside diameter diameter



1003 TRADITIONAL[™] COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" x 12" x 12" (305 x 305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size: 14¼" x 10" x 3/32"

(362 x 254 x 2 mm) **Counter Opening:**

8¾" x 12½ (222 x 318 mm)



0815 FLOOR STANDING FOOT **OPERATED WASTE RECEPTACLE**

Foot operated waste receptacle with satin finish stainless steel body and top. Connected with multi-staked piano hinge and features hemmed edges for safety. Capacity: 8 gal. (30.7 L).

Overall Dimensions: 10³/₄" x 20¹⁵/₁₆" x 10" (273 x 531 x 254 mm)

WASTE RECEPTACLES



0834-RB FREESTANDING 3-BIN RECYCLING STATION

Freestanding 3-Bin Recycling Station constructed of an 18 gauge unified top and individual 22 gauge bins all of stainless steel. Bottoms of each receptacle are equipped with four (4) non-skid rubber feet. Top has shapecoordinated openings and permanent labels "TRASH," "BOTTLES," and "PAPER." Capacity: 42 gal. (159 L).

MODEL OPTION:

0839-RB has 57 gal. (216 L) capacity with 371/8" x 317/8" x 121/2" (943 x 810 x 318 mm).

Overall Dimensions:

371/8" x 317/8" x 121/2" (943 x 810 x 318 mm)

NEW

0834-TWH FREESTANDING STAINLESS STEEL SANITIZER WIPES DISPENSER AND DISPOSAL STATION

Sanitizer wipes dispense station constructed of satin finish stainless steel, with 18 gauge top and 22 gauge bin. Holds one standard 9" DIA x 9" tall sanitizer wipes container (by others). Recentacle with top on holds 12 gallons (45L) of waste, and bottom is equipped with four (4) non-skid rubber feet

MODEL OPTION:

839-TWH has 17 gal. (64 L) capacity with 123/8" x 3111/16" x 121/2" (314 x 805 x 318 mm) dimensions.

Overall Dimensions: 123/8" x 243/16" x 121/2" (314 x 614 x 318 mm)



TRADITIONAL[™] SEMI-RECESSED WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0458-9 Surface mounted with a stainless steel collar.

Unit Size:

Wall Opening: 171/4" x 301/2" x 81/4" 153/4" x 29" x (variable*) (438 x 775 x 210 mm) (400 x 737 mm)

*[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if 1/2" (13 mm) x 71/2" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]



0834 TRADITIONAL[™] FREESTANDING WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top is removable for easy maintenance, and bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839 has 19 gal. (72 L) capacity with 12³/₈" x 32" x 12¹/₂" (314 x 800 x 318 mm) dimensions.

Overall Dimensions:

123/8" x 24" x 121/2" (314 x 609 x 318 mm)



7317 COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION: 7317-S Satin stainless steel finish.

Overall Dimensions: 8%2" DIA x 123/4" (210 DIA x 324 mm)



ð

0834-T

TRADITIONAL[™] FREESTANDING WASTE RECEPTACLE WITH DUAL SWING TOP

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top has dual swing door and is removable for easy maintenance. Bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:

0839-T has 19 gal. (72 L) capacity with 123/8" x 371/4" x 121/2" (314 x 946 x 318 mm) dimensions.

Overall Dimensions: 123/8" x 293/4" x 121/2 (314 x 756 x 318 mm)





CORNER WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 16 gal. (60 L) of waste.

Overall Dimensions:

15" x 23" x 14½" (381 x 584 x 368 mm)



20826 ROVAL™ SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge stainless steel with satin finish. 12.8 gal. (48.4 L) waste capacity.

MODEL OPTION: 20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.4 L).

Overall Dimensions: 15¹/₈" x 23" x 8¹/₂" (384 x 584 x 216 mm)



20458 ROVAL™ SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance—removable 20 gauge stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Frame and cabinet fabricated of 22 gauge stainless steel with satin finish.

Unit Size: 17³/₈" x 27³/₄" x 8¹⁵/₁₆" (441 x 705 x 227 mm)

Wall Opening: 15¾" x 26" x 3¹⁵⁄16" (400 x 660 x 100 mm)



0825 TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:

0826 has 12 gal. (45.4 L) capacity with 15¼" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions:

15¾" x 21%" x 11¾" (400 x 556 x 298 mm)





Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions: 10¹/₂" × 9" × 4³/₄" (267 × 229 × 121 mm)



0828 TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

Overall Dimensions: 14" x 18" x 6" (356 x 457 x 152 mm)

WASTE RECEPTACLES



6459 SIMPLICITY[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 18 gauge stainless steel door.

6

Unit Size: 14¹/₄" × 28" × 4¹/₂"

04733

TRADITIONAL[™] RECESSED

Self-closing panel covers the

receptacle opening, removable 3 gal. (11.4 L) stainless steel waste

receptacle. Fabricated of 22 gauge

(362 x 711 x 114 mm) (324 x 673 x 102 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4"

WASTE RECEPTACLE

stainless steel.

Unit Size: 14¹⁄₄" x 28" x 4¹⁄₂"

ð

(362 x 711 x 114 mm)

Wall Opening: 12¾" x 26½" x 4¼" (324 x 673 x 108 mm)



6474 SIMPLICITY[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.

MODEL OPTIONS: NEW 6474-41PC Matte Black 6474-2 Semi-recessed with a stainless steel collar. NEW 6474-2-41PC Matte Black.

Unit Size: 17¹/₄" × 40" × 6³/₄" (438 × 1016 × 171 mm)

Wall Opening: 15¾" x 38½" x 6¼" (400 x 978 x 159 mm)



PROFILE[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a selfclosing panel that covers its opening. 16 gauge stainless steel door.

Unit Size: 14¹/₄" x 28" x 4¹⁵/₁₆" (362 x 711 x 125 mm)

Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)



6474-00 SIMPLICITY[™] RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.


MODEL OPTION: 6474-2 Semi-recessed with a stainless steel collar.

Unit Size:

ð

17¼" x 40" x 6% (438 x 1016 x 166 mm)

Finished Wall Opening*: 17⁵/₁₆" x 40¹/₁₆" x 6¹¹/₁₆" (440 x 1018 x 170 mm)



Wall Opening: 15¾" X 38½" X 6¼" (400x 978 x 159 mm)

Unit Size: 17¹⁄₄" x 40 x 7³⁄₁₆" (438 x 10¹6 x 183 mm)

PROFILE[™] RECESSED WASTE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials. 16 gauge stainless

9474

RECEPTACLE

steel door.



WHO WE ARE

Only ASI Group designs, engineers, and manufactures fully integrated washroom accessories, partitions, lockers, and visual display products from one source.

The ASI Group is known for innovative products, speed to market, and the widest offering of materials and products

in the industry. Our family of companies work together with one mission in mind—"To make our customers successful by providing value that exceeds price and an excellent service experience."





Architect: Zaha Hadid Architects ASI Alpaco[™] Partitions



2

Perimeter College Architect: Teeple Architects ASI Visual Display Products





3

WE ARE LASER FOCUSED ON DELIVERING EXACTLY WHAT YOU NEED— WHERE AND WHEN YOU NEED IT.

With operating units and offices in the USA, Canada, Australia, Belgium, UK, Middle East, and Mexico, along with sales in more than 50 countries, our ability to serve is not limited by geography. Our broad scope helps meet the needs of healthcare, education, office, and retail buildings, as well as airports, stadiums, government offices, cultural centers, and hotel/restaurant operations.

SALES IN OVER 50 COUNTRIES + DOMESTIC AND INTERNATIONAL SALES REPRESENTATIVES

O+ HIGHLY SKILLED EMPLOYEES **3** MILLION SQ. FT. MANUFACTURING & OFFICE FACILITIES





New York-Presbyterian David H. Koch Center Architect: HOK Architects HDPE Plastic Z lockers, Phenolic Z lockers, Metal Z lockers, and Stainless Steel Accessories and Partitions



U.S. Bank Stadium Architect: HKS Washroom Accessories and Solid Plastic Partitions





4

3700-W

90

20/76

BABY CHANGIN STATIONS	IG
Model	Page
9012	99
9013	28/96/99
9013-9	28/99
9014	98
9015 9016	98 99
9017	98
9017-9	98
9018	98
9018-9	98
9020	99
CUSTODIAL	
ACCESSORIES	
Model	Page
0533-1 0533-2	103/106 103/106
0533-2	103/100
0533-4	103/106
0533 SERIES	103/106
1306	103
1307-3 1307-4	102 102
1307-5	102
1307-6	102
1308-3	102
1308-4	102
1315-3 1315-4	103
1315-4	103 103
8215-3	103
8215-4	103
8215-5	103
FEMININE HYG	
VENDORS AND	
VENDORS AND DISPOSALS	
	Page
DISPOSALS	77
DISPOSALS Model 0464 0468	77 77/78
DISPOSALS Model 0464 0468 0468-2	77 77/78 78
DISPOSALS Model 0464 0468	77 77/78
DISPOSALS Model 0464 0468 0468-2 04684	77 77/78 78 78
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473	77 77/78 78 78 79 79 79 79
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1	77 77/78 78 78 79 79 79 79 79
DISPOSALS Model 0464 0468-2 0468-2 0468-2 0468-2 0472-1 0472 0472-1 0473 0473-1 0473-A	77 77/78 78 79 79 79 79 79 79
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1	77 77/78 78 78 79 79 79 79 79
DISPOSALS Model 0464 0468-2 04684 0472 0472-1 0473 0473-1 0473-4 0473-4 0473-1A 0852 0864	77 77/78 78 79 79 79 79 79 79 79 79
DISPOSALS Model 0464 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-A 0473-1A 0852 0864 20470	77 77/78 78 79 79 79 79 79 79 79 79 79 79 79 79 79
DISPOSALS Model 0464 0468-2 04684 0472 0472-1 0472-1 0473-0 0473-1 0473-A 0473-1A 0473-1A 0852 0852 0864 20470 204684	77 77/78 78 79 79 79 79 79 79 79 79 79 79 79 77 26/79 26/78
DISPOSALS Model 0464 0468-2 04684 0472 0472-1 0472-1 0473-1 0473-1 0473-1 0473-1 0473-1 0473-2 0852 0864 20470 204684-9	77 77/78 78 79 79 79 79 79 79 79 79 79 79 79 79 26/79 26/78 26/78
DISPOSALS Model 0464 0468-2 04684 0472 0472-1 0472-1 0473-0 0473-1 0473-A 0473-1A 0473-1A 0852 0852 0864 20470 204684	77 77/78 78 79 79 79 79 79 79 79 79 79 79 79 79 79
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-A 0473-1A 0852 0864 20470 204684 204684-9 20852 6468 64684	77 77/78 78 79 79 79 79 79 79 79 79 79 79 79 79 79
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-A 0473-1A 0852 0864 20470 204684 204684 204684 20852 6468 6468 6468 6468	77 77/78 78 79 79 79 79 79 79 79 79 79 26/79 26/78 26/78 26/78 26/78 26/79 43/77 43/78
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-1 0473-1 0473-1 0473-1 0473-1 0473-1 0473-1 04684 204684 204684 204684 64684 6471 9468	77 77/78 78 79 79 79 79 79 79 79 79 79 26/79 26/78 26/78 26/78 26/78 43/77 43/78 34
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-A 0473-1A 0852 0864 20470 204684 204684 204684 20852 6468 6468 6468 6468	77 77/78 78 79 79 79 79 79 79 79 79 79 26/79 26/79 26/78 26/78 26/78 26/79 43/77 43/77 43/78 34
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-A 0473-1A 0852 0864 20470 204684 204684 204684-9 20852 6468 64684 6471 9468 94684 9471	77 77/78 78 79 79 79 79 79 79 79 79 79 26/79 26/78 26/78 26/78 26/78 43/77 43/78 34
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472 0472 0472-1 0473 0473-1 0473-A 0473-1A 0852 0864 20470 204684 204684 204684 6471 9468 94684 9471 GRAB BARS	77 77/78 78 79 79 79 79 79 79 79 79 79 26/79 26/78 26/78 26/78 26/78 26/78 26/78 3/77 43/77 43/78 34 34
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472-1 0473 0473-1 0473-1 0473-A 0473-1A 0852 0864 20470 204684 204684 204684-9 20852 6468 64684 6471 9468 94684 9471	77 77/78 78 79 79 79 79 79 79 79 79 79 26/79 26/79 26/78 26/78 26/79 43/77 43/77 43/78 34
DISPOSALS Model 0464 0468 0468-2 04684 0472 0472 0472-1 0473 0473-1 0473-1 0473-1A 0852 0864 204784 204684 204684 204684 204684 6471 9468 94684 9471 GRAB BARS Model	77 77/78 78 78 79 79 79 79 79 79 79 79 79 79 26/79 26/78 26/78 26/78 26/78 26/78 34/3/77 43/77 43/78 34 35/78

3700-W 3800-AW	90 90/108
3800-W	90
3800-41 3801-41	90 17
3801-18-41	17/90
3801-24-41	17/90
3801-36-41 3801-42-41	17/90 17/90
3801-18AW	90/108
3801-24AW	90/108
3801-36AW 3801-42AW	90/108 90/108
3801-48AW	90/108
3802-48AW	90/108
3874 3874-M2337	91 91
HAND DRYE Model	Page
0135	40/58
0165	58
0184 0185	59 59
0192	57
0196-00	17/54/55/57
0196-41 0196-93	17/54/55/57 54/55/57
0197	57
0198-93	58
0198-MH 0199-93	40/58/109/116 57
0661-1	20/56/67/75
0661-2	20/56/67/75
0663-1 0663-2	20/56/67/75 20/56/67/75
20199	29/59
20200 64672	59/29 39
64672-1	12/39/56
64672-2	12/39/56
64672-41PC	15/39
HEALTHCAI	
Model	Page
0198-MH 0349	40/59/109/116 107
0350	107
0501-X	109
0501-1 0501-2	71/109 109
0501-3	109
0501-4	104/109
0503 0504	82/108 82/108
0511	109
0512 0515	109
0515 0533-1	109 103/106
0533-2	103/106
0533-3 0533-4	103/106 103/106
0533-4 0533 SERIE	
0546	107
0547 0548	107 108
0548-9	108

0551	109	0661-FM-23
0556	109	0663-1
0557	109	0663-2
0558-1	109	0663-T
0559	109	20650
0815		20650-B
	108/120	
0952	106	20655
0952-B	106	20655-B
0953	106	8026
3800-AW	90/108	8287
3801-18AW	90/108	
3801-24AW	90/108	PAPER TOW
3801-36AW	90/108	DISPENSERS
3801-42AW	90/108	Model
3801-42AW		0210
	90/108	
3802-48AW	90/108	0210-41
8154	106	0215
8155	106	0245-SS
8156	106	0439
8338	107	0452
8339	107	0452-9
8340	107	0457
0070	107	0457-9
HOSPITALITY		
ACCESSORIES		045210A
AUGEOUGHIEC		1002
Model	Page	20210
0259-SS	83/115	20452
0640	73/74/113	204523A
0641	73/74/113	6452
0712	81/114	6452-9
1201-A	92/93/115	645210
1201-B	93/115	645210A
7306	115	645210AC
7307-18	115	645224
7307-24	115	6457
7308	112	6457-00
7312	112	6457-41
7313	112	68523A
7314	112	68523A-4
7314-H	113	68523AC
7315-H	113	68523AC-4
7316	113	8165
7317	112/121	8522
7317-S	112/121	8523A
7322	114	8523AC
7381	114	9452
7383	110/114	9457
	110/114	5457
7387		PAPER TOW
7388	114	DISPENSERS
		& WASTE
MIRRORS		RECEPTACLE
Model	Page	
0535	72/74	Model
0537	74	0462-AD
0600		0462-AD-9
	73/74	0467
0600-T	73/74	0467-2
0600-1836-41	16	0467-9
0600-2436-41	16	0469
0600-41	16/73	0469-2
0605	72/74	
0620	72/74	0469-9
0625	72/74	0469-BL
0010	73/74/113	04692
0640	13/14/113	04692A
0640	70/74/440	
0641	73/74/113	046921
0641 0661-1	20/56/67/75	046921 046921A
0641		046921A
0641 0661-1	20/56/67/75	046921A 046924
0641 0661-1 0661-2	20/56/67/75 20/56/67/75	046921A

0663-1	20/76 21/56/67/75
0663-2	21/56/67/75
0663-T	21/67/75
20650	29/72/73/74
20650-B	74
20655	29/73/74
20655-B	74
8026	72/74
8287	73
PAPER TOWE	L
DISPENSERS	
Model	Page
0210	51
0210-41	14/15/51
0215	51
0245-SS	51
0439	51
0452 0452-9	50 50
0452-9 0457	50 50
0457-9	50
045210A	50
1002	53
20210	27
20452	27
204523A	27
6452	42
6452-9 645210	42 41
645210A	13/41
645210AC	13
645224	42
6457	12/42
6457-00	12
6457-41	12
68523A	43
68523A-4 68523AC	43 43
68523AC-4	43
8165	51
8522	51
8523A	51
8523AC	51
9452	34
9457	34
PAPER TOWE	L
DISPENSERS & WASTE	
RECEPTACLES	S
Model	Page
0462-AD	46
0462-AD-9	46
0467	48
0467-2	48
0467-9	48
0469 0469-2	44/46
0469-2 0469-9	46 46
0469-BL	40 46
04692	47
04692A	47
046921	49
046921A	49
046924	49
046924-9 046926	49 48
040320	48

04697	47
04697-4	47
04697-9	47
04697-BL	47
1001	53
204623	24
204023	24
204623-9	24
20469	22/24
20469	22/24
20469-9	24
204692A	25
204092A	25
2046921A	25
645210A	13/41
645210A-00	13
645210A-41	13
645210AC	13
645210AC-00	13
645210AC-41	13
6462	13/38
C4C2 00	
6462-00	13
6462-41	10/13
6462-2	38
	30
6462-9	38
64623	13/40
64623-00	13
64623-41	13
64623-9	40
64623-41PC	15/40
	-, -
64623-9-41	13
64623-9-41PC	15/40
6467	13/36/38
6467-00	13
6467-41PC	15/38
6467-9	38
6467-9-41	38
6467-9-41PC	15/38
64672	39
64672-41PC	15/39
64672-1	12/39/56
64672-1-00	12/56
	12/56
64672-1-41	12/56
64672-2	12/39/56
64672-2-00	12/56
64672-2-41	12/56
64676	38
64676-2	38
64676-9	
	38
646924A	39
64696	41
64696-6	41
64696-9	/11
64696A	12/41
64696A-00	12
64696A-41	12
64696AC	12/41
64696AC-00	
	12
64696AC-41	12
94623	34
9467	33
94676	33
9469	30/32
94696	33
94696A	33
	55

SANITIZING		1204	93	0391-1A	61	0487-R	83	7402	87
(NO) TOUCH		1214	93	0391-1A-41	61	0487-R-9	83	7402-H	87
ACCESSORI	ES	1224	93	0391-1AC	61	0503	82/108	74022	87
	_	7404-B	93	0391-1AC-41		0504	82/108	74022-H	84/87
Model	Page	7404-S	93	0391-6-1A	61	0712	81/114	7403	88
0334-B	63/68	7410-B	93	0391-6-1A-4		0714	80	7403-B	88
0334-S	63/68	7410-S	93	0391-6-1AC	6 1	0719	80	7403-S	88
0335-B	63/68	8202	95	0391-6-1AC-		0721-Z	81	9030	35/86
0335-S	63/68	8203	94	0393-1A	61	0735-Z	81	9031	35
0360	62/69	8204	94	0393-1A-41	61	0740-Z	80	9477	35
0361	65/69/71	8205-L	95	0393-1AC	61	0745-Z	80	9477-SM	35
0362	62/69/71	8205-R	95	0393-1AC-41		0751	81	R-002	85
0362-41	16/62/69/71	8206-L	95	0393-6-1A	61	0751-A	81	R-003	85
0502	71	8206-R	95	0393-6-1A-4 ²	1 61	0755-SS	82	R-005	85
	28/65/68/70/71	8206-SC-L	95	0393-6-1AC	61	0755-Z	82	R-009	85
20365	28/65/70/71	8206-SC-R	95	0393-6-1AC-	41 61	0760-Z	82		
SECURITY		8207	94	0393-R	61	0785-Z	80/81	WASTE	
ACCESSORI	ES	8208-L	94	0394-1A	61	7301-B	81	RECEPTACLE	S
Madal	Dese	8208-R	94	0394-1A-41	61	7301-S	81	Model	Page
Model	Page	8209	95	0394-1AC	60/61	7310-B	82	0458	50/121
101-14	118	8358	94	0394-1AC-41		7310-S	82	0458-9	50/121
105-14 0108 MH	118			0394-6-1A	61	7311-B	82	04733	50/123
	40/58/109/116	SOAP DISPEN	SERS	0394-6-1A-4		7320	81	0815	108/120
110 110-1	117 117	Model	Page	0394-6-1AC	61	7335	81	0825	52/122
110-13	89/117	0326	66	0394-6-1AC-	41 61	7340	80	0826	52/122
110-13 110-A	117	0332	64	0397	62	7340-41	17/80	0827	52/122
110-A 120	117	0332-C	64	0397-1A	61	7345	80	0828	52/122
120	117	0332-CD	64	0397-1AC	60/61	7355-24-41	17/82	0829	52/122
122	116	0332-D	64	0397-1A-41	61	7355-41	17/82	0834	52/121
123	110	0334-B	63/68	0397-1AC-41	17/61/62	7382	81	0834-RB	121
128-1	115	0334-S	63/68	0661-1	20/56/67/75	7385	80	0834-T	52/121
129	110	0335-B	63/68	0661-2	20/56/67/75	7385-41	17/80	0839	52/121
130	119	0335-S	63/68	0661-T	18/20/67/75	8425	80	0839-RB	121
140	119	0336	64	0663-1	21/56/67/75			0839-T	52/121
159	117	0336-D	64	0663-2	21/56/67/75	TOILET TISSU	E	1000	53/120
160	117	0338	63	0663-T	21/67/75	DISPENSERS		1000A	53/120
161	117	0339	63	20333	64	Model	Page	1003	53/120
162	117	0345	16/66	20334	64	0030	86	20458	26/120/122
163	117	0345-41	16/66	20363	28/65	0031	86	20826	26/122
164	117	0347	16/66		28/65/68/70/71	0032	86	20826-T	26/122
165	117	0347-41	16/66	20365	28/65/70/71	0039	87	6459	42/123
166	117	0387	61	5001-SS	65	0040	87	64672-00	12/39/56
167	117	0388	61	9326	35	0042	87	64672-2	12/39/56
168	117	0388-1A	61	9343	28/35/66	0042-41	14/16/87	64672-41PC	15/39
169	117	0388-1AC	61	9343-41	14/16/28/35/66	0263-1	88	6467-9-41PC	15/38
		0389	61			0264-1	88	6474	12/42/123
SHELVES		0389-1A	61	SPECIALTY	50	0266	88	6474-00	12/123
Model	Page	0389-1AC	60/61	ACCESSORI		0267	88	6474-2	42/123
0412	101	0349	107	Model	Page	0402-Z	89	6474-41PC	15/42/123
0690	100	0350	107	0002-SM	81	0477	89	6474-2-41PC	15/42/123
0692	100/101	0357	66	0002-ASM	81	0477-SM	89	7317	112/121
0694	100/101	0359	67	0258-SS	83	0477-SM-41	15/89	7317-S	112/121
0698	101	0360	62/69	0259-SS	83/115	0697-GAL	88	9459	34/123
20692	29/100/101	0361	65/69/71	0481	83	0705-Z	89	94623	34
	.,, .	0362	62/69/71	0481-HC	83	0710	88		
SHOWER/T	UB	0362-41	16/62/69/71	04813	83	0715	88		
ACCESSORI	ES	0390	61	04813-HC	83	110-13	89/117		
Model	Page	0390-1A	61	0482	83	20030	27		
0010	94	0390-1A-41	61	04823	83	20031	27		
0398	92	0390-1AC	61	048234	83	20477-SM	27/89		
0399	92	0390-1AC-41	61	0483	83	6477	43		
0400	92	0390-6-1A	61	04833	83	7303	89		
0401	92	0390-6-1A-41	61	0484	83	7305-2B	88		
0410-Z	92	0390-6-1AC	61	0484-HC	83	7305-2S	88		
1200-SHU	94	0390-6-1AC-41		0485	83	7305-B	88		
1200-V	94	0390-ARK	61	0486	83	7305-S 7305-41	88 16		
1200-0			C1						
1200-V 1201-A	92/93/115	0390-BR 0390-R	61 61	0487-L 0487-L-9	83 83	7305-2-41	16		

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
0002-SM	81	0389	61	0457	50	0484	83	0714	80
0002-ASM	81	0389-1A	61	0457-9	50	0484-HC	83	0715	88
0010	94	0389-1AC	60/61	0458	50/121	0485	83	0719	80
0030	86	0390	61	0458-9	50/121	0486	83	0721-Z	81
0031	86	0390-1A	61	0462-AD	46	0487-L	83	0735-Z	81
0032	86	0390-1A-41	61	0462-AD-9	46	0487-L-9	83	0740-Z	80
0039	87	0390-1AC	61	0464	77	0487-R	83	0745-Z	80
0040	87	0390-1AC-41	61	0467	48	0487-R-9	83	0751	81
0042	87	0390-6-1A	61	0467-2	48	0501-X	109	0751-A	81
0042-41	14/16/87	0390-6-1A-41	61	0467-9	48	0501-1	71/109	0755-SS	82
0135	40/58	0390-6-1AC	61	0468	77/78	0501-2	109	0755-Z	82
0165	58	0390-6-1AC-41	61	0468-2	78	0501-3	109	0760-Z	82
0184	59	0390-ARK	61	04684	78	0501-4	104/109	0785-Z	80/81
0185	59	0390-BR	61	0469	44/46	0502	71	0815	108/120
0192	57	0390-R	61	0469-2	46	0503	82/108	0825	52/122
0196-00	17/54/55/57	0391-1A	61	0469-9	46	0504	82/108	0826	52/122
0196-41	17/54/55/57	0391-1A-41	61	0469-BL	46	0511	109	0827	52/122
0196-93	54/55/57	0391-1AC	61	04692	47	0512	109	0828	52/122
0197	57	0391-1AC-41	61	04692-6	47	0515	109	0829	52/122
0198-93	58	0391-6-1A	61	04692-9	47	0533-1	103/106	0834	52/121
0198-MH	40/58/109/116	0391-6-1A-41	61	04692A	47	0533-2	103/106	0834-RB	121
0199-93	57	0391-6-1AC	61	04692A-6	47	0533-3	103/106	0834-T	52/121
0210	51	0391-6-1AC-41	61	04692A-9	47	0533-4	103/106	0839	52/121
0210-41	14/15/51	0393-1A	61	04692AC	47	0533 SERIES	103/106	0839-RB	121
0215	51	0393-1A-41	61	04692AC-6	47	0535	72/74	0839-T	52/121
0245-SS	51	0393-1AC	61	04692AC-9	47	0537	74	0852	79
0258-SS	83	0393-1AC-41	61	046921	49	0546	107	0864	77
0259-SS	83/115	0393-6-1A	61	046921-6	49	0547	107	0952	106
0263-1	88	0393-6-1A-41	61	046921-9	49	0548	108	0952-B	106
0264-1	88	0393-6-1AC	61	046921A 046921A-6	49 49	0548-9	108	0953	106
0266 0267	88	0393-6-1AC-41 0393-R	61 61	046921A-9	49 49	0551 0556	109	101-14 105-14	118 118
0287	88 66	0394-1A	61	046921A-5	49 49	0557	109 109	105-14	118
0320	64	0394-1A	61	046921AC-6	49	0558-1	109	110	117
0332-C	64	0394-1AC	60/61	046921AC-9	49	0559	109	110-1	117
0332-CD	64	0394-1AC-41	17/60/61	046924	49	0600	73/74	110-13	89/117
0332-D	64	0394-6-1A	61	046924-9	49	0600-T	73/74	110-A	117
0334-B	63/68	0394-6-1A-41	61	046926	48	0600-1836-41	16	120	117
0334-S	63/68	0394-6-1AC	61	04697	47	0600-2436-41	16	122	116
0335-B	63/68	0394-6-1AC-41	61	04697-4	47	0600-41	16/73	123	116
0335-S	63/68	0397	62	04697-9	47	0605	72/74	127	119
0336	64	0397-1A	61	04697-BL	47	0620	72/74	128-1	116
0336-D	64	0397-1AC	60/61	0472	79	0625	72/74	129	119
0338	63	0397-1A-41	61	0472-1	79	0640	73/74/113	130	119
0339	63	0397-1AC-41	17/61/62	0473	79	0641	73/74/113	140	119
0345	16/66	0398	92	0473-1	79	0661-1	20/56/67/75	159	117
0345-41	16/66	0399	92	0473-A	79	0661-2	20/56/67/75	160	117
0347	16/66	0400	92	0473-1A	79	0661-T	18/20/67/75	161	117
0347-41	16/66	0401	92	04733	50/123	0661-FM-14	20/76	162	117
0349	107	0402-Z	89	0477	89	0661-FM-23	20/76	163	117
0350	107	0410-Z	92	0477-SM	89	0663-1	21/56/67/75	164	117
0357	66	0412	101	0477-SM-41	15/89	0663-2	21/56/67/75	165	117
0359	67	0439	51	0481	83	0663-T	21/67/75	166	117
0360	62/69	0452	50	0481-HC	83	0690	100	167	117
0361	65/69/71	0452-9	50	04813	83	0692	100/101	168	117
0362	62/69/71	045210A	50	04813-HC	83	0694	100/101	169	117
0362-41	16/62/69/71	045210A-6	50	0482	83	0697-GAL	88	1000	53/120
0387	61	045210A-9	50	04823	83	0698	101	1000A	53/120
0388	61	045210AC	50	048234	83	0705-Z	89	1001	53
0388-1A 0388-1AC	61 61	045210AC-6	50	0483	83	0710	88	1002	53
		045210AC-9	50	04833	83	0712	81/114	1003	53/120

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
1200-SHU	94	20826-T	26/122	6467-41PC	15/38	7308	112	8339	107
1200-V	94	20852	26/79	6467-9	38	7310-B	82	8340	107
1201-A	92/93/115	3400 SERIES	90	6467-9-41PC	15/38	7310-S	82	8358	94
1201-B	93/115	3500 SERIES	90	6467-00	13	7311-B	82	8425	80
1204	93	3700 SERIES	90	6467-41	13	7312	112	8522	51
1214	93	3700-W	90	64672	39	7313	112	8523A	51
1224	93	3800 SERIES	90	64672-41PC	15/39	7314	112	8523AC	51
1306	103	3800-41	90	64672-1	12/39/56	7314-H	113	9012	99
1307-3	102	3800-AW SERIES	90/108	64672-1-00	12/56	7315-H	113	9013	28/96/99
1307-4	102	3800-W	90	64672-1-41	12/56	7316	113	9013-9	28/99
1307-5	102	3801-41	17	64672	39	7317	112/121	9014	98
1307-6	102	3801-18-41	17/90	64672-00	12/39/56	7317-S	112/121	9015	98
1308-3	102	3801-24-41	17/90	64672-2	12/39/56	7320	81	9016	99
1308-4	102	3801-36-41	17/90	64672-2-00	12/56	7322	114	9017	98
1315-3	103	3801-42-41	17/90	64672-2	12/39/56	7335	81	9017-9	98
1315-4	103	3801-18AW	90/108	64672-2-41	12/56	7340	80	9018	98
1315-6	103	3801-24AW	90/108	64676	38	7340-41	17/80	9018-9	98
20030	27	3801-36AW	90/108	64676-2	38	7345	80	9020	99
20031	27	3801-42AW	90/108	64676-9	38	7355	82	9030	35/86
20199	29/59	3801-48AW	90/108	6468	43/77	7355-24-41	17/82	9031	35
20200	29/59	3802-48AW	90/108	64684	43/77	7381	114	9326	35
20210	27	3874	91	646924A	39	7382	81	9343	28/35/66
20333	64	3874-M2337	91	646924A-9	39	7383	110/114	9343-41	14/16/28/35/66
20334	64	5001-SS	65	646924AC	39	7385	80	9452	34
20363	28/65	6452	42	646924AC-9	39	7385-41	17/80	9457	34
	28/65/68/70/71	6452-9	42	64696	41	7387	114	9459	34/123
20365	28/65/70/71	645210	41	64696-6	41	7388	114	94623	34
20452	27	645210A	13/41	64696-9	41	7402	87	9467	33
204523A	27	645210A-6	41	64696A	12/41	7402-H	87	94676	33
204523A-6	27	645210A-9	41	64696A-6	41	74022	87	9468	34
204523A-9	27 27	645210A-00 645210A-41	13 13	64696A-9	41	74022-H 7403	84/87 88	94684	34
204523AC 204523AC-6		645210A-41	13/41	64696A-00	12 12	7403 7403-B	00 88	9469 94696	30/32
204523AC-0 204523AC-9		645210AC-6	41	64696A-41 64696AC	12/41	7403-B	00 88	94696 94696A	33 33
204525AC-5 20458	26/120/122	645210AC-9	41	64696AC-6	41	7403-3 7404-B	93	94090A 9471	35/78
20458	20/120/122	645210AC-00	13	64696AC-9	41	7404-S	93	9477	35
204623-9	24	645210AC-41	13	64696AC-00	12	7410-B	93	9477-SM	35
204684	26/78	645224	42	64696AC-41	12	7410-S	93	R-002	85
204684-9	26/78	645224-6	42	6471	43/78	8026	72/74	R-003	85
20469	22/24	645224-9	42	6474	12/42/123	8154	106	R-005	85
20469-9	24	645224A-6	42	6474-41PC	15/42/123	8155	106	R-009	85
204692A	25	645224AC	42	6474-2	42/123	8156	106		
204692A-6	25	645224AC-6	42	6474-00	12/123	8165	51		
204692A-9	25	645224AC-9	42	6474-2-41PC	15/42/123	8202	95		
204692AC	25	6457	12/42	6477	43	8203	94		
204692AC-6	25	6457-00	12	68523A	43	8204	94		
204692AC-9	25	6457-41	12	68523A-4	43	8205-L	95		
2046921A	25	6459	42/123	68523AC	43	8205-R	95		
2046921A-6	25	6462	13/38	68523AC-4	43	8206-L	95		
2046921A-9		6462-2	38	7301-B	81	8206-R	95		
2046921AC	25	6462-9	38	7301-S	81	8206-SC-L	95		
2046921AC-		6462-00	13	7303	89	8206-SC-R	95		
2046921AC-		6462-41	10/13	7305-2B	88	8207	94		
20470	26/79	64623	13/40	7305-2S	88	8208-L	94		
20477-SM	27/89	64623-9	40	7305-B	88	8208-R	94		
20650	29/72/73/74	64623-00	13	7305-S	88	8209	95		
20650-B	74	64623-41	13 15/40	7305-41	16	8215-3	103		
20655 20655 B	29/73/74	64623-41PC	15/40 15/40	7305-2-41	16 115	8215-4	103		
20655-B	74 29/100/101	64623-9-41PC	15/40 13	7306	115 115	8215-5	103		
20692 20826	29/100/101 26/122	64623-9-41 6467	13 13/36/38	7307-18 7307-24	115 115	8287 8338	73 107		
20020	26/122	0407	10/00/00	/30/-24	115	0000	107	I	



441 Saw Mill River Rd. Yonkers, NY 10701 Phone: 914.476.9000 Fax: 914.476.0688 Web: americanspecialties.com

 $\ensuremath{\mathbb{C}}$ 2022 American Specialties, Inc., an ASI Group Company

ASI108691022